

Product datasheet for **RG223049**

Acyl coenzyme A Thioesterase 8 (ACOT8) (NM_183386) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Acyl coenzyme A Thioesterase 8 (ACOT8) (NM_183386) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	ACOT8
Synonyms:	hACTE-III; HNAACTE; hTE; PTE-2; PTE1; PTE2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG223049 representing NM_183386 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTCGTC**CCCCGAGGCC**CCAGAAGATGGGCAGGGCTGTGGCGACCGCGGCGATCCCCCTGGGGACCTCC
GTAGCGTCTTGGTCACGACCGTGTCAACCTCGAGCCGCTGGACGAGGATCTCTCAGAGGAAGGCATTA
CTGGGTACCGCCAAGAGGCTGTTGGTGGTCAGATCGTGGCCAGGCCCTGGTGGCTGCAGCCAAGTCT
GTGAGTGAAGACGTCCACGTGCACTCCCTGCCTGCTACTTTGTTCGGGCAGGGGACCCGAAGCTGCCAG
TACTGTACCAAGTGGAGCGGACACGAACAGGGTCGAGCTTCTCGGTGCGCTCTGTGAAGGCCGTGCAACA
TGGGAAGCCCATCTTCATCTGCCAGGCCTCCTCCAGCAGGCCAGCCAGCCCATGCAGCACCAGTTC
TCCATGCCCACTGTGCCACCACCAGAAGAGCTGCTTGACTGTGAGACCCTCATTGACCAGTATTTAAGGG
ACCCTAACCTCCAAAAGAGGTACCCATTGGCGCTCAACCGAATTGCTGCTCAGGAGGTCCCCATTGAGAT
CAAGCCAGTAAACCCATCCCCCTGAGCCAGCTGCAGAGAATGGAGCCAAACAGATGTTCTGGGTGCGA
GCCCGGGGCTATATTGGTGGCTCTCGGGGGCTGGTCCATGGGCGGCTGTGGCGTCAGGATGGAGTCTTAG
CTGTGACCTGTGCCAGGAGGGCGTGATCCGAGTGAAGCCCCAGGTCTCAGAGAGCAAGCTG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

Protein Sequence: >RG223049 representing NM_183386
 Red=Cloning site Green=Tags(s)

MSSPQAPEDGQGCGDRGPPGDLRSVLVTTVLNLEPLDEDLFRGRHYWVPAKRLFGGQIVGQALVAAKS
 VSEDEVHSHLHCYFVRAGDPKLPVLYQVERTRTGSSFVSRVKAQVHGKPIFICQASFQQAQPSMQHQF
 SMPTVPPPEELDCETLIDQYLRDPNLQKRYPLALNRIAAQEVPIEIKPVNPSPLSQLQRMPEKQMFVWR
 ARGYIGGSRGLVHGRLWRQDGLAVTCAQEGVIRVKPQVSESKL

TRTRPLE - GFP Tag - V


Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shutting:



Plasmid Map:



ACCN: NM_183386

ORF Size: 762 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_183386.1 , NP_899242.1
RefSeq Size:	962 bp
RefSeq ORF:	764 bp
Locus ID:	10005
Cytogenetics:	20q13.12
Gene Summary:	The protein encoded by this gene is a peroxisomal thioesterase that appears to be involved more in the oxidation of fatty acids rather than in their formation. The encoded protein can bind to the human immunodeficiency virus-1 protein Nef, and mediate Nef-induced down-regulation of CD4 in T-cells. [provided by RefSeq, Oct 2010]