

Product datasheet for **RG223303**

PYK2 (PTK2B) (NM_173176) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PYK2 (PTK2B) (NM_173176) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	PTK2B
Synonyms:	CADTK; CAKB; FADK2; FAK2; PKB; PTK; PYK2; RAFTK
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG223303 representing NM_173176 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTCGGGGTGTCCGAGCCCCTGAGTCGAGTAAAGTTGGGCACGTTACGCCGCCTGAAGGCCCTGCAG
AGCCCATGGTGGTGTACCAGTAGATGTGGAAAAGGAGGACGTGCGTATCCTCAAGGTCTGCTTCTATAG
CAACAGCTTCAATCCTGGGAAAACTTCAAAGTGGTCAAATGCACTGTCCAGACGGAGATCCGGGAGATC
ATCACCTCCATCCTGCTGAGCGGGCGGATCGGGCCCAACATCCGTTGGTGTGAGTGTATGGGCTGAGGC
TGAAGCACATGAAGTCCGATGAGATCCACTGGCTGCACCCACAGATGACGGTGGGTGAGGTGCAGGACAA
GTATGAGTGTCTGCACGTGGAAGCCGAGTGGAGGTATGACCTTCAAATCCGCTACTTGCCAGAAGACTTC
ATGGAGAGCCTGAAGGAGGACAGGACCAGCTGCTCTATTTTTACCAACAGCTCCGGAACGACTACATGC
AGCGCTACGCCAGCAAGGTGAGCGAGGGCATGGCCCTGCAGCTGGGCTGCCTGGAGCTCAGGCGGTTCTT
CAAGGATATGCCCCACAATGCACCTTGACAAGAAGTCCAATTCGAGCTCCTAGAAAAGGAAGTGGGGCTG
GACTTGTTTTTCCCAAAGCAGATGCAGGAGAAGTAAAGCCAAACAGTTCGGAAGATGATCCAGCAGA
CCTTCCAGCAGTACGCCCTCGCTCAGGGAGGAGGAGTGCATGAAGTCTTCAACACTCTCGCCGGCTT
CGCCAACATCGACCAGGAGACCTACCGCTGTGAAGTCAATCAAGGATGGAACATTACTGTGGACCTGGTC
ATTGGCCCTAAAGGGATCCGCCAGCTGACTAGTCAGGACGCAAAGCCACCTGGCTGGCCGAGTTCAAGC
AGATCAGGTCCATCAGGTGCCTCCCGCTGGAGGAGGGCCAGGCAGTACTTCAGCTGGGCATTGAAGGTGC
CCCCAGGCCCTTGTCATCAAAACCTCATCCCTAGCAGAGGCTGAGAACATGGCTGACCTCATAGACGGC
TACTGCCGGTGCAGGCTGAGCACCAAGGCTCTCTCATCATCCATCCTAGGAAAGATGGTGAAGAAGCGGA
ACAGCCTGCCAGATCCCCATGCTAAACCTGGAGGCCCGCGGTCCCACCTCTCAGAGAGCTGCAGCAT
AGAGTCAGACATCTACGCAGAGATTCCCGACGAAACCTGCGAAGGCCCGGAGGTCCACAGTATGGCATT
GCCCGTGAAGATGTGGTCTGAATCGTATTCTTGGGGAAGGCTTTTTTGGGGAGGCTATGAAGGTGTCT
ACACAAATCACAAAGGGGAGAAAATCAATGTAGCTGTCAAGACCTGCAAGAAAGACTGCACTCTGGACAA
CAAGGAGAAGTTCATGAGCGAGGACGTGATCATGAAGAACCTCGACCACCGCACATCGTGAAGCTGATC



[View online >](#)

GGCATCATTGAAGAGGAGCCACCTGGATCATCATGGAATTGTATCCCTATGGGGAGCTGGGCCACTACC
 TGGAGCGGAACAAGAAGCTCCCTGAAGGTGCTCACCTCGTGTACTACTGCAGATATGCAAAGCCAT
 GGCTACCTGGAGAGCATCAACTGCGTGACAGGGACATTGCTGTCCGGAACATCCTGGTGGCCTCCCCT
 GAGTGTGTGAAGCTGGGGGACTTTGGTCTTTCCCGGTACATTGAGGACGAGGACTATTACAAAGCCTCTG
 TGACTCGTCTCCCATCAAATGGATGTCCCAGAGTCCATTAACTCCGACGCTTACGACAGCCAGTGA
 CGTCTGGATGTTCCCGGTGTCATGTGGGAGATCCTGAGCTTTGGGAAGCAGCCCTTCTTCTGGCTGGAG
 AACAAAGGATGTCATCGGGGTGCTGGAGAAAGGAGACCGGCTGCCAAGCCTGATCTGTCCACCGGTCC
 TTTATACCCTCATGACCCGCTGCTGGGACTACGACCCAGTGACCGGCCCGCTTACCAGCTGGTGTG
 CAGCCTCAGTGACGTTTATCAGATGGAGAAGGACATTGCCATGGAGCAAGAGAGGAATGCTCGTACCGA
 ACCCCCAAATCTGGAGCCACAGCCTTCCAGGAACCCCAAGCCAGCCGACCTAAGTACAGAC
 CCCCTCCGCAAACCAACCTCCTGGCTCCAAAGTGCAGTTCAGGTTCTGAGGGTCTGTGTGCCAGCTC
 TCCTACGCTCACCAGCCCTATGGAGTATCCATCTCCCGTAACTACTGCACACCCACCTCTCCACCGG
 CACAATGTCTTCAAACGCCACAGCATGCGGGAGGAGGACTTCAACCCAGCAGCCGAGAAGAGGGCC
 AGCAGCTGTGGGAGGCTAAAAGGTCAAATGCGGCAAATCCTGGACAAACAGCAGAAGCAGATGGTGA
 GGACTACCAGTGGCTCAGGCAGGAGGAGAAGTCCCTGGACCCATGGTTTATATGAATGATAAGTCCCA
 TTGACGCCAGAGAAGGAGTCCGGTACCTGGAGTTCACAGGGCCCCACAGAAGCCCCGAGGCTGGGCG
 CACAGTCCATCCAGCCACAGCTAACCTGGACCGACTGATGACCTGGTGTACCTCAATGTCATGGAGCT
 GGTGCGGGCCGTGCTGGAGCTCAAGATGAGCTCTGTCAGCTGCCCCCGAGGGCTACGTGGTGGTGGT
 AAGAATGTGGGGCTGACCTGCGGAAGCTCATCGGGAGCGTGGATGATCTCCTGCCTTCTTGCCGTCAT
 CTTACGGACAGAGATCGAGGGCACCCAGAAATGCTCAACAAAGACCTGGCAGAGCTCATCAACAAGAT
 GCGGCTGGCACAGCAGAACGCCGTGACCTCCCTAAGTGAAGAGTGAAGAGGCAGATGCTGACGGCTTCA
 CACCCCTGGCTGTGGACGCCAAGAACCTGCTCGACGCTGTGGACCAGGCCAAGGTTCTGGCCAATCTGG
 CCCACCCACCTGCAGAG

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence:

>RG223303 representing NM_173176
 Red=Cloning site Green=Tags(s)

MSGVSEPLSRVKLGLRRPEGPAEPMVVVVDVEKEDVRIKVKCFYSNSFNPKNFKLKCTVQTEIREI
 ITSILLSGRIGPNIRLAECYGLRLKHKMSDEIHWLHPQMTVGEVQDKYECLHVEAEWRYDLQIRYLPEDF
 MESLKEDRTLLLYFYQQLRNDYMQRYASKVSEGMALQLGCLELRRFFKDMPHNALDKSNFELLEKEVGL
 DLFFPKQMENLKPQFRKMIQQTFQYASLREEECVMKFFNTLAGFANIDQETYRCELIQGWNITVDLV
 IGPKGIRQLTSQDAKPTCLAEFKQIRSIKPLLEEGQAVLQLGIEGAPQALSIKTSLLAEENMADLIDG
 YCRLQGEHQGSLIIHPRKDGEKRNSLPQIPMLNLEARRSHLSESCSIESDIYAEIPDETLLRRPGGPQYGI
 AREDVVLNRILGEGFFGEVYEGVYTNHKGEKINVAVKTCCKDCTLDNKEKFMSEAVIMKNLDHPHIVKLI
 GIIEEPTWIIIMELYPYGELGHYLERNKNSLKVLTLLVLSLQICKAMAYLESINCVHRDIAVRNIVAS
 P ECVKLGDFGLSRYIEDEDYKASVTRLPIKWMSPESINFRFTTASDVWMAVCMWEILSFGKQPFVWLE
 NKDVIQVLEKGDRLPKPDLCPPVLYLMTRCWDYDPSDRPRFTELVCSLSDVYQMEKDIAMEQERNARYR
 TPKILEPTAFQEPKPSRPKYRPPQTNLLAPKLQFQVPEGLCASSPTLTSPMEYPSVNSLHTPPLHR
 HNVFKRHSREEDFIQSSREEAQLWEAEKVKMRQILDKQKQMVEDYQWLRQEEKSLDPMVYMNDKSP
 LTPEKEVGYLEFTGPPQKPPRLGAQSIQPTANLDRDLDL VYLNVMELVRAVLELKNELCQLPPEGYVVV
 KNVGLTLRKLIGSVDDLPSLPSSSRTEIEGTQKLLNKDLAELINKMRLAQNAVTSLSSECKRQMLTAS
 HTLAVDAKNLLDAVDQAVLANLAHPPAE

TRTRPLE – GFP Tag – V

Restriction Sites:

Sgfl-MluI

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_173176.3
RefSeq Size:	4089 bp
RefSeq ORF:	3030 bp
Locus ID:	2185
UniProt ID:	Q14289
Cytogenetics:	8p21.2
Protein Families:	Druggable Genome, Protein Kinase
Protein Pathways:	Calcium signaling pathway, Chemokine signaling pathway, GnRH signaling pathway, Leukocyte transendothelial migration, Natural killer cell mediated cytotoxicity
Gene Summary:	<p>This gene encodes a cytoplasmic protein tyrosine kinase which is involved in calcium-induced regulation of ion channels and activation of the map kinase signaling pathway. The encoded protein may represent an important signaling intermediate between neuropeptide-activated receptors or neurotransmitters that increase calcium flux and the downstream signals that regulate neuronal activity. The encoded protein undergoes rapid tyrosine phosphorylation and activation in response to increases in the intracellular calcium concentration, nicotinic acetylcholine receptor activation, membrane depolarization, or protein kinase C activation. This protein has been shown to bind CRK-associated substrate, nephrocystin, GTPase regulator associated with FAK, and the SH2 domain of GRB2. The encoded protein is a member of the FAK subfamily of protein tyrosine kinases but lacks significant sequence similarity to kinases from other subfamilies. Four transcript variants encoding two different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]</p>