


# Product datasheet for RG223609

### BIN1 (NM\_139351) Human Tagged ORF Clone

### **Product data:**

Product Type:	Expression Plasmids
Product Name:	BIN1 (NM_139351) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	BIN1
Synonyms:	AMPH2; AMPHL; CNM2; SH3P9
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
Restriction Sites:	Sgfl-Mlul
Cloning Scheme:	Cloning sites used for ORF Shuttling:
	Sgfi ORF Miul



 Hind III
 Nhe I
 Rsr II
 Mlu I
 Not I
 Xho I
 GEP Tag

 CAAGCTTAACTAGCGACCG
 ACG
 CGT
 CGT
 CGC
 CCC
 GAG
 ATG
 CGC
 CCC
 GAG
 ATG
 CGC
 CCC
 GAG
 ATG
 CACG
 CGC
 CCC
 GAG
 ATG
 CGC
 CACG
 CCC
 GAG
 ATG
 CGC
 CACG
 CGC
 CCC
 GAG
 ATG
 CACG
 CGC
 CCC
 GAG
 ATG
 CGC
 CACG
 CGC
 CCC
 GAG
 ATG
 CGC
 CACG
 CCC
 CACG
 CACG
 CGC
 CACG
 CACG
 CGC
 CACG
 CGC
 CGC
 CACG
 CGC
 CGC
 CGC
 CGC

--- GAA GAA AGA GAT TAA ACGGCCGGCCGCGGAGCT - E E R V Stop

ACCN: NM\_139351 **ORF Size:** 1227 bp

#### OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

## **BIN1 (NM\_139351) Human Tagged ORF Clone – RG223609**


OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <u>custsupport@origene.com</u> or by calling 301.340.3188 option 3 for pricing and delivery.
	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
RefSeq:	<u>NM 139351.3</u>
RefSeq Size:	2075 bp
RefSeq ORF:	1230 bp
Locus ID:	274
UniProt ID:	<u>000499</u>
Cytogenetics:	2q14.3
Domains:	SH3, BAR, BAR

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### SIN1 (NM\_139351) Human Tagged ORF Clone – RG223609

Gene Summary:This gene encodes several isoforms of a nucleocytoplasmic adaptor protein, one of which was<br/>initially identified as a MYC-interacting protein with features of a tumor suppressor. Isoforms<br/>that are expressed in the central nervous system may be involved in synaptic vesicle<br/>endocytosis and may interact with dynamin, synaptojanin, endophilin, and clathrin. Isoforms<br/>that are expressed in muscle and ubiquitously expressed isoforms localize to the cytoplasm<br/>and nucleus and activate a caspase-independent apoptotic process. Studies in mouse suggest<br/>that this gene plays an important role in cardiac muscle development. Alternate splicing of<br/>the gene results in several transcript variants encoding different isoforms. Aberrant splice<br/>variants expressed in tumor cell lines have also been described. [provided by RefSeq, Mar<br/>2016]

### **Product images:**



Circular map for RG223609

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US