

Product datasheet for **RG223807**

WFDC13 (NM_172005) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: WFDC13 (NM_172005) Human Tagged ORF Clone
Tag: TurboGFP
Symbol: WFDC13
Synonyms: C20orf138; dj601O1.3; WAP13
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >RG223807 representing NM_172005
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGAAGCCTGTGCTGCCTCTCCAGTTCCTGGTGGTGTCTGCCTAGCACTGCAGCTGGTGCCTGGGAGTC
 CCAAGCAGCGTGTCTGAAGTATATCTTGGAACTCCACCCTGCATATCAGCACCTGAAACTGTACTCA
 CCTGTGTACAATGCAGGAAGATTGCGAGAAAGGATTTAGTGCTGTTCTCCTTCTGTGGGATAGTCTGT
 TCATCAGAAACATTTCAAAGCGCAACAGAATCAAACACAAGGGCTCAGAAGTCATCATGCCTGCCAAC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG223807 representing NM_172005
 Red=Cloning site Green=Tags(s)
 MKPVLPLQFLVVFCLALQLVPGSPKQKRVLYILEPPPCISAPENCTHLCTMQEDCEKGFQCCSSFCGIVC
 SSETFQKRNRRIKHKGSEVIMPAN

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI




[View online »](#)

Cloning Scheme:

Cloning sites used for ORF Shutting:



Plasmid Map:



ACCN: NM_172005
 ORF Size: 279 bp

OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	<p>This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.</p>
Components:	<p>The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).</p>
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_172005.2
RefSeq Size:	1372 bp
RefSeq ORF:	282 bp
Locus ID:	164237
UniProt ID:	Q8IU85
Cytogenetics:	20q13.12
Protein Families:	Secreted Protein
Gene Summary:	<p>This gene encodes a member of the WAP-type four-disulfide core (WFDC) domain family. The WFDC domain, or WAP signature motif, contains eight cysteines forming four disulfide bonds at the core of the protein, and functions as a protease inhibitor. Most WFDC gene members are localized to chromosome 20q12-q13 in two clusters: centromeric and telomeric. This gene belongs to the telomeric cluster. [provided by RefSeq, Jul 2008]</p>