

Product datasheet for **RG224971**

CLN3 (NM_001042432) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: CLN3 (NM_001042432) Human Tagged ORF Clone
Tag: TurboGFP
Symbol: CLN3
Synonyms: BTN1; BTS; JNCL
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >RG224971 representing NM_001042432
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGGGAGGCTGTGCAGGCTCGGGCGGCGCTTTTCGGATTCCGAGGGGAGGAGACCGTCCCGGAGCCCC
 GGCTCCCTCTGTTGGACCATCAGGGCGCGCATTGGAAGAACGCGGTGGGTTCTGGCTGCTGGGCCTTTG
 CAACAACCTCTTATGTGGTATGCTGAGTGCCGCCACGACATCCTTAGCCACAAGAGGACATCGGGA
 AACAGAGCCATGTGGACCCAGGCCAACGCCATCCCCACAACAGCTCATCACGATTTGACTGCAACT
 CTGTCTCTACGGCTGCTGTGCTCCTGGCGGACATCCTCCCACACTCGTCATCAAATTGTTGGCTCCTCT
 TGGCCTTACCTGCTGCCCTACAGCCCCGGGTTCTCGTCAGTGGGATTTGTGCTGCTGGAAGCTTCGTC
 CTGGTTGCCTTTTCTCATTCTGTGGGACCCAGCCTGTGTGGTGTGGTCTTCGCTAGCATCTCATCAGGCC
 TTGGGGAGGTCACCTTCTCCTCACTGCCTTCTACCCAGGGCCGTGATCTCCTGGTGGTCTCAGG
 GACTGGGGAGGCTGGGCTGCTGGGGCCCTGTCTACCTGGGCTCACCCAGGCCGGCCTCTCCCCTCAG
 CAGACCTGTGTCCATGCTGGGTATCCCTGCCCTGCTGCTGGCCAGCTATTTCTGTTGCTCACATCTC
 CTGAGGCCAGGACCCCTGGAGGGGAAGAAGAAGCAGAGAGCGCAGCCCGGAGCCCTCATAAGAACCGA
 GGCCCCGGAGTCGAAGCCAGGCTCCAGCTCCAGCCTCTCCCTTCGGGAAAGGTGGACAGTGTCAAGGGT
 CTGCTGTGGTACATTGTTCCCTTGGTCTGAGTTACTTTGCCAGTATTTCAATTAACCGAGGACTTTTGG
 AACTCCTCTTTTCTGGAACACTTCCCTGAGTCACGCTCAGCAATACCGCTGGTACCAGATGCTGTACCA
 GGCTGGGCTCTTTGCCTCCCGCTTCTCTCCGCTGCTGTGCGATCCGTTTACCTGGGCCCTGGCCCTG
 CTGAGTGCCTCAACCTGGTGTCTGCTGGCAGACGTGTGGTTCGGCTTCTGCCAAGCATCTACCTCG
 TCTTCTGATCATTCTGTATGAGGGGCTCCTGGGAGGCGCAGCCTACGTGAACACCTTCCACAACATCGC
 CCTGGAGACCAGTATGAGCACCAGGAGTTTGAATGGCGCCACCTGCATCTCTGACACACTGGGGATC
 TCCCTGTCGGGGCTCCTGGCTTTCCTCTGCATGACTTCTCTGCCAGCTCTCC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online >](#)

Protein Sequence: >RG224971 representing NM_001042432
 Red=Cloning site Green=Tags(s)

MGGCAGSRRRFSDSEGEETVPEPRLPLLDHQGAHWKNAVGFLLGLCNNFSYVVMLSAAHDILSHKRTSG
 NQSHVDPGPTPIPHNSSRFDCNSVSTAALLADILPTLVIKLLAPLGLHLLPYSRVLVSGICAAGSFV
 LVAFSHSVGTSLCGVVFASISSGLGEVTFLSLTAFYPRAVISWWSGGAGLLGALSYLGLTQAGLSPQ
 QTLLSMLGIPALLLASYFLLLTSPQAQDPGEEAEASAARQPLIRTEAPESKPGSSSSLRERWTVFKG
 LLWYIVPLVVVYFAEYFINQGLFELLFFWNTLSHAQQYRWYQMLYQAGVFASRSSLRCCRIRFTWALAL
 LQCLNLVFLADYWFGFLPSIYLVFLIILYEGLLGGAAAYNTFHNIALETSDHREFAMAATCISDTLGI
 SLSGLLALPLHDFLCQLS

TRTRPLE - GFP Tag - V


Restriction Sites:

SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN:

NM_001042432

ORF Size:	1314 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001042432.2
RefSeq Size:	1915 bp
RefSeq ORF:	1317 bp
Locus ID:	1201
UniProt ID:	Q13286
Cytogenetics:	16p12.1
Protein Families:	Druggable Genome, Transmembrane
Protein Pathways:	Lysosome
Gene Summary:	This gene encodes a protein that is involved in lysosomal function. Mutations in this, as well as other neuronal ceroid-lipofuscinosis (CLN) genes, cause neurodegenerative diseases commonly known as Batten disease or collectively known as neuronal ceroid lipofuscinoses (NCLs). Many alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Jul 2008]