

### Product datasheet for RG225090

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Prokineticin 2 (PROK2) (NM\_001126128) Human Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: Prokineticin 2 (PROK2) (NM\_001126128) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: Prokineticin 2

Synonyms: BV8; HH4; KAL4; MIT1; PK2

Mammalian Cell

Selection:

Neomycin

**Vector:** pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG225090 representing NM\_001126128
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

GACTTCATTTAACCGATTTATTTGTTTAGCCCAAAAG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >RG225090 representing NM\_001126128

Red=Cloning site Green=Tags(s)

MRSLCCAPLLLLLLPPLLLTPRAGDAAVITGACDKDSQCGGGMCCAVSIWVKSIRICTPMGKLGDSCHP

LTRKNNFGNGRQERRKRKRSKRKKEVPFFGRRMHHTCPCLPGLACLRTSFNRFICLAQK


TRTRPLE - GFP Tag - V


Restriction Sites: Sgfl-Mlul





#### Cloning Scheme:





**ACCN:** NM\_001126128

ORF Size: 387 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 001126128.2</u>

RefSeq Size: 1613 bp RefSeq ORF: 390 bp



 Locus ID:
 60675

 UniProt ID:
 Q9HC23

 Cytogenetics:
 3p13


**Protein Families:** Druggable Genome, Secreted Protein

**Gene Summary:** This gene encodes a protein expressed in the suprachiasmatic nucleus (SCN) circadian clock

that may function as the output component of the circadian clock. The secreted form of the encoded protein may also serve as a chemoattractant for neuronal precursor cells in the olfactory bulb. Proteins from other vertebrates which are similar to this gene product were isolated based on homology to snake venom and secretions from frog skin, and have been shown to have diverse functions. Mutations in this gene are associated with Kallmann syndrome 4. Multiple transcript variants encoding different isoforms have been found for this

gene. [provided by RefSeq, Jul 2008]

# **Product images:**



Circular map for RG225090