

# Product datasheet for RG225144

## IGF1 (NM\_001111283) Human Tagged ORF Clone

### **Product data:**

#### OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	IGF1 (NM_001111283) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	IGF1
Synonyms:	IGF; IGF-I; IGFI; MGF
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	<pre>&gt;RG225144 representing NM_001111283 Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGGGAAAAATCAGCAGTCTTCCAACCCAATTATTTAAGTGCTGCTTTTGTGATTTCTTGAAGGTGAAGA TGCACACCATGTCCTCCTCGCATCTCTTCTACCTGGCGCTGTGCCTGCTCACCTTCACCAGCTCTGCCAC GGCTGGACCGGAGACGCTCTGCGGGGCTGAGCTGGTGGATGCTCTTCAGTTCGTGTGGAGACAGGGGC TTTTATTTCAACAAGCCCACAGGGTATGGCTCCAGCAGTCGGAGGGGGCGCCTCAGACAGGCATCGTGGATG AGTGCTGCTTCCGGAGCTGTGATCTAAGGAGGCTGGAGATGTATTGCGCACCCCTCAAGCCTGCCAAGTC AGCTCGCTCTGTCCGTGCCCAGCGCCACACCGACATGCCCAAGACCCAGAAGTATCAGCCCCCATCTACC AACAAGAACACGAAGTCTCAGAGAAAGGAAAG
	ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA
Protein Sequence:	<pre>&gt;RG225144 representing NM_001111283 Red=Cloning site Green=Tags(s)</pre>
	MGKISSLPTQLFKCCFCDFLKVKMHTMSSSHLFYLALCLLTFTSSATAGPETLCGAELVDALQFVCGDRG FYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMYCAPLKPAKSARSVRAQRHTDMPKTQKYQPPST NKNTKSQRRKGSTFEERK
	TRTRPLE - GFP Tag - V
Chromatograms:	https://cdn.origene.com/chromatograms/ja1876_e08.zip
Restriction Sites:	Sgfl-Mlul



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### **Cloning Scheme:**




ACCN:	NM_001111283
ORF Size:	474 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
RefSeq:	<u>NM 001111283.3</u>
RefSeq Size:	7370 bp
RefSeq ORF:	477 bp
Locus ID:	3479
Cytogenetics:	12q23.2
Protein Families:	Druggable Genome, ES Cell Differentiation/IPS, Secreted Protein

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	IGF1 (NM_001111283) Human Tagged ORF Clone – RG225144
Protein Pathways	: Dilated cardiomyopathy, Focal adhesion, Glioma, Hypertrophic cardiomyopathy (HCM), Long- term depression, Melanoma, mTOR signaling pathway, Oocyte meiosis, p53 signaling pathway, Pathways in cancer, Progesterone-mediated oocyte maturation, Prostate cancer
Gene Summary:	The protein encoded by this gene is similar to insulin in function and structure and is a member of a family of proteins involved in mediating growth and development. The encoded protein is processed from a precursor, bound by a specific receptor, and secreted. Defects in this gene are a cause of insulin-like growth factor I deficiency. Alternative splicing results in multiple transcript variants encoding different isoforms that may undergo similar processing to generate mature protein. [provided by RefSeq, Sep 2015]

## Product images:



Circular map for RG225144

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US