

## Product datasheet for **RG225585**

### Dematin (DMTN) (NM\_001114137) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Dematin (DMTN) (NM_001114137) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	DMTN
Synonyms:	DMT; EPB49
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG225585 representing NM_001114137 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGAACGGCTGCAGAAGCAACCACTTACCTCCCCGGGAGCGTGAGCCCTCCCGAGATCCAGTGTGC  
CTGGCTCTCCCTCCAGCATCGTGGCCAAGATGGACAATCAGGTGCTGGGCTACAAGGACCTGGCTGCCAT  
CCCCAAGGACAAGGCCATCCTGGACATCGAGCGGCCGACCTCATGATCTACGAGCCTCACTTCACTTAT  
TCCCTCCTGGAACACGTGGAGCTGCCTCGCAGCCGCGAGCGCTCGCTGTACCCAAATCCACATCCCCC  
CACCATCCCAGAGGTGTGGCGGACAGCCGGTCCCTGGAATCATCTCTCAGGCCTCGGCCCCAGAAC  
CACTGGAACCCCGGACCAGCCTGCCCATTTCCACCACCTGAGACCTCCCGCCAGATTCACATC  
TACAAGAAGCCTCCCATCTATAAGCAGAGAGAGTCCGTGGGAGGACGCCCTCAGACCAAGCACCTCATCG  
AGGATCTCATCATCGAGTCATCCAAGTTTCTGCAGCCAGCCCCAGACCCCAACCAGCCAGCCAAAAT  
CGAAACCGACTACTGGCCATGCCCCCGTCTCTGGCTGTTGTGGAGACAGAATGGAGGAAGCGGAAGGCG  
TCTCGGAGGGGAGCAGAGGAAGAGGAGGAGGAAGATGACGACTCTGGAGAGGAGATGAAGGCTCTCA  
GGGAGCGTCAGAGAGAGGAACCTCAGTAAGGTTACTTCAACTTGGGAAAGATGATCTTGAAGAAGAGAT  
GGAAAAGTCATTGCCGATCCGAAGGAAAACCCGCTCTCTGCCTGACCCGGACACCTTCCATACCTCCTTG  
CACCAGGGAACGTCTAAATCTTCTCTCTCCCCGCCTATGGCAGGACACCCTGAGCCGGCTACAGTCCA  
CAGAGTTACGCCATCAGGGAGTGAGACTGGAAGCCAGGCCTGCAGATCTATCCCTATGAAATGCTAGT  
GGTGACCAACAAGGGGCGAACCAAGCTGCCACCGGGGTGGATCGGATGCGGCTTGAGAGGCATCTGTCT  
GCCGAGGACTTCTCAAGGTATTTGCCATGTCCTCTGAAGAGTTTGGCAAGCTGGCTCTGTGGAAGCGGA  
ATGAGCTCAAGAAGAAGGCCTCTCTCTT

ACCGTACGCGGCCGCTCGAG - GFP Tag - GTTAA



[View online »](#)

Protein Sequence: >RG225585 representing NM\_001114137  
 Red=Cloning site Green=Tags(s)

MERLQKQPLTSPGSVSPSRDSSVPGSPSSIVAKMDNQVLGYKDLAAIPKDKAILDIERPDLMIYEPHFTY  
 SLLLEHVELPRSRERSLSPKSTSPPPSPEVWADSRSPGII SQASAPRTTGTPTSLPHFHHPETSRPDSNI  
 YKKPPIYKQRESVGGSPQTKHLIEDLIIESSKFPAAQPPDPNQPAKIETDYWPCPPSLAVVETWRKRKA  
 SRRGAEEEEEEDDDSGEEMKALRERQREELSKVTSNLGKMILKEEMEKSLPIRRKTRSLPDRTPFHTSL  
 HQGTSKSSSLPAYGRITLRLQSTEFSPSGSETGSPGLQIYPYEMLVVTNKGRTKLP PGVDRMLERHLS  
 AEDFSRVFAMSPPEFGKLALWKRNELKKKASLF


TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM\_001114137

<b>ORF Size:</b>	1149 bp
<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001114137.3</a>
<b>RefSeq Size:</b>	2654 bp
<b>RefSeq ORF:</b>	1152 bp
<b>Locus ID:</b>	2039
<b>UniProt ID:</b>	<a href="#">Q08495</a>
<b>Cytogenetics:</b>	8p21.3
<b>Gene Summary:</b>	The protein encoded by this gene is an actin binding and bundling protein that plays a structural role in erythrocytes, by stabilizing and attaching the spectrin/actin cytoskeleton to the erythrocyte membrane in a phosphorylation-dependent manner. This protein contains a core domain in the N-terminus, and a headpiece domain in the C-terminus that binds F-actin. When purified from erythrocytes, this protein exists as a trimer composed of two 48 kDa polypeptides and a 52 kDa polypeptide. The different subunits arise from alternative splicing in the 3' coding region, where the headpiece domain is located. Disruption of this gene has been correlated with the autosomal dominant Marie Unna hereditary hypotrichosis disease, while loss of heterozygosity of this gene is thought to play a role in prostate cancer progression. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Nov 2014]