

Product datasheet for **RG225643**

SIGIRR (NM_001135054) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: SIGIRR (NM_001135054) Human Tagged ORF Clone
Tag: TurboGFP
Symbol: SIGIRR
Synonyms: IL-1R8; TIR8
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >RG225643 representing NM_001135054
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGCCAGGTGTCTGTGATAGGGCCCTGACTTCCTCTCCCGTCTGAAGACCAGGTGCTGAGGCCTGCCT
 TGGGCAGCTCAGTGGCTCTGAAGTGCACGGCTTGGGTAGTCTCTGGGCCCACTGCTCCCTGCCTCAGT
 CCAGTGGCTGAAAGACGGGCTTCCATTGGGAATTGGGGCCACTACAGCCTCCACGAGTACTCCTGGGT
 AAGGCCAACCTGTCAGAGGTGCTTGTGTCCAGTGTCTGGGGTCAACGTGACCAGCACTGAAGTCTATG
 GGGCTTCACCTGCTCCATCCAGAACATCAGCTTCTCCTCCTTCACTCTCAGAGAGCTGGCCCTACAAG
 CCAGTGGCTGCGGTGCTGGCCTCCCTCCTGGTCTGCTGGCCCTGCTGCTGGCCGCCCTGCTCTATGTC
 AAGTGGCTCTCAACGTGCTGCTGTTACCAGGACGCGTATGGGGAGGTGGAGATAAACGACGGGAAGC
 TCTACGACGCTACGTCTCTACAGCGACTGCCCGAGGACCGCAAGTTCGTGAACCTTATCCTAAAGCC
 GCAGCTGGAGCGGCTCGGGCTACAAGCTTCTCCTGGACGACCGGACCTCCTGCCGCGCTGAGCCC
 TCCGCGACCTCTTGGTGAACCTGAGCCGCTGCCGACGCTCATCGTGGTGTCTTCGGACGCTTCTCTGA
 GCCGGCTGGTGCAGCCACAGCTTCCGGGAGGGCCTGTGCCGGTGTGGAGCTCACCCGAGACCCAT
 CTTATCACCTTCGAGGGCCAGAGGCGCACCCCGGCACCCGGCGCTCCGCTGCTGCCAGCACCCGC
 CACTGGTGACCTTGTCTCTGGAGCCCGGCTCCGTGACTCCTTCTCCGATTTTGGAAAGAAGTGC
 AGCTGGCGCTGCCGCGGAAGGTGCAGTACAGGCTGTGGAAGGAGACCCAGACGAGCTGCAGGACGA
 CAAGGACCCATGCTGATTCTTCGAGGCGAGTCCCTGAGGGCCGGCCCTGGACTCAGAGGTGGACCCG
 GACCTGAGGGGACCTGGGTGTCCGGGGCTGTCTTTGGAGAGCCATCAGCTCCACCGCACACCAAGT
 GGGTCTCGCTGGGAGAGACCGGAGCAGCGAAGTGGACGTCTCGGATCTCGGCTCGGAACTACAGTGC
 CCGCACAGACTTCTACTGCCTGGTGTCCAAGGATGATG

AGCGGACCGACGCTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online >](#)


Protein Sequence: >RG225643 representing NM_001135054
 Red=Cloning site Green=Tags(s)

MPGVCDRAPDFLSPSEDQVLRPALGSSVALNCTAWVVSGPHCSLPSVQWLKDGLPLGIGGHYSLHEYSWV
 KANLSEVLVSSVLGVNVTSTEVYGAFTCSIQNISSFSTLQRAGPTSHVAAVLASLLVLLALLLAALLYV
 KCRLNVLLWYQDAYGEVEINDGKLYDAYVSYSDCPEDRKFVNFILKPQLERRRGYKFLDDRDLPRAP
 SADLLVNL SRCRRLIVVLSDAFLSRAWCSHSFREGLCRLELTRRPIFITFEGQRRDPAHPALRLLRQHR
 HLVTLLLRPGSVTPSSDFWKEVQLALPRKVQYRPFVEGDPQTQLQDDKDPMLILGRVPEGRALDSEVDP
 DPEGDLGVRGPVFGEPSAPPHTSGVSLGESRSSEVDVSDLGSRNYSARTDFYCLVSKDDM

SGP^{TRRRLE} - GFP Tag - V

Restriction Sites: SgfI-RsrII

Cloning Scheme:



ACCN: NM_001135054

ORF Size: 1230 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001135054.2](#)

RefSeq Size: 1761 bp

RefSeq ORF: 1233 bp

Locus ID: 59307


UniProt ID: [Q6IA17](#)

Cytogenetics: 11p15.5

Protein Families: Transcription Factors, Transmembrane

Gene Summary: Acts as a negative regulator of the Toll-like and IL-1R receptor signaling pathways. Attenuates the recruitment of receptor-proximal signaling components to the TLR4 receptor, probably through an TIR-TIR domain interaction with TLR4. Through its extracellular domain interferes with the heterodimerization of IL1R1 and IL1RAP.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RG225643