

Product datasheet for **RG225667**

BAAT (NM_001127610) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: BAAT (NM_001127610) Human Tagged ORF Clone
Tag: TurboGFP
Symbol: BAAT
Synonyms: BACAT; BACD1; BAT; HCHO
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >RG225667 representing NM_001127610
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGATCCAGTTGACAGCTACCCCTGTGAGTGCCTTGTGATGAGCCAGTGCATATCCGAGCTACAGGCC
 TGATTCCTTTTCAGATGGTGAGTTTTTCAGGCATCACTGGAAGATGAAAACGGAGACATGTTTTATTCTCA
 AGCCCACTATAGGGCCAATGAATTCGGTGAGGTGGACCTGAATCATGCTTCTTCACTTGGAGGGGATTAT
 ATGGGAGTCCACCCCATGGTCTCTTCTGGTCTCTGAAACCTGAAAAGCTATTAACAAGACTGTTGAAAA
 GAGATGTGATGAATAGGCCTTTCCAGTCCAAGTAAAACCTTTATGACTTAGAGTTAATAGTGAACAATAA
 AGTTGCCAGTGCTCCAAAGGCCAGCCTGACTTTGGAGAGGTGGTATGTGGCACCTGGTGTACACGAATT
 AAGGTTTCGAGAAGGCCGCTTCGAGGAGCTCTTTCTCCCTCCAGGAGAGGGTCTTCCAGGGGTAA
 TTGATTTGTTGGTGGTTTGGTGGGCTGCTTGAATTTCCGGCCAGCCTCCTAGCCAGTCGTGGCTTCGC
 CTCCTTGGCCTTGGCTTACCATAACTATGAAGACCTGCCCCGAAACCAGAAGTAACAGATTTGGAATAT
 TTTGAGGAGGCTGCCAATTTCTCTGAGACATCCAAAGGTCTTTGGCTCAGGCGTTGGGGTAGTCTCTG
 TATGTCAAGGAGTACAGATTGGACTATCTATGGCTATTTACCTAAAGCAAGTCACAGCCACGGTACTTAT
 TAATGGGACCAACTTTCTTTTGGCATTCCACAGGTATATCATGGTCAGATCCATCAGCCCTTCCCCAT
 TCTGCACAATTAATATCCACCAATGCCTTGGGTTACTAGAGCTCTATCGCACTTTTGAGACAACCTCAAG
 TTGGGGCCAGTCAATATTTGTTTCTATTGAAGAGGCCAGGGGCAATTCCTTTCATTGTAGGAGAAGG
 TGATAAGACTATCAACAGCAAAGCACACGCTGAACAAGCCATAGGACAGCTGAAGAGACATGGGAAGAAC
 AACTGGACCCTGTATCTTACCCTGGGGCAGGCCACCTGATAGAACCCTCCTATTCTCTGTGTGTG
 CCTCAACGACCCACGATTTGAGGTTACTGTTGGGAGGAGGTGATCCCACACGCAGCTGCACAGGAACA
 TGCTTGAAGGAGATCCAGAGATTTCTCAGGAAGCACCTCATTCCAGATGTGACCAGTCAACTC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

Protein Sequence: >RG225667 representing NM_001127610
 Red=Cloning site Green=Tags(s)

MIQLTATPVLSALVDEPVHIRATGLIPFQMVSFQASLEDENGDMFYSAHYRANEFGEVDLNHASSLGGDY
 MGVHPMGLFWSLKPEKLLTRLLKRDVMNRPFQVQVKLYDELEIVNNKVASAPKASLTLRWYVAPGVTRI
 KVREGRLRGALFLPPGEGLFPGVIDLFGGLGGLLEFRASLLASRGFASLALAYHNYEDLPRKPEVTDLEY
 FEEAANFLLRHPKVFSGVGVVSVCCQGVQIGLSMAIYLKQVTATVLLINGTNFPFGIPQVYHGQIHQPLPH
 SAQLISTNALGELLELYRTFETTQVGASQYLFPIEEAQQQFLFIVGEGDKTINSKAHAEQAIGQLKRHGKN
 NWTLLSYPGAGHLIEPPYSPLCCASTTHDLRLHWGGGEVIPHAAAQEHAWKEIQRFLRKHLIPDVTSQL

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001127610

ORF Size: 1254 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001127610.2](#)

RefSeq Size: 3377 bp

RefSeq ORF: 1257 bp

Locus ID: 570


UniProt ID: [Q14032](#)

Cytogenetics: 9q31.1

Protein Pathways: Biosynthesis of unsaturated fatty acids, Metabolic pathways, Primary bile acid biosynthesis, Taurine and hypotaurine metabolism

Gene Summary: The protein encoded by this gene is a liver enzyme that catalyzes the transfer of C24 bile acids from the acyl-CoA thioester to either glycine or taurine, the second step in the formation of bile acid-amino acid conjugates. The bile acid conjugates then act as a detergent in the gastrointestinal tract, which enhances lipid and fat-soluble vitamin absorption. Defects in this gene are a cause of familial hypercholanemia (FHCA). Two transcript variants encoding the same protein have been found for this gene. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RG225667