

Product datasheet for **RG226052**

PEX5 (NM_001131026) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PEX5 (NM_001131026) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	PEX5
Synonyms:	PBD2A; PBD2B; PTS1-BP; PTS1R; PXR1; RCDP5
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG226052 representing NM_001131026
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGGCAATGCGGGAGCTGGTGGAGGCCAATGCGGGGTGCCAACCCGCTCATGAAGCTCGCCGGGCACT
 TCAACCAGGACAAGGCCCTTCGGCAGGAGGGATTGAGGCCTGGCCCTGGCCCCGGAGCCCCGGCCTC
 TGAGGCAGCCTCCAAGCCTTTGGGAGTAGCTTCTGAAGATGAGTTGGTGGCTGAATTCCTGCAGGACCAG
 AATGCACCCCTTGTGTCCCGTGCCCTCAGACCTCAAGATGGATGACCTCCTGGCTGAGATGCAGCAGA
 TTGAGCAGTCAAACCTCCGCCAGGCTCCCAGAGAGCCCTGGTGTGGCAGACTTGGCCTTGTCTGAGAA
 CTGGGCCCAGGAGTTTCTGCAGCTGGAGATGCTGTGGATGTAACCTCAGGATTATAATGAGACTGACTGG
 TCCCAAGAATTCATCTCTGAAGTTACAGACCCCTTGTCTGTGTCCCTGCCCGTGGGCTGAGGAATATT
 TGGAGCAATCAGAGGAGAAGCTGTGGCTGGGAGAACCTGAGGGAACAGCCACCGATCGCTGGTATGATGA
 ATATCATCTGAGGAGGATCTGCAGCACACGGCCAGTGACTTTGTGGCCAAAGTGGATGACCCAAATTG
 GCTAATTCAGTTCCTGAAATTCGTGCGGCAGATTGGCGAAGGGCAGGTGTCCCTGGAGTCCGGTGCAG
 GGTCCGGCCGAGCTCAGGCAGAACAGTGGGCAGCAGAGTTTATACAGCAGCAGGGTACATCAGATGCCTG
 GTTGACCAAGTTCACAAGACCAAGTAAACACATCTGCCCTTGATATGGAGTTTGAACGAGCCAAGTCACT
 ATAGAGTCTGATGTCGATTTCTGGGACAAGTTGCAGGCAGAGTTGGAGGAGATGGCAAAACGGGATGCTG
 AGGCCACCCCTGGCTTTCTGACTATGATGACCTTACGTCAGCTACCTATGATAAGGGGTACCAGTTTGA
 GGAGGAGAACCCCTTGCCTGATCACCCTCAGCCTTTTGAAGAAGGGCTGCGGCGCCTTCAGGAGGGGAC
 CTGCCAAATGCTGTGCTGCTTTTGGAGCAGTGTGCAGCAGGATCCTAAGCACATGGAAGCTTGGCAGT
 ATCTGGGTACCACCCAGGCAGAGAATGAACAAGAATATTAGCCATCAGTGCATTGGCGGAGGTGTCTGGA
 GCTAAAGCCAGATAACCAGACAGCACTGATGGCGCTGGCTGTGAGCTTCACCAACGAGTCCCTGCAGCGA
 CAGGCCTGTGAAACCCTACGAGACTGGCTGCGGTACACACCAGCCTATGCCCATCTGGTGCACCTGCTG
 AAGAAGGGGCTGGTGGGCGAGGACTGGGCCCCAGCAAGCGTATCCTGGGATCTCTCTTGTCTGACTCCCT
 GTTTCTTGAAGTGAAGAGCTCTTCTGGCAGCTGTGCGGCTGGACCCTACCTCCATTGACCCTGATGTG
 CAGTGTGGCTTGGGAGTCTTTTCAACCTGAGTGGGGAGTATGACAAGGCCGTGGACTGCTTACAGCTG
 CCCTCAGCGTTCGTCCTCAATGACTATTTGCTGTGAATAAGCTAGGCGCCACCCTGGCCAATGGAACCA
 GAGTGAAGAAGCAGTAGCTGCGTACCGCCGGCCCTCGAGCTCCAGCCTGGCTATATCCGGTCCCCTAT
 AACCTGGGCATCAGCTGCATCAACCTCGGGGCTCACCGGGAGGCTGTGGAGCACTTCTGGAGGCCCTGA
 ACATGCAGAGGAAAAGCCGGGGCCCCGGGGTGAAGGAGGTGCCATGTCCGAGAACATCTGGAGCACCT
 GCGTTTGGCATTGTCTATGTTAGGCCAGAGCGATGCCTATGGGGCAGCCGACGCGGGGATCTGTCCACC
 CTCTAACTATGTTTGGCCTGCCCCAG

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence:

>RG226052 representing NM_001131026
 Red=Cloning site Green=Tags(s)


MAMRELVEAECGGANPLMKLAGHFTQDKALRQEGLRPGWPPGAPASEAASKPLGVASEDELVAEFLQDQ
 NAPLVSRAPQTFKMDLLAEMQIEQSNFRQAPQAPGVADLALSENWAQEF LAAGDAVDVTQDYNEDW
 SQEFLI SEVTDPLSVSPARWAEYLEQSEEKLWGEPEGTATDRWYDEYHPEEDLQHTASDFVAKVDDPKL
 ANSEFLKFVRQIGEGQVLESGAGSGRAQAEQWAAEF IQQGTSDAWVDQFTRPVNTSALDMEFERAKSA
 IESDVDFWDLQAEL EEMAKRDAEAHPWLSYDDLTSATYDKGYQFEENPLRDHPQPFEEGLRRLQEGD
 LPNAVLLFEAAVQDPKHMEAWQYLGTQAENEQELLAI SALRRCLELKPNDQALMALAVSFTNESLQR
 QACETLRDWRYPAYAHLVTPAEEGAGGAGLGP SKRILGSLSDSLFLEVKELFLAAVRLDPTSIDPDV
 QCGLGLVFNLSGEYDKAVDCFTAALSVRPNLYLLWNKLGATLANGNQSEEAVAA YRRALELQPGYIRSR
 YNLGISINLGAHREAVEHFLEALNMQRKSRGPRGEGGAMSENIWSTLRLLAL SMLGQSDAYGAADARDLST
 LLTMFGLPQ

TRTRPLE – GFP Tag – V


Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shutting:



Plasmid Map:



ACCN: NM_001131026

ORF Size: 1917 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001131026.2
RefSeq Size:	2693 bp
RefSeq ORF:	1920 bp
Locus ID:	5830
UniProt ID:	P50542
Cytogenetics:	12p13.31
Protein Families:	Druggable Genome
Gene Summary:	The product of this gene binds to the C-terminal PTS1-type tripeptide peroxisomal targeting signal (SKL-type) and plays an essential role in peroxisomal protein import. Peroxins (PEXs) are proteins that are essential for the assembly of functional peroxisomes. The peroxisome biogenesis disorders (PBDs) are a group of genetically heterogeneous autosomal recessive, lethal diseases characterized by multiple defects in peroxisome function. The peroxisomal biogenesis disorders are a heterogeneous group with at least 14 complementation groups and with more than 1 phenotype being observed in cases falling into particular complementation groups. Although the clinical features of PBD patients vary, cells from all PBD patients exhibit a defect in the import of one or more classes of peroxisomal matrix proteins into the organelle. Defects in this gene are a cause of neonatal adrenoleukodystrophy (NALD), a cause of Zellweger syndrome (ZWS) as well as may be a cause of infantile Refsum disease (IRD). Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq, Oct 2008]