

## Product datasheet for **RG226865**

### FBXO28 (NM\_001136115) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** FBXO28 (NM\_001136115) Human Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** FBXO28  
**Synonyms:** CENP-30; Fbx28  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >RG226865 representing NM\_001136115  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGATCGCC**

ATGGCGGCAGCGCGGAGGAGCGGATGGCAGAGGAAGGAGGCGCGGCCAAGGCGACGGCGTTCTCTT  
 TGGCTCCGGCTTACCCAGCGACAGCTCCACCGCCCGCCACAGCACCCGACCGGGTCCCAGGC  
 GCTCCAGCCCCGCGTGGCTCCGACCAGCTGCCTCAAACAACACGTTGTGGCGTGCCCATCGTA  
 GCCATCGAGAACATCCTCAGCTTATGTCCTACGACGAAATTAGCCAGCTCCGCCTGTTTGTAAAAGAA  
 TGGACTTGGTCTGCCAGAGAATGTTGAATCAGGGATTTCTGAAAGTGGAGAGGTACCATAATCTATGTCA  
 GAAACAAGTTAAAGCACAACTCCAAGGAGAGAGTCAGAAAGGAGAAACCATTATTAGCTGTCATGCA  
 GACATTCTTGCTGCTGTTGAAACAAGGCTGTCACTATTAATATGACTTTCATGAAATATGTGGATTCCA  
 ATCTCTGTTGCTTCATCCAGGAAAGTTCCAGGACCGTCTGCAGCCC

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >RG226865 representing NM\_001136115  
 Red=Cloning site Green=Tags(s)


MAAAAERMAEEGGGQGDGSSLASGSTQRQPPPPAPQHPQPGSQALPAPALAPDQLPQNNTLVALPIV  
 AIENILSFMSYDEISQLRLVCKRMDLVCQRMLNQGFLKVERYHNLQKQVKAQLPRRESERRNHSLARHA  
 DILAAVETRLSLLNMTFMKYVDSNLCCFIPGKFQDRLQP

**TRTRPLE** - GFP Tag - V

**Restriction Sites:** SgfI-MluI



**Cloning Scheme:**

**Plasmid Map:**


**ACCN:** NM\_001136115

**ORF Size:** 537 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u>NM_001136115.3</u>
<b>RefSeq Size:</b>	5263 bp
<b>RefSeq ORF:</b>	540 bp
<b>Locus ID:</b>	23219
<b>UniProt ID:</b>	<u>Q9NVF7</u>
<b>Cytogenetics:</b>	1q42.11
<b>Protein Families:</b>	Druggable Genome
<b>Gene Summary:</b>	Members of the F-box protein family, such as FBXO28, are characterized by an approximately 40-amino acid F-box motif. SCF complexes, formed by SKP1 (MIM 601434), cullin (see CUL1; MIM 603134), and F-box proteins, act as protein-ubiquitin ligases. F-box proteins interact with SKP1 through the F box, and they interact with ubiquitination targets through other protein interaction domains (Jin et al., 2004 [PubMed 15520277]).[supplied by OMIM, Mar 2008]