

Product datasheet for **RG227747**

GTF2H1 (NM_001142307) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	GTF2H1 (NM_001142307) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	GTF2H1
Synonyms:	BTF2; P62; TFB1; TFIIH
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG227747 representing NM_001142307
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGGCAACCTCATCTGAAGAAGTTTTGCTGATTGTAAGAAAGTGCCTCAAAGAAGCAGGATGGAGCTC
 TGTACCTCATGGCAGAAAAGAAATTGCTTGGGCACCTGAAGGCAAAGATAGATTTACAATCAGCCATATGTA
 TGCAGATATTAATGCCAGAAAATTAGTCCAGAAGGAAAAGCTAAAATTCAGCTTCAGCTGGTCCTACAT
 GCAGGGGACACAATACTTCCATTTTTCCAATGAAAGCACAGCAGTGAAAGAGCGAGATGCAGTAAAAG
 ACCTTCTCAGCAGCTGCTGCCAAATCAAGAGGAAAGCAAATAAAGAAGTGAAGAGAAGAACAAGAT
 GCTGCAAGAAGATCCTGTTTTGTTTCAGCTTTATAAAGACCTGTTGTGAGTCAAGTATCAGTGTGAG
 GAATTCGGGCAATCGTTTAAATGTGAATGCAACAGATAGTTCTCCACATCCAATCATAAGCAGGATG
 TTGGCATTCTGCTGCATTTCTGGTGTGTCGGCCCCAACTGATGGCTGAACGGTCTAAGATATAA
 TTTAACTTCTGATATCATTGAGTCCATATTTAGGACCTATCCAGCAGTAAAAATGAAATATGCAGAAAAT
 GTTCCCCACAACATGACAGAGAAGGAATTCGGACACGTTTTTTCCAGTCCCATTATTTTACAGGGATC
 GGCTGAATACAGGGTCAAAGGATCTCTTTGCAGAATGTGCCAAAATAGATGAAAAAGGCCTAAAAACAAT
 GGTTCATTAGGAGTAAAAACCCACTACTAGATTTAACAGCTTTGGAAGATAAACCATAGATGAGGGC
 TATGGCATTTCCTCTGTGCCATCTGCTTCCAATCTAAATCCATAAAAAGAGAATAGTAATGCTGCCATCA
 TCAAGAGATTTAACCATCACAGTCCATGGTCTGGCAGCTGGACTCAGAAAACAAGAAGCACAAAATGA
 ACAAACTAGTGAGCCAGCAACATGGATGGAATTCGGGAGATGCAGACTGCTTTCAGCCAGCAGTCAA
 AGGGCGAAATACAAGAGTCCATTGAATATGAAGACTTGGGAAAAATAATTCTGTAAAAACGATTGCAC
 TAAACCTCAAGAAGTCAGATAGTATTATCATGGTCCAACCTCAATCCAGTCACTACAGTATGCAACA
 TCAGGACATTATTAATTCTTTTCAAAGTATTAGACAAGAAATGGAAGCTTATACACCCAAGTAACTCAG
 GTTCTCTCAAGTAGTGTGCCAGTAGTACCATCACAGCACTGTACCTGGAGGGGCACTTATGCAGGGAG
 GAACACAGCAAGCCATAAACAGATGGTGCCAAATGATATTCAATCTGAATTGAAACACTTATATGTAGC
 TGTTGGAGAATTCTACGACATTTCTGGTCTGCTTCTGTTAATACGCCATTCTAGAAGAAAAGGTA
 GTGAAAATGAAAAGTAATTTGGAACGATTCCAAGTTACGAAGCTCTGTCCATTCCAAGAAAAGATTCCGA
 GACAGTATTTAAGCACAATTTGGTAAGTCACATAGAAGAGATGCTCCAGACAGCCTACAACAAGCTCCA
 CACATGGCAGTCACGGCTCTGATGAAGAAAACG

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence:

>RG227747 representing NM_001142307
 Red=Cloning site Green=Tags(s)

MATSSEEVLLIVKKVRQKKQDQALYLMAERIAWAPEGKDRFTISHMYADIKCQKISPEGKAKIQLQLVLH
 AGDTTNFHF SNESTAVKERDAVKDLLQQLLPKFKRKANKLEEKNRMLQEDPVLFQLYKDLVVSQVISA
 EFWANRLNVNATDSSSTSNHKQDVGISAFLADVRPQTDGCNGLRYNLTSDIIESIFRTPAVKMKYAEN
 VPHNMTEKEFWTRFFQSHYFHRDRLNTGSKDLFAECAKIDKGLKTMVSLGVKNPLLDLTALEDKPLDEG
 YGISSVPSASNSKSIKENSNAAIKRFNHHSAMVLAAGLRKQEAQNEQTSEPSNMDGNSGDADCFQPAVK
 RAKLQESIEYEDLGKNNVKTIALNLKSDRYHGHPTPIQSLQYATSQDIINSFQSIQEMEAYTPKLTQ
 VLSSSAASSTITALSPGGALMQGGTQQA INQMVPNDIQSELKHLVYAVGELLRHFWSFCFPVNTPFLEEKV
 VKMKSNLERFQVTKLCPFQEKIRROYLSTNLVSHIEEMLQTAYNKLHTWQSRRLMKKT

TRTRPLE – GFP Tag – V

Restriction Sites:

Sgfl-MluI

ACCN:	NM_001142307
ORF Size:	1644 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001142307.1 , NP_001135779.1
RefSeq Size:	3515 bp
RefSeq ORF:	1647 bp
Locus ID:	2965
UniProt ID:	P32780
Cytogenetics:	11p15.1
Protein Families:	Druggable Genome, Transcription Factors
Protein Pathways:	Basal transcription factors, Nucleotide excision repair
Gene Summary:	Component of the general transcription and DNA repair factor IIH (TFIIH) core complex, which is involved in general and transcription-coupled nucleotide excision repair (NER) of damaged DNA and, when complexed to CAK, in RNA transcription by RNA polymerase II. In NER, TFIIH acts by opening DNA around the lesion to allow the excision of the damaged oligonucleotide and its replacement by a new DNA fragment. In transcription, TFIIH has an essential role in transcription initiation. When the pre-initiation complex (PIC) has been established, TFIIH is required for promoter opening and promoter escape. Phosphorylation of the C-terminal tail (CTD) of the largest subunit of RNA polymerase II by the kinase module CAK controls the initiation of transcription.[UniProtKB/Swiss-Prot Function]