

## Product datasheet for **RG228020**

### Ataxin 3 (ATXN3) (NM\_001164777) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Ataxin 3 (ATXN3) (NM\_001164777) Human Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** ATXN3  
**Synonyms:** AT3; ATX3; JOS; MJD; MJD1; SCA3  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >RG228020 representing NM\_001164777  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGAGTCCATCTTCCACGAGAAACAGCCTTCTGGAAATATGGATGACAGTGTTTCTCTATTTCAGACAGCAGCAAAGCAGCAACAGCAGCAGCAGCAGCAGCAGCAGGGGGACCTATCAGGACAGAGTTCACATC  
CATG

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >RG228020 representing NM\_001164777  
Red=Cloning site Green=Tags(s)  
MESIFHEKQPSGNMDDSGFFSIQTAAKAATAAAAAAGGPIRTEFTSM

**TRTRPLE** - GFP Tag - V


**Restriction Sites:** Sgfl-Mlul




[View online »](#)

Cloning Scheme:

Cloning sites used for ORF Shutting:



Plasmid Map:



ACCN: NM\_001164777

ORF Size: 144 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001164777.2</a>
<b>RefSeq Size:</b>	6120 bp
<b>RefSeq ORF:</b>	147 bp
<b>Locus ID:</b>	4287
<b>Cytogenetics:</b>	14q32.12
<b>Protein Families:</b>	Druggable Genome, Transcription Factors
<b>Gene Summary:</b>	Machado-Joseph disease, also known as spinocerebellar ataxia-3, is an autosomal dominant neurologic disorder. The protein encoded by this gene contains (CAG) <sub>n</sub> repeats in the coding region, and the expansion of these repeats from the normal 12-44 to 52-86 is one cause of Machado-Joseph disease. There is a negative correlation between the age of onset and CAG repeat numbers. Alternatively spliced transcript variants encoding different isoforms have been described for this gene. [provided by RefSeq, Jul 2016]