

Product datasheet for RG228084

RPAIN (NM 001160266) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: RPAIN (NM_001160266) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: RPAIN

Synonyms: HRIP; RIP

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG228084 representing NM_001160266
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACAAAGCCTGTGATACTTGGGCTG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG228084 representing NM_001160266

Red=Cloning site Green=Tags(s)

MAESLRSPRRSLYKLVGSPPWKEAFRQRCLERMRNSRDRLLNRYRQAGSSGPGNSQNSFLVQEVMEEEWN ALQSVENCPEDLAQLEELIDMAVLEEIQQELINQEQSIISEYEKSLQFDEKCLSIMLAEWEANPLICPVC

TKPVILGL

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-Mlul



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Cloning Scheme:





Plasmid Map:



ACCN: NM 001160266

ORF Size: 444 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Cytogenetics:

RPAIN (NM_001160266) Human Tagged ORF Clone - RG228084

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001160266.1, NP 001153738.1</u>

17p13.2

RefSeq Size: 1474 bp
RefSeq ORF: 447 bp
Locus ID: 84268
UniProt ID: Q86UA6

Gene Summary: Mediates the import of RPA complex into the nucleus, possibly via some interaction with

importin beta. Isoform 2 is sumoylated and mediates the localization of RPA complex into the

PML body of the nucleus, thereby participating in RPA function in DNA metabolism.

[UniProtKB/Swiss-Prot Function]