

Product datasheet for **RG229077**

PEG3 (NM_001146185) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PEG3 (NM_001146185) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	PEG3
Synonyms:	PW1; ZKSCAN22; ZNF904; ZSCAN24
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG229077 representing NM_001146185 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTACCAACCAGAAGACGACAACAACAGTGACGTGACCAGCGACGACGACATGACCCGGAACAGAAGAG
AGTCTCACACCTCACTCAGTCCATTCTTTAGTGGTGACCGGGACTGGGACCGGAGGGGCAGAAGCAG
AGACATGGAGCCACGAGACCGCTGGTCCCACACCAGGAACCAAGAAGCAGGATGCCTCCGCGGGATCTT
TCCCTTCTGTGGTGGCGAAAACAAGCTTTGAAATGGACAGAGAGGACGACAGGGACTCCAGGGCTTATG
AGTCCCGATCTCAGGATGCTGAATCATACCAAAATGTGGTGGACCTCGCTGAGGACAGGAAACCTCACAA
CACAATCCAGGACAACATGGAAAACACAGGAAGCTGCTCTCCCTCGGAGTGCAGCTTGCTGAAGACGAT
GGCCACTCCCACATGACGACGGGCCACTCATCAAGATCCAAGAGAAGTGCCTACCAAGCACCAGTCCGAG
GTCTAAAAACTATGCCTGAAGCCAAAAATCAACCCACCGCGGGGGATTGTGAAGATGAATCTTCCCA
CGGAGTGATAATGGAAAAATTCATCAAGGATGTGTACGACGAGTTCAAAATCGGGAAGAGCAAGGGAGTCA
AGCGACCGGTACAGAGATTCACCAGAAATGTCAGATGATAACTGGAAGGACATTTTCATTGAACAAGAGGG
AGTCAGTGATCCAGCAGCGGTTTATGAAGGGAATGCATTTAGGGGAGGCTTTAGGTTTAAATCAACCT
TGTTTCCAGAAAGAGAGTTCTTGAAGAAAGAGGCGCTATCATTTTGACACAGATGGGAAGGGCTCGATT
CACGATCAAAAAGGCTGTCCCAGGAAGAAGCCCTTTGAATGTGGTGTAGTGTAGATGAGAAAAGCCATGAGCG
TGAGCAGCTGAGCAGCCTCAGCTCCCCCTCCTTTACCGAGTACAGCCAATTGATTTTGGGGCAATGCC
ATATGTATGTGATGAGTGTGGGAGTCTGTCAGTGTATCTCAGAATTTGTTGAGCACCAGATCATGCAT
ACTAGAGAGAACCTCTATGAGTATGGTGTGCTTTATCCACAGTGTGGCTGTGAGTGAAGTTTCAGAAAA
GTCAGGTTGGAGGAAACGTTTTGAATGTAAGGACTGTGGAGAGACCTTCAATAAGAGTGCCGCCTTGGC
TGAACATCGGAAGATTATGCTAGAGTTATCTTGTGGAATGTAAGAATCAGGAATGTGAGGAAGCCTTC
ATGCCTAGCCCCACCTTTAGTGAGCTTCAGAAAATATATGGCAAAGACAAATTCTACGAGTGCAGGGTGT
GTAAGGAAACCTTCCTTCATAGTTCTGCCCTGATTGAGCACCAGAAAATCCACTTTGGGGATGACAAAGA
TAATGAGCGTGAACATGAACGTGAACGTGAGCGCGGGGAAACCTTTAGGCCAGCCAGCCCTT



[View online >](#)

AATGAGTTTCAGAAAATGTATGGTAAAGAGAAAATGTACGAATGTAAAGGTGTGTGGGGAGACTTTCCTTC
ATAGCTCATCCCTGAAAGAACATCAGAAAATCCATACTAGAGGGAACCCATTTGAAAACAAGGGTAAAGT
GTGTGAGGAAACCTTTATTCCTGGTCAGTCCCTTAAAAGGCGTCAGAAAACCTTACAATAAGGAGAAGCTC
TGTGACTTTACAGATGGCCGGGATGCCTTCATGCAAAGCTCAGAGCTCAGTGAGCATCAGAAAATTCATT
CTCGAAAGAACCTCTTTGAAAGCCAGAGGGTATGAGAAAATCTGTCATTCATAGTGGGCCATTCAGTGAATC
TCAGAAGAGTCATACTATAACAAGACCTCTTGAAGTGATGAGGACGAAAAGGCGTTCCACCATTAGCTCT
AACCCCTATGAAAACCAGAAGATTCCTCCACTAAGGAAAATGTCTACGAGGCAAAAATCATATGAGAGGCTG
TTATTCATAGCTTAGCCTCTGTGGAAGCTCAGAAAAGTCACAGTGTAGCAGGGCCAGTAAACCAAAAAGT
AATGGCAGAGTCTACCATTACAGAGCTTCGATGCTATCAACCATCAGAGAGTTCGTGCTGGAGGGAACACC
TCTGAAGGAAGGGAATACAGTAGGTCTGTTATCCATAGCTTAGTGGCTTCCAAACCTCCAAGAAGTCACA
ATGAAAATGAATTGGTGGAACTAATGAGAAGGGAGAATCCTCCATTTATATCTCAGACCTTAATGATAA
GCGACAGAAGATTCTGCCAGAGAGAACCCTTGTGAAGGGGCGAGTAAGAATCGCAACTATGAAGACTCT
GTCATACAGAGTGTATTCCTGCCAAACCTCAGAAAAGTGTTCCTGGAGAGGGATCTGGTGAATTAAGA
AGGATGGCGAATTCTCTGTTCCAGCTCAAATGTCCTGTAATACCAGAAGGCTCGTGTAAAAAGAATA
CATTGAGCATAGGAGCAATGAGACCTCTGTAATCACTCTCTGCCTTTTGGTGAACAAACATTTCCGCCCT
CGAGGGATGCTCTATGAATGTCAGGAGTGTGGGGAGTGTCTTGTGCATAGCTCTGACCTCACTGAGCACC
AGAAGATTCATGATAGGGAGAAGCCCTCTGGAAGCAGAAAATATGAATGGTCTGTCAATTCGAGCTTGGC
CCCTACTGACCCTCAAACAAGTTACGCCAAGAGCAGTATGCTAAAGAGCAAGCGCGGAACAAATGTAAG
GACTTCAGACAATTTTTTGTACCAGCGAAGACCTCAACACAAAACAGAAAATCTATGACCAAGAGAAGT
CTCATGGCGAGGAGTCTCAAGGCGAGAATACTGATGGGGAGGAGACCCACAGCGAGGAGACCCATGGTCA
GGAGACAATTGAAGACCTGTCAATCAAGGCTCAGACATGGAAGACCCCTCAGAAGGATGACCCTGATGAC
AAAATCTATGAATGTGAGGACTGTGGCTGGGCTTTGTGGATCTCACAGACCTCACAGACCATCAGAAAAG
TCCACAGCAGGAAGTGCCTGGTTGACAGTCGGGAGTACACACATCTGTAATTCACACCCTCCATCCATCAG
CGAGTATCAGAGAGATTACACTGGAGAGCAGTGTATGAATGTCCAAGTGTGGGGAATCTTTTATTCAT
AGCTCATTCTTTTCGAGCATCAGAGAATCCATGAACAAGACCAGTTGTATTCCATGAAGGGGTGTGATG
ATGGTTTTATTGCCCTCTTGCCCATGAAGCCACGGAGGAATCGTGTGCAGAGAGGAATCCTGCTTTGC
TGGGTGCGCCATTTCGATGCCTTTTGTGTGGACAAGGCTTCATTCATAGCTCTGCCCTTAATGAGCATATG
AGACTTCATAGGGAAGATGATTTACTGGAGCAGAGCCAGATGGCTGAGGAAGCTATCATTCCAGGCTTAG
CCCTCACTGAGTTTCAGAGAAGTCAGACCGAAGAGAGACTCTTTGAATGTGCAGTCTGTGGAGAATCTTT
CGTCAACCCAGCAGAATTGCAGATCACGTAACGTTCATAAGAATGAGCCCTATGAGTACGGGTCTCC
TATACTCACACCTCATTCTTACTGAGCCCTCAAAGGAGCTATACCATTCTATGAATGCAAGGATTGTG
GTAAGTCCTTTATTCATAGCACAGTCTCACTAAACATAAGGAGCTTCATCTGGAAGAAGAAGAAGA
TGAAGCAGCAGCAGCTGCAGCAGCAGCAGCCAGGAAGTTGAAGCCAATGTCCATGTTCCACAAGTAGTT
CTGAGGATTCAGGGCTTAAACGTAGAGGCTGCTGAGCCAGAAGTGGAGGCTGCCGAGCCAGAAGTGGAGG
CTGCTGAGCCAGAAGTGGAGGCTGCTGAGCCAAACGGAGAGGCTGAAGGGCCAGATGGAGAGGCTGCAGA
GCCCATTTGAGAGGCTGGACAGCCAAATGGAGAGGCCGAGCAGCCAAATGGGGATGCTGATGAGCCAGAT
GGTGCAGTATTGAAGACCCAGAAGAAAGAGCTGAAGAGCCAGAGGGAAGCTGAAGAGCCAGAGGGAG
ATGCCGACGAGCCTGACGGTGTGGGAATTGAAGACCCAGAAGAAGTGAAGATCAAGAGATTGAGGTAGA
AGAACCATACTATGACTGCCATGAATGCACAGAAAACCTTCACTTCCAGCACAGCATTGAGTGAACACCTG
AAAACCTATGCCAGCATGATCATATTTGAGCCTGCAAATGCCTTTGGGGAGTGTGCTCAGGCTACATCGAAC
GTGCCAGCACCAGCACAGGTGGTCCAATCAAGCTGATGAGAAGTACTTCAAATGTGACGTCTGTGGGCA
GCTCTTCAATGACCGCTGTCCCTGCCAGACACCAGAATACCCACACTGGC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG229077 representing NM_001146185
 Red=Cloning site Green=Tags(s)


MYQPEDDNNSDVTSDDDMTRNRRESSPPHSVHSFSGDRDWDRRGRSRDMEPRDRWSHTRNPRSRMPPRDL
 SLPVVAKTSFEMDREDDRDSRAYESRSQDAESYQNVVDLAEDRKPHNTIQDNMENYRKLKSLGVQLAEDD
 GHSHMTQGHSSRSKRSAYPSTSRGLKTMPEAKKSTHRRGICEDESSHGVIMEKFIKDVSRSSKSGRARES
 SDRSQRFPRMSDDNWKDIDLNKRESVIQQRVYEGNAFRGGFRFNSTLVSRRKRVLERKRRYHFDTDGKGS
 HDQKGCPRKPFECGSEMRKAMSVSSLSLSSPFTESQPIDFGAMPYVVCDECGRSFSVISEFVEHQIMH
 TRENLYEYGESFIHSVAVSEVQKSQVGGKRFECKDCGETFNKSAALAEHRKIHARGYLVECKNQECEEAF
 MPSPTFSELQKIYKDKFYECRVCKETFLHSSALIEHQKIHFGDDKDNEREHERERERERGETFRPSPAL
 NEFQKMYGKEKMYECKVCGETFLHSSSLKEHQKIHTRGNPFENKGVCEETFIPGQSLKRRQKTYNKEKL
 CDFTDGRDAFMQSSELSEHQKIHRSKNLFEGRGYEKSVIHSGPFTESQKSHTITRPLESDEDEKAFTISS
 NPYENQKIPTKENVYEAQSYERSVIHSLASVEAQKSHSVAGPSKPKVMAESTIQSFDAINHQRVRAGNT
 SEGREYSRSVIHSLVASKPPRSHNGNELVESNEKGESSIYISDLNDRKQKIPARENPCGGSKNRNYEDS
 VIQSVFRAKQKSVPGEGSGEFKKDGEFSVPSSNVREYQKARAKKYYIEHRSNETSVIHSLPFGEQTFRP
 RGMLEYECQECGECAHSSDLTEHQKIHDRKPSGRNYEWSVIRSLAPTDPQTSYAEQYAKEQARNKCK
 DFRQFFATSEDLNTNQKIYDQEKSHGEEESQGENTDGEETHSEETHGQETIEDPVIQGSMDPQKDDPDD
 KIYECEDCGLGFVDLTDLTDHQVHSRKLVDREYTHSVIHTHSISEYQRDYTGELYECPKCGESFIH
 SSFLFEHQRIHEQDQLYSMKGCDDGFIALLPMPKPRNRNAAERNPALAGSAIRCLLCGGQFIHSSALNEHM
 RLHREDDLLEQSQMAEEAIIPLGLALTEFQRSQTEERLFECAVCGESFVNPALADHVTVHKNEPYEYGS
 YHTSFLTEPLKGAIPFYECKDCGKSFIHSTVLTKHKELHLEEEEEDEAAAAAAAAAQQVEANVHVPQVV
 LRIQGLNVEAAEPEVEAAEPEVEAAEPEVEAAEPNGEAEQPDGAAEPIGEAGQPNGEAEQPNGDADEPD
 GAGIEDPEERAEEPEGKAEPEGDADEPDGVGIEDPEEGEDQEIQVEEPPYDCHECTETFTSSTAFSEHL
 KTHASMIIFEPANAFGECSGYIERASTSTGGANQADEKYFKCDVCGQLFNDRLSLARHQHTHTG

TRTRPLE - GFP Tag - V


Restriction Sites:

SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_001146185

ORF Size: 4386 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001146185.1 , NP_001139657.1
RefSeq Size:	8375 bp
RefSeq ORF:	4389 bp
Locus ID:	5178
UniProt ID:	Q9GZU2
Cytogenetics:	19q13.43
Protein Families:	Transcription Factors
Gene Summary:	<p>In human, ZIM2 and PEG3 are treated as two distinct genes though they share multiple 5' exons and a common promoter and both genes are paternally expressed (PMID:15203203). Alternative splicing events connect their shared 5' exons either with the remaining 4 exons unique to ZIM2, or with the remaining 2 exons unique to PEG3. In contrast, in other mammals ZIM2 does not undergo imprinting and, in mouse, cow, and likely other mammals as well, the ZIM2 and PEG3 genes do not share exons. Human PEG3 protein belongs to the Kruppel C2H2-type zinc finger protein family. PEG3 may play a role in cell proliferation and p53-mediated apoptosis. PEG3 has also shown tumor suppressor activity and tumorigenesis in glioma and ovarian cells. Alternative splicing of this PEG3 gene results in multiple transcript variants encoding distinct isoforms. [provided by RefSeq, Sep 2009]</p>