

Product datasheet for **RG229078**

PEG3 (NM_001146187) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PEG3 (NM_001146187) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	PEG3
Synonyms:	PW1; ZKSCAN22; ZNF904; ZSCAN24
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG229078 representing NM_001146187 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTACCAACCAGAAGACGACAACAACAGTGACGTGACCAGCGACGACGACATGACCCGGAACAGAAGAG
AGTCCTCACCACCTCACTCAGTCCATTCTTTAGTGGTGACCGGGACTGGGACCGGAGGGGCAGAAGCAG
AGACATGGAGCCACGAGACCGCTGGTCCCACACCAGGAACCAAGAAGCAGGATGCCTCCGCGGGATCTT
TCCCTTCTGTGGTGGCGAAAACAAGCTTTGAAATGGACAGAGAGGACGACAGGGACTCCAGGGCTTATG
AGTCCCGATCTCAGGATGCTGAATCATACCAAAATGTGGTGGACCTCGCTGAGGACAGGAAACCTCACAA
CACAATCCAGGACAACATGGAAAACACAGGAAGCTGCTCTCCCTCGGAGTGCAGCTTGCTGAAGACGAT
GGCCACTCCCACATGACGACGGGCCACTCATCAAGATCCAAGAGAAGTGCCTACCCAAGCACCAGTCCGAG
GTCTAAAAACTATGCCTGAAGCCAAAAATCAACCCACCGCGGGGGATTGTGAAGATGAATCTTCCCA
CGGAGTGATAATGGAAAAATTCATCAAGGATGTGTACGACGATTCCTCAATCGGGAAGAGCAAGGGAGTCA
AGCGACCGGTACAGAGATTCACAGAAATGTCAGATGATAACTGGAAGGACATTTTATTGAACAAGAGGG
AGTCAGTGATCCAGCAGCGGTTTATGAAGGGAATGCATTTAGGGGAGGCTTTAGGTTTAAATCAACCT
TGTTTCCAGAAAGAGAGTTCTTGAAGAAAGAGGCGCTATCATTTGACACAGATGGGAAGGGCTCGATT
CACGATCAAAAAGGCTGTCCCAGGAAGAAGCCCTTTGAATGTGGTGTGAGATGAGAAAAGCCATGAGCG
TGAGCAGCTGAGCAGCCTCAGCTCCCCCTCCTTACCGAGTACAGCCAATTGATTTTGGGGCAATGCC
ATATGTATGTGATGAGTGTGGGAGTCTGTCAGTGTATCTCAGAATTTGTTGAGCACCAGATCATGCAT
ACTAGAGAGAACCTCTATGAGTATGGTGTGCTTTATCCACAGTGTGGCTGTCAGTGAAGTTTCAAAAA
GTCAGGTTGGAGGAAACGTTTTGAATGTAAGGACTGTGGAGAGACCTTCAATAAGAGTGCCGCCTTGGC
TGAACATCGGAAGATTCATGCTAGAGTTATCTTGTGGAATGTAAGAATCAGGAATGTGAGGAAGCCTTC
ATGCTAGCCCCACCTTTAGTGAGCTTCAGAAAATATATGGCAAAGACAAATTCACGAGTGCAGGGTGT
GTAAGGAAACCTTCTTCATAGTTCTGCCCTGATTGAGCACCAGAAAATCCACTTTGGGGATGACAAAGA
TAATGAGCGTGAACATGAACGTGAACGTGAGCGCGGGGAAACCTTTAGGCCAGCCAGCCCTT



[View online >](#)

AATGAGTTTCAGAAAATGTATGGTAAAGAGAAAATGTACGAATGTAAAGGTGTGTGGGGAGACTTTCCTTC
ATAGCTCATCCCTGAAAGAACATCAGAAAATCCATACTAGAGGGAACCCATTTGAAAACAAGGGTAAAGT
GTGTGAGGAAACCTTTATTCCTGGTCAGTCCCTTAAAAGGCGTCAGAAAACCTTACAATAAGGAGAAGCTC
TGTGACTTTACAGATGGCCGGGATGCCTTCATGCAAAGCTCAGAGCTCAGTGAGCATCAGAAAATTCATT
CTCGAAAGAACCTCTTTGAAGGCAGAGGGTATGAGAAAATCTGTCATTCATAGTGGGCCATTCAGTGAATC
TCAGAAGAGTCATACTATAACAAGACCTCTTGAAGTGATGAGGACGAAAAGGCGTTCCACCATTAGCTCT
AACCCCTATGAAAACCAGAAGATTCCTCCACTAAGGAAAATGTCTACGAGGCAAAAATCATATGAGAGGCTG
TTATTCATAGCTTAGCCTCTGTGGAAGCTCAGAAAAGTCACAGTGTAGCAGGGCCAGTAAACCAAAAAGT
AATGGCAGAGTCTACCATTACAGAGCTTCGATGCTATCAACCATCAGAGAGTTCGTGCTGGAGGGAACACC
TCTGAAGGAAGGGAATACAGTAGGTCTGTTATCCATAGCTTAGTGGCTTCCAAACCTCCAAGAAGTCACA
ATGAAAATGAATTGGTGGAACTAATGAGAAGGGAGAATCCTCCATTTATATCTCAGACCTTAATGATAA
GCGACAGAAGATTCTGCCAGAGAGAACCCTTGTGAAGGGGCGAGTAAGAATCGCAACTATGAAGACTCT
GTCATACAGAGTGTATTCCTGCCAAACCTCAGAAAAGTGTTCCTGGAGAGGGATCTGGTGAATTAAGA
AGGATGGCGAATTCTCTGTTCCAGCTCAAATGTCCTGTAATACCAGAAGGCTCGTGTAAAAAGAATA
CATTGAGCATAGGAGCAATGAGACCTCTGTAATCACTCTCTGCCTTTTGGTGAACAAACATTTCCGCCCT
CGAGGGATGCTCTATGAATGTCAGGAGTGTGGGGAGTGTCTTGTGCATAGCTCTGACCTCACTGAGCACC
AGAAGATTCATGATAGGGAGAAGCCCTCTGGAAGCAGAAAATATGAATGGTCTGTCAATTCGAGCTTGGC
CCCTACTGACCCTCAAACAAGTTACGCCAAGAGCAGTATGCTAAAGAGCAAGCGCGGAACAAATGTAAG
GACTTCAGACAATTTTTTGTACCAGCGAAGACCTCAACACAAAACAGAAAATCTATGACCAAGAGAAGT
CTCATGGCGAGGAGTCTCAAGGCGAGAATACTGATGGGGAGGAGACCCACAGCGAGGAGACCCATGGTCA
GGAGACAATTGAAGACCTGTCAATCAAGGCTCAGACATGGAAGACCCCTCAGAAGGATGACCCTGATGAC
AAAATCTATGAATGTGAGGACTGTGGCTGGGCTTTGTGGATCTCACAGACCTCACAGACCATCAGAAAAG
TCCACAGCAGGAAGTGCCTGGTTGACAGTCGGGAGTACACACATCTGTAATTCACACCCTCCATCCATCAG
CGAGTATCAGAGAGATTACACTGGAGAGCAGTGTATGAATGTCCAAGTGTGGGGAATCTTTTATTCAT
AGCTCATTCTTTTCGAGCATCAGAGAATCCATGAACAAGACCAGTTGTATTCCATGAAGGGGTGTGATG
ATGGTTTTATTGCCCTCTTGCCCATGAAGCCACGGAGGAATCGTGTGTCAGAGAGGAATCCTGCTTTGC
TGGGTGCGCCATTTCGATGCCTTTTGTGTGGACAAGGCTTCATTCATAGCTCTGCCCTTAATGAGCATATG
AGACTTCATAGGGAAGATGATTTACTGGAGCAGAGCCAGATGGCTGAGGAAGCTATCATTCCAGGCTTAG
CCCTCACTGAGTTTCAGAGAAGTCAGACCGAAGAGAGACTCTTTGAATGTGCAGTCTGTGGAGAATCTTT
CGTCAACCCAGCAGAATTGCAGATCACGTAACGTTCATAAGAATGAGCCCTATGAGTACGGGTCTCC
TATACTCACACCTCATTTCTTACTGAGCCCTCAAAGGAGCTATACCATTCTATGAATGCAAGGATTGTG
GTAAGTCCTTTATTCATAGCACAGTCTCACTAAACATAAGGAGCTTCATCTGGAAGAAGAAGAAGA
TGAAGCAGCAGCAGCTGCAGCAGCAGCAGCCAGGAAGTTGAAGCCAATGTCCATGTTCCACAAGTAGTT
CTGAGGATTCAGGGCTTAAACGTAGAGGCTGCTGAGCCAGAAGTGGAGGCTGCCGAGCCAGAAGTGGAGG
CTGCTGAGCCAGAAGTGGAGGCTGCTGAGCCAAACGGAGAGGCTGAAGGGCCAGATGGAGAGGCTGCAGA
GCCCATTTGAGAGGCTGGACAGCCAAATGGAGAGGCCGAGCAGCCAAATGGGGATGCTGATGAGCCAGAT
GGTGCAGTATTGAAGACCCAGAAGAAAGAGCTGAAGAGCCAGAGGGAAAAGCTGAAGAGCCAGAGGGAG
ATGCCGACGAGCCTGACGGTGTGGGAATTGAAGACCCAGAAGAAGTGAAGATCAAGAGATTCAAGGATGAG
AGAACCATACTATGACTGCCATGAATGCACAGAAAACCTTCACTTCCAGCACAGCATTCAAGTGAACACCTG
AAAACCTCATGCCAGCATGATCATATTTGAGCCTGCAAATGCCTTTGGGGAGTGTCAAGGCTACATCGAAC
GTGCCAGCACCAGCACAGGTGGTCCAATCAAGCTGATGAGAAGTACTTCAAATGTGACGTCTGTGGGCA
GCTCTTCAATGACCGCTGTCCCTGCCAGACACCAGAATACCCACACTGGC

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA


Protein Sequence: >RG229078 representing NM_001146187
 Red=Cloning site Green=Tags(s)

MYQPEDDNNSDVTSDDDMTRNRRESSPPHSVHSFSGDRDWDRRGRSRDMEPRDRWSHTRNPRSRMPPRDL
 SLPVVAKTSFEMDREDDRDSRAYESRSQDAESYQNVVDLAEDRKPHNTIQDNMENYRKLKSLGVQLAEDD
 GHSHMTQGHSSRSKRSAYPSTSRGLKTMPEAKKSTHRRGICEDESSHGVIMEKF IKDVSRSKSGRARES
 SDRSQRFPRMSDDNWKDI SLNKRESVIQQRVYEGNAFRGGFRFNSTLVSRRKRVLERKRRYHFDTDGKGS
 HDQKGCPRKPFECGSEMRKAMSVSSLSSPSFTESQPIDFGAMPYVVCDECGRSFSVISEFVEHQIMH
 TRENLYEYGESFIHSAVSEVQKSQVGGKRFECKDCGETFNKSAALAEHRKIHARGYLVECKNQECEAF
 MPSPTFSELQKIYKDKFYECRVCKETFLHSSALIEHQKIHFGDDKDNEREHERERERERGETFRPSPAL
 NEFQKMYGKEKMYECKVCGETFLHSSSLKEHQKIHTRGNPFENKGVCEETFIPGQSLKRRQKTYNKEKL
 CDFTDGRDAFMQSSELSEHQKIHRSKNLFEGRGYEKSVIHSGPFTESQKSHTITRPLESDEDEKAF TISS
 NPYENQKIPTKENVYEAKEYERSVIHSLASVEAQKSHSVAGPSKPKVMAESTIQSFDAINHQRVRAGNT
 SEGREYSRSVIHSLVASKPPRSHNGNELVESNEKGESSIYISDLNDRKQKIPARENPCGGSKNRNYEDS
 VIQSVFRAKQKSVPGEGSGEFKKDGEFSVPSSNVREYQKARAKKYYIEHRSNETSVIHSLPFGEQTFRP
 RGMLEYCEQCEGCF AHSSDLTEHQKIHDRKPSGRNYEWSVIRSLAPTDPQTSYAEQYAKEQARNKCK
 DFRQFFATSEDLNTNQKIYDQEKSHGEESSQGENTDGEETHSEETHGQETIEDPVIQGSMDPQKDDPDD
 KIYECEDCGLGFVDLTDLTDHQVHSRKLVDREYTHSVIHTHSISEYQRDYTGELYECPKCGESFIH
 SSFLFEHQRIHEQDQLYSMKGCDGFIALLPMKPRRNRAERNPALAGSAIRCLLCGGQFIHSSALNEHM
 RLHREDDLLEQSQMAEEAIIPLGLALTEFQRSQTEERLFECAVCGESFVNPALADHVTVHKNEPYEYGS
 YHTSFLTEPLKGAIPFYECKDCGKSF IHSTVLTKHKELHLEEEEEDEAAAAAAAAAAQVEANVHVPQVV
 LRIQGLNVEAAEPEVEAAEPEVEAAEPEVEAAEPNGEAEAGPDGAAEPIGEAGQPNGEAEQPNGDADEPD
 GAGIEDPEERAEEPEGKAEPEGDADEPDGVGIEDPEEGEDQEIQVEEPPYDCHECTETFTSSTAFSEHL
 KTHASMIIFEPANAFGECSGYIERASTSTGGANQADEKYFKCDVCGQLFNDRLSLARHQNTHTG


TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_001146187

ORF Size: 4392 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001146187.1](#), [NP_001139659.1](#)

RefSeq Size: 8381 bp

RefSeq ORF: 4395 bp

Locus ID: 5178

UniProt ID: [Q9GZU2](#)

Cytogenetics: 19q13.43

Protein Families: Transcription Factors

Gene Summary: In human, ZIM2 and PEG3 are treated as two distinct genes though they share multiple 5' exons and a common promoter and both genes are paternally expressed (PMID:15203203). Alternative splicing events connect their shared 5' exons either with the remaining 4 exons unique to ZIM2, or with the remaining 2 exons unique to PEG3. In contrast, in other mammals ZIM2 does not undergo imprinting and, in mouse, cow, and likely other mammals as well, the ZIM2 and PEG3 genes do not share exons. Human PEG3 protein belongs to the Kruppel C2H2-type zinc finger protein family. PEG3 may play a role in cell proliferation and p53-mediated apoptosis. PEG3 has also shown tumor suppressor activity and tumorigenesis in glioma and ovarian cells. Alternative splicing of this PEG3 gene results in multiple transcript variants encoding distinct isoforms. [provided by RefSeq, Sep 2009]