

## Product datasheet for **RG229177**

### **PRMT6 (NM\_018137) Human Tagged ORF Clone**

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** PRMT6 (NM\_018137) Human Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** PRMT6  
**Synonyms:** HRMT1L6  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >RG229177 representing NM\_018137  
**Red=Cloning site Blue=ORF Green=Tags(s)**

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGTCGCAGCCCAAGAAAAGAAAGCTTGAGTCGGGGGGCGCGCGAAGGAGGGGAGGAACTGAAGAGG  
AAGATGGCGCGGAGCGGGAGGCGGCCCTGGAGCGACCCCGGAGGACTAAGCGGAAACGGGACCAGCTGTA  
CTACGAGTGCTACTCGGACGTTTCGGTCCACGAGGAGATGATCGCGGACCGCGTCCGCACCGATGCCTAC  
CGCCTGGGTATCCTTCGGAAGTGGCAGCACTGCGAGGCAAGACGGTACTGGACGTGGCGCGGGCACCG  
GCATTCTGAGCATCTTCTGTGCCAGGCCGGGGCCGGCGGTGTACGCGGTAGAGGCCAGCGCCATCTG  
GCAACAGGCCCGGAGGTGGTGCCTTCAACGGGCTGGAGGACCGGGTGCACGTCCTGCCGGACCAGTG  
GAGACTGTAGAGTTGCCGGAACAGGTGGATGCCATCGTGAGCGAGTGGATGGGCTACGGACTCCTGCACG  
AGTCCATGCTGAGCTCCGTCCTCCACGCGCAACCAAGTGGTGAAGGAGGGCGGTCTTCTCCTGCCGGC  
CTCCGCCGAGCTCTCATAGCCCCATCAGCGACCAGATGCTGGAATGGCGCCTGGGCTTCTGGAGCCAG  
GTGAAGCAGCACTATGGTGTGGACATGAGCTGCCTGGAGGGCTTCGCCACGCGTGTCTCATGGGCCACT  
CGGAGATCGTTGTGCAGGATTGTCCGGCAGGACGTGCTGGCCCGCCGAGCGCTTTGCTCAGCTAGA  
GCTCTCCCGCGCCGGCTTGGAGCAGGAGCTGGAGCCGGAGTGGCGGGCGCTTCCGCTGCAGCTGCTAT  
GGCTCGGCGCCCATGCATGGCTTTGCCATCTGGTTCCAGGTGACCTTCCCTGGAGGGGAGTCGGAGAAAC  
CCCTGGTGTCTCCACCTCGCCTTTTACCCGGCCACTACTGGAACAGGCGCTCCTCTACCTGAACGA  
GCCGGTGAAGTGGAGCAAGACACGAGCTTTTACGAGAGATCACGCTGTGCCCTCCCGGACAAACCC  
CGTCGCTGCGCGTGTGCTGCGCTACAAAGTGGGAGACCAGGAGGAGAAGACAAAGACTTTGCCATGG  
AGGAC

**ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA**



[View online »](#)

**Protein Sequence:** >RG229177 representing NM\_018137  
Red=Cloning site Green=Tags(s)

MSQPKKRKLESGGGEGEGTEEDGAEREALERPRRTKRERDQLYYECYSDVSVHEEMIADRVRTDAY  
 RLGILRNWAALRGKTVLDVGAGTGILSIFCAQAGARRVYAVEASAIWQQAREVVRFNGLEDRVHVLPGPV  
 ETVELPEQVDAIVSEWMGYLLHESMLSSVLHARTKWLKEGGLLLPASAELFIAPISDQMLEWRLGFWSQ  
 VKQHYGVDMSCLEGFATRCLMGHSEIVVQGLSGEDVLRARPQRFQLELSRAGLEQELEAGVGGFRFCSCY  
 GSAPMHGFAIWFQVTFPGGESEKPLVVLSTSPFHPATHWKQALLYLNPEVQVEQDQDVSGETLLPSRDNP  
 RRLRVLLRYKVGQEQEETKDFAMED


TRTRPLE - GFP Tag - V

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**Plasmid Map:**



**ACCN:** NM\_018137

<b>ORF Size:</b>	1125 bp
<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_018137.3</a>
<b>RefSeq Size:</b>	2665 bp
<b>RefSeq ORF:</b>	1128 bp
<b>Locus ID:</b>	55170
<b>UniProt ID:</b>	<a href="#">Q96LA8</a>
<b>Cytogenetics:</b>	1p13.3
<b>Protein Families:</b>	Druggable Genome
<b>Gene Summary:</b>	The protein encoded by this gene belongs to the arginine N-methyltransferase family, which catalyze the sequential transfer of methyl group from S-adenosyl-L-methionine to the side chain nitrogens of arginine residues within proteins, to form methylated arginine derivatives and S-adenosyl-L-homocysteine. This protein can catalyze both, the formation of omega-N monomethylarginine and asymmetrical dimethylarginine, with a strong preference for the latter. It specifically mediates the asymmetric dimethylation of Arg2 of histone H3, and the methylated form represents a specific tag for epigenetic transcriptional repression. This protein also forms a complex with, and methylates DNA polymerase beta, resulting in stimulation of polymerase activity by enhancing DNA binding and processivity. [provided by RefSeq, Sep 2011]