

Product datasheet for RG229597

RAB35 (NM_001167606) Human Tagged ORF Clone

Product data:

OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	RAB35 (NM_001167606) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	RAB35
Synonyms:	H-ray; RAB1C; RAY
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	<pre>>RG229597 representing NM_001167606 Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGGCCCGGGACTACGACCACCTCTTCAAGCTGCTCATCATCGGCGACAGCGGTGTGGGCAAGAGCAGTT TACTGTTGCGTTTTGCAGACAACACTTTCTCAGGCAGCTACATCACCACGATCGGAGTGGATTTCAAGAT CCGGACCGTGGAGATCAACGGGGGAGAAGGTGAAGCTGCAGAATCTGGGACACAGCGGGGCAGGAGCGCTTC CGCACCATCACCTCCACGTATTATCGGGGGACCCACGGGGTCATTGTGGTTTACGACGTCACCAGTGCCG AGTCCTTTGTCAACGTCAAGCGGTGGCTTCACGAAATCAACCAGAACTGTGATGATGTGTGCCGAATATT AGATGTTCAACTGCATCACGGAGCTGGTCCTCCGAGCAAAGAAAG
	ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA
Protein Sequence:	<pre>>RG229597 representing NM_001167606 Red=Cloning site Green=Tags(s)</pre>
	MARDYDHLFKLLIIGDSGVGKSSLLLRFADNTFSGSYITTIGVDFKIRTVEINGEKVKLQIWDTAGQERF RTITSTYYRGTHGVIVVYDVTSAESFVNVKRWLHEINQNCDDVCRILDVQLHHGAGPPSKERQPGKTAAA TTERCGEAHEEQ
	TRTRPLE - GFP Tag - V
Restriction Sites:	Sgfl-Mlul




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Cloning Scheme:



Plasmid Map:



ACCN:	NM_001167606
ORF Size:	456 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

ORIGENE RAB35	(NM_001167606) Human Tagged ORF Clone – RG229597
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 001167606.2</u>
RefSeq Size:	2835 bp
RefSeq ORF:	459 bp
Locus ID:	11021
UniProt ID:	<u>Q15286</u>
Cytogenetics:	12q24.23
Protein Families:	Druggable Genome
Gene Summary:	The small GTPases Rab are key regulators of intracellular membrane trafficking, from the formation of transport vesicles to their fusion with membranes. Rabs cycle between an inactive GDP-bound form and an active GTP-bound form that is able to recruit to membranes different sets of downstream effectors directly responsible for vesicle formation, movement, tethering and fusion. That Rab is involved in the process of endocytosis and is an essential rate-limiting regulator of the fast recycling pathway back to the plasma membrane. During cytokinesis, required for the postfurrowing terminal steps, namely for intercellular bridge stability and abscission, possibly by controlling phosphatidylinositol 4,5-bis phosphate (PIP2)

~ \$1/-

stability and abscission, possibly by controlling phosphatidylinositol 4,5-bis phosphate (PIP2) and SEPT2 localization at the intercellular bridge. May indirectly regulate neurite outgrowth. Together with TBC1D13 may be involved in regulation of insulin-induced glucose transporter SLC2A4/GLUT4 translocation to the plasma membrane in adipocytes.[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US