

Product datasheet for RG229682

MYD88 (NM_001172569) Human Tagged ORF Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


Product Type:	Expression Plasmids
Product Name:	MYD88 (NM_001172569) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	MYD88
Synonyms:	IMD68; MYD88D
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	<pre>>RG229682 representing NM_001172569 Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGCGACCCGACCGCGCTGAGGCTCCAGGACCGCCGCCATGGCTGCAGGAGGTCCCGGCGCGGGGTCTG CGGCCCCGGTCTCCTCCACATCCTCCCTTCCCCTGGCTGCTCTCAACATGCGAGTGCGGCGCCGCCGCTGTC TCTGTTCTTGAACGTGCGGACACAGGTGGCCGGCCGACTGGACCGCGCGGGGGGAGGAGATGGACTTTGAG TACTTGGAGATCCGGCAACTGGAGACACAAGCGGACCCCACTGGCAGGCTGCTGGACGCCTGGCAGGAGC GCCCTGGCGCCTCTGTAGGCCGACTGCTCGAGCTGCTTACCAAGCTGGGCCGCGACGACGTGCTGCTGGA GCTGGGACCCAGCATTGAGGAGGATTGCCAAAAGTATATCTTGAAGCAGCAGCAGGAGGAGGCTGAGAAG CCTTTACAGGTGGCCGCTGTAGACAGCAGTGTCCCACGGACAGCAGCAGCAGGAGGCTGAGAAG CCTTTACAGGTGGCCGCTGTAGACAGCAGTGTCCCACGGACAGCAGCAGGAGGCTGACACTTG ATGACCCCCTGGGTGCCGCCGGATGGTGGTGGTGTCTCTGATGATTACCTGCAGAGCAAGGAATGTGAC TTCCAGACCAAATTTGCACTCAGCCTCTCTCCAGGTGCCCATCAGAAGCGAC
	ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA
Protein Sequence:	<pre>>RG229682 representing NM_001172569 Red=Cloning site Green=Tags(s)</pre>
	MRPDRAEAPGPPAMAAGGPGAGSAAPVSSTSSLPLAALNMRVRRRLSLFLNVRTQVAADWTALAEEMDFE YLEIRQLETQADPTGRLLDAWQGRPGASVGRLLELLTKLGRDDVLLELGPSIEEDCQKYILKQQQEEAEK PLQVAAVDSSVPRTAELAGITTLDDPLGAAGWWWLSLMITCRARNVTSRPNLHSASLQVPIRSD
	TRTRPLE - GFP Tag - V
Restriction Sites:	Sgfl-Mlul




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Cloning Scheme:





Plasmid Map:



ACCN:	NM_001172569
ORF Size:	612 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

GRIGENE MYD88 (NM_001172569) Human Tagged ORF Clone – RG229682

Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 001172569.1, NP 001166040.1</u>
RefSeq Size:	2681 bp
RefSeq ORF:	576 bp
Locus ID:	4615
UniProt ID:	<u>Q99836</u>
Cytogenetics:	3p22.2
Protein Families:	Druggable Genome
Protein Pathways:	Apoptosis, Toll-like receptor signaling pathway
Gene Summary:	This gene encodes a cytosolic adapter protein that plays a central role in the innate and adaptive immune response. This protein functions as an essential signal transducer in the interleukin-1 and Toll-like receptor signaling pathways. These pathways regulate that activation of numerous proinflammatory genes. The encoded protein consists of an N- terminal death domain and a C-terminal Toll-interleukin1 receptor domain. Patients with

defects in this gene have an increased susceptibility to pyogenic bacterial infections. Alternate

splicing results in multiple transcript variants. [provided by RefSeq, Feb 2010]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US