

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RG229715

LY108 (SLAMF6) (NM_001184716) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	LY108 (SLAMF6) (NM_001184716) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	LY108
Synonyms:	CD352; KALI; KALIb; Ly108; NTB-A; NTBA; SF2000
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	<pre>>RG229715 representing NM_001184716 Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGTTGTGGCTGTTCCAATCGCTCCTGTTTGTCTTCTGCTTTGGCCCAGGACAACTGAGGAACATACAAG TTACCAATCACAGTCAGCTATTTCAGAATATGACCTGTGAGCTCCATCTGACTTGCTCTGTGGAGGATGC AGATGACAATGTCTCATTCAGATGGGAGGCCTTGGGAAACACACTTTCAAGTCAGCCAAACCTCACTGTC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

ORIGENE LY10	8 (SLAMF6) (NM_001184716) Human Tagged ORF Clone – RG229715
Protein Sequence:	<pre>>RG229715 representing NM_001184716 Red=Cloning site Green=Tags(s)</pre>
	MLWLFQSLLFVFCFGPGQLRNIQVTNHSQLFQNMTCELHLTCSVEDADDNVSFRWEALGNTLSSQPNLTV SWDPRISSEQDYTCIAENAVSNLSFSVSAQKLCEDVKIQYTDTKMILFMVSGICIVFGFIILLLLVLRKR RDSLSLSTQRTQGPAESARNLEYVSVSPTNNTVYASVTHSNRETEIWTPRENDTITIYSTINHSKESKPT FSRATALDNVV
	TRTRPLE - GFP Tag - V
Restriction Sites:	Sgfl-Mlul
Cloning Scheme:	Cloning sites used for ORF Shuttling:
	Kozac EcoR I BamH I Kpn I RBS Consensus CTATAGGGCGGCCGGGAATTCGTCGATCGGATCCGGTACCGGAGGAGGTCGGCGCGCGC

~ 火


ACCN:	NM_001184716
ORF Size:	663 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

CRIGENE LY108 (SLAMF6) (NM_001184716) Human Tagged ORF Clone – RG229715

Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 001184716.2</u>
RefSeq Size:	2421 bp
RefSeq ORF:	666 bp
Locus ID:	114836
UniProt ID:	<u>Q96DU3</u>
Cytogenetics:	1q23.2-q23.3
Protein Families:	Druggable Genome, Transmembrane
Gene Summary:	The protein encoded by this gene is a type I transmembrane protein, belonging to the CD2 subfamily of the immunoglobulin superfamily. This encoded protein is expressed on Natural killer (NK), T, and B lymphocytes. It undergoes tyrosine phosphorylation and associates with the Src homology 2 domain-containing protein (SH2D1A) as well as with SH2 domain-containing phosphatases (SHPs). It functions as a coreceptor in the process of NK cell activation. It can also mediate inhibitory signals in NK cells from X-linked lymphoproliferative patients. Alternative splicing results in multiple transcript variants encoding distinct isoforms. [provided by RefSeq, May 2010]

Product images:



Circular map for RG229715

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US