

Product datasheet for **RG230490**

SP3 (NM_001172712) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SP3 (NM_001172712) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	SP3
Synonyms:	SPR2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG230490 representing NM_001172712
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGACCGCTCCCGAAAAGCCCGTGAACAAGAGGAAATGGCTGCCTTGGACGTGGATAGCGGCGCGCGG
 GTGGCGGCGGCGGCCACGGCGAGTATCTGCAGCAGCAGCAACAGCACGGAAACGGTGCGGTGGCGGC
 GGCAGCGGCGGCCACGGCTCACCGCTCGCTCTGCTGGCCGTACTTGCAGCAAGATAGGGCCGCCATCG
 CCGGGCGACGACGAGGAGGAGGCGCGCCGCGCAGCCGGGGCCCCCGCCGCGCGGAGCGACAGGTGATT
 TGGCTTCTGCACAGTTAGGAGGAGCACAAACCGATGGGAGGTTTTGTCAGCCACACCTACAACATAAA
 AGATGAAGCTGGTAATCTAGTCCAGATTCAGTGTCTACTTCAAGTGGGAGTATGTTCTTCCCCTT
 CAGAATTTGCAGAATCAACAAATATTTCCGTTGCACCAGGATCAGATTCATCAAATGGTACAGTGTCCA
 GTGTTCAATCAAGTGATACCACAGATCCAGTCAGCAGATGGTCAGCAGGTTCAAATTTGGTTTCACAGG
 CTCTTCAGATAATGGGGGTATAAATCAAGAAAGCAGTCAAATTCAGATCATTCTGGCTCTAATCAAACC
 TTACTTGCCTCTGGAACACCTTCTGCTAACATCCAGAATCTCATACCACAGACTGGTCAAGTCCAGGTTT
 AGGGAGTTGCAATTGGTGGTTCATCTTTTCTGGTCAAACCCAAGTAGTTGCTAATGTGCCTCTTGGTCT
 GCCAGGAAATATTACGTTTGTACCAATCAATAGTGTGCATCTAGATTCTTTGGGACTCTCGGGCAGTTCT
 CAGACAATGACTGCAGGCATTAATGCCGACGGACATTTGATAAACACAGGACAAGCTATGGATAGTTCAG
 ACAATTCAGAAAGGACTGGTGAGCGGGTTTCTCCTGATTAATGAAACTAATACTGATACAGATTTATT
 TGTGCCAACATCCTTTCATCACAGTTGCCTGTTACGATAGATAGTACAGGTATATTACAACAAAACACA
 AATAGCTTGACTACATCTAGTGGCAGGTTTCTTCTCAGATCTTACAGGAAATATATCCAGTCCGCTG
 TTTCTGAAGAGACACAGGCACAGAATATTCAGGTTTCTACAGCACAGCCTGTTGTACAGCATCAACA
 TCAAGAGTCTCAGCAGCCAACCGTCAAGCCAAATTTGCAAGGTATTACACCACAGACAATCCATGGT
 GTGCAAGCCAGTGGTCAAATATATCACAAAGGCTTTGCAAAATCTTCAAGTTGCAGCTGAATCCTGGAA
 CCTTTTTAATTCAGGCACAGACAGTGACCCCTTCTGGACAGGTAACCTGGCAAACGTTTCAAGTACAAGG
 GGTCCAGAACTTGCAGAATTTGCAAATACAGAATACTGCTGCCCAACAAATAACTTTGACGCTGTTCAA
 ACCCTCACACTTGGTCAAGTTGCGGCAGGTGGAGCCTTCACTTCAACTCCAGTTAGTCTAAGCACTGGTC
 AGTTGCCAAATCTACAAACAGTTACAGTGAACCTATAGATTCTGCTGGTATACAGCTACATCCAGGAGA
 GAATGCTGACAGTCTGCAGATATTAGGATCAAGGAAGAAGAACCTGATCCTGAAGAGTGGCAGCTCAGT
 GGTGATTCTACCTTGAATACCAATGACCTAACACACTTAAGAGTACAGGTGGTAGATGAAGAAGGGGACC
 AACACATCAAGAAGGAAAAAGACTTCGGAGGGTAGCTTGACACCTGTCCCAACTGTAAAGAAGGTGGTGG
 AAGAGGTACCAATCTTGGGAAAAAGAAGCAACACATTTGTCATATACCAGGATGTGGTAAAGTCTATGGG
 AAGACCTCACATCTGAGAGCTCATCTGCGTTGGCATTCTGGAGAACGCCCTTTTGTGTTGTAAGTGGATG
 ACTGTGGTAAAAGATTTACTCGAAGTGATGAATTACAGAGGCACAGAAGAACACATACAGGTGAGAAGAA
 ATTTGTTTGTCCAGAATGTTCAAACGCTTTATGAGAAGTGACCACCTTGCCAAACATATTAACACACAC
 CAGAATAAAAAAGGTATTCAGTCTAGCAGTACAGTGTGGCATCTGTGGAAGCTGCGCGAGATGATACTT
 TGATTACTGCAGGAGGAACAACGCTTATCCTTGCAAATATCAACAAGGTTCTGTTTCAGGGATAGGAAC
 GTTAATACTTCCGCCACCAGCAATCAAGATATCCTTACCAACACTGAAATACCTTTACAGCTTGTCCACA
 GTTCTGGAAATGAGACAATGGAG

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA


Protein Sequence: >RG230490 representing NM_001172712
 Red=Cloning site Green=Tags(s)

```
MTAPEKPKVQEEMAALDVDSGGGGGGGGHGEYLQQQQHNGAVAAAAAQPSPALLAATCSKIGPPS
PGDDEEEAAAAGAPAAAGATGLASACLGGAPNRWEVLSATPTTIKDEAGNLVQIPSAATSSGQYVLP
QNLQNOQIFSVAPGSDSSNGTVSSVQYQVIPQIQSADGQQVQIGFTGSSDNGGINQESSQIQIIPGSNQT
LLASGTPSANIQNLIPQTGOVQVQGVAIIGSSFPGQTQVVANVPLGLPGNITFVPIINSVDLDSLGLSGSS
QTMTAGINADGHLINTGQAMDSSDNSERTGERVSPDINETNTDIDL FVPTSSSSQLPVTIDSTGILQQNT
NSLTTSSGQVHSSDLQGNVIQSPVSEETAQNIQVSTAQPVVQHLQLQESQQPTSQAQIVQGITPQTIHG
VQASGQNISQQALQNLQLNPGTFLIQAQTVTPSGQVTWQTFQVQGVQNLQNLQIQNTAAQQITLTPVQ
TLTLGQVAAGGAFTSTPVSLSTGQLPNLQTVTVNSIDSAGIQLHPGENADSPADIRIKEEPPDEEWQLS
GDSTLNTNDLTHLRVQVVEEGDQHQEGKRLRRVACTCPNCKEGGGRGTNLGKKKQHICHIPGCGKVYQ
KTSHLRAHLRWHSGERPFVCNWMYCGKRFTRSDQLQRHRRHTHGEKKFVCPCKSRFMRSDHLAKHIKTH
QNKKGIIHSSSTVLASVEAARDTLITAGGTTLILANIQQGSVSGIGTVNTSATSNDILNTEIPLQLVT
VSGNETME
```

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001172712


ORF Size: 2334 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001172712.1</u> , <u>NP_001166183.1</u>
RefSeq Size:	6350 bp
RefSeq ORF:	2337 bp
Locus ID:	6670
UniProt ID:	<u>Q02447</u>
Cytogenetics:	2q31.1
Protein Families:	Druggable Genome, Transcription Factors
Gene Summary:	This gene belongs to a family of Sp1 related genes that encode transcription factors that regulate transcription by binding to consensus GC- and GT-box regulatory elements in target genes. This protein contains a zinc finger DNA-binding domain and several transactivation domains, and has been reported to function as a bifunctional transcription factor that either stimulates or represses the transcription of numerous genes. Transcript variants encoding different isoforms have been described for this gene, and one has been reported to initiate translation from a non-AUG (AUA) start codon. Additional isoforms, resulting from the use of alternate downstream translation initiation sites, have also been noted. A related pseudogene has been identified on chromosome 13. [provided by RefSeq, Feb 2010]

Product images:



Circular map for RG230490

