

Product datasheet for **RG231077**

GDNF (NM_001190468) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	GDNF (NM_001190468) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	GDNF
Synonyms:	ATF; ATF1; ATF2; HFB1-GDNF; HSCR3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG231077 representing NM_001190468 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGCAGTCTTTGCCTAACAGCAATGGTGCCGCCGCCGACGGGACTTTAAGATGAAGTTATGGGATGTCG
TGGCTGTCTGCCTGGTGTCTCCACACCGCTCCGCCTTCCCGCTGCCCGCGGTAAGAGGCCTCCCGA
GGCGCCCGCGAAGACCGCTCCCTCGGCCGCCGCCGCGCCCTTCGCGCTGAGCAGTGACTCAAATATG
CCAGAGGATTATCCTGATCAGTTCGATGATGTCATGGATTTTATTCAAGCCACCATTAAGACTGAAAA
GGTCACCAGATAAACAAATGGCAGTGCTTCTAGAAGAGAGCGGAATCGGCAGGCTGCAGCTGCCAACCC
AGAGAATTCAGAGGAAAAGGTCGGAGAGGCCAGAGGGGCAAAAACCGGGTTGTGTCTTAAGTCAATA
CATTTAAATGTCAGTACTGCTGGTCTGGGCTATGAAACCAAGGAGAACTGATTTTTAGGTAAGTGCAGCG
GCTCTTGCGATGCAGCTGAGACAACGTACGACAAAATTTGAAAACTTATCCAGAAATAGAAGGCTGGT
GAGTGACAAAGTAGGGCAGGCATGTTGCAGACCCATCGCCTTTGATGATGACCTGTCTGTTTTAGATGAT
AACCTGGTTTACCATATTCTAAGAAAGCATTCCGCTAAAAGGTGTGGATGTATC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

Protein Sequence: >RG231077 representing NM_001190468
Red=Cloning site Green=Tags(s)

MQSLPNSNGAAAGRDFKMKLWDVVAVCLVLLHTASAFPLPAGKRPEEPAEDRSLGRRRAPFALSSDSNM
 PEDYPDQFDDVMDFIQATIKRLKRSPDKQMAVLP RRERNRQAAAAANPENS RGKRRGQRGKNRGCVLTAI
 HLNVTDLGLGYETKEELIFRYCSGSCDAAETTYDKILKNLSRNRRLVSDKVVGACCRPIAFDDDL SFLDD
 NLVYHILRKHS AKRCGCI


TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_001190468

ORF Size: 684 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001190468.1](#), [NP_001177397.1](#)

RefSeq Size: 3830 bp

RefSeq ORF: 687 bp

Locus ID: 2668

UniProt ID: [P39905](#)

Cytogenetics: 5p13.2

Protein Families: Druggable Genome, Secreted Protein, Transmembrane

Gene Summary:

This gene encodes a secreted ligand of the TGF-beta (transforming growth factor-beta) superfamily of proteins. Ligands of this family bind various TGF-beta receptors leading to recruitment and activation of SMAD family transcription factors that regulate gene expression. The encoded preproprotein is proteolytically processed to generate each subunit of the disulfide-linked homodimer. The recombinant form of this protein, a highly conserved neurotrophic factor, was shown to promote the survival and differentiation of dopaminergic neurons in culture, and was able to prevent apoptosis of motor neurons induced by axotomy. This protein is a ligand for the product of the RET (rearranged during transfection) protooncogene. Mutations in this gene may be associated with Hirschsprung disease and Tourette syndrome. This gene encodes multiple protein isoforms that may undergo similar proteolytic processing. [provided by RefSeq, Aug 2016]