

Product datasheet for **RG231216**

SUV39H2 (NM_001193424) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: SUV39H2 (NM_001193424) Human Tagged ORF Clone
Tag: TurboGFP
Symbol: SUV39H2
Synonyms: KMT1B
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >RG231216 representing NM_001193424
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGGCGCGGTCGGGGCCGAGGCGCGAGGAGCTTGGTGTGTGCCTTGCCTAGTTTCACTTGATACTCTTC
 AGGAATTATGTAGAAAAGAAAAGCTCACATGTAATCGATTGGAATCACCAAAGGAATCTAAACAATTA
 TGAGGTGGAATACTTGTGTGACTACAAGGTAGTAAAGGATATGGAATATTATCTTGTAAAATGGAAAGGA
 TGGCCAGATTCTACAAACTTTGGGAACCTTTGCAAAATCTGAAGTGCCCGTTACTGCTTCAGCAATTCT
 CTAATGACAAGCATAATTATTTATCTCAGGTAAGAAAAGGCAAAGCAATAACTCCAAAAGACAATAACAA
 AACTTTGAAACCTGCCATTGCTGAGTACATTGTGAAGAAGGCTAAACAAAGGATAGCTCTGCAGAGATGG
 CAAGATGAACTCAACAGAAGAAAGAAATCATAAAGGAATGATATTTGTTGAAAATACTGTTGATTTAGAGG
 GCCCACCTTCAGACTTCTATTACATTAACGAATACAAACCAGCTCCTGGAATCAGCTTAGTCAATGAAGC
 TACCTTTGGTTGTTATGCACAGATTGCTTCTTTCAAAAATGTTGCTGCTGAAGCTGGAGTCTTTTG
 GCTTATAATAAAAACCAACAAATTAATAATCCACCTGGTACTCCCATCTATGAATGCAACTCAAGGTGTC
 AGTGTGGTCTGATTGTCCCAATAGGATTGTACAAAAGGCACACAGTATTCGCTTTGCATCTTTCGAAC
 TAGCAATGGACGTGGCTGGGTGTAAGACCCTTGTGAAGATTAAGAAGATGAGTTTTGCATGGAATAT
 GTTGAGAGGTAATCACAAGTGAAGAAGCTGAAAGACGAGGACAGTTCTATGACAACAAGGGAATCACGT
 ATCTCTTTGATCTGGACTATGAGTCTGATGAATTCACAGTGGATGCGGCTCGATACGGCAATGTGTCTCA
 TTTTGTGAATCACAGCTGTGACCCAAATCTTCAGGTGTTCAATGTTTTATTGATAACCTCGATACTCGT
 CTTCCCGAATAGCATTGTTTTCCACAAGAACCATAAATGCTGGAGAAGAGCTGACTTTTGATTATCAAA
 TGAAAGGTTCTGGAGATATCTTCAGATTCTATTGACCACAGCCAGCCAAAAAGGGTTCAGAACAGT
 ATGTAATGTGGAGCTGTGACTTGCAGAGGTTACCTCAAC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online >](#)

Protein Sequence: >RG231216 representing NM_001193424
 Red=Cloning site Green=Tags(s)

MAAVGAEARGAWCVPLVSLDTLQELCRKEKLTKSIGITKRNLNNEYVEYLCDYKVVKDMEYYLVKWKG
 WPDSTNTWEPLQNLKCPLLLQFQFSDNDKHNYSQVKKGKAITPKDNNKTLKPAIAEYIVKKAKQRIALQRW
 QDELNRRRNKHKGMIFVENTVDLEGPPSDFYYINEYKPPAGISLVNEATFGCSDTCDFQKCCPAEAGVLL
 AYKNQIQIKIPPGTPIYECNSRCQCGPDCPNRIVQKGTQYSLCIFRTSNGRGGVVKTLVKIKRMSFVMEY
 VGEVITSEEAERRGFYDNKGITYLFDLDYSEDFTVDAARYGNVSHFVNHSCDPNLQVFNVFIDNLDTR
 LPRIALFSTRTRINAGEELTFDYQMKGSGDISSDSIDHSPAKKRVRTVCKCGAVTCRGLN

TRTRPLE - GFP Tag - V

Chromatograms: https://cdn.origene.com/chromatograms/ja1886_h03.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001193424


ORF Size: 1230 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001193424.2
RefSeq Size:	3148 bp
RefSeq ORF:	1233 bp
Locus ID:	79723
UniProt ID:	Q9H5I1
Cytogenetics:	10p13
Protein Families:	Druggable Genome
Protein Pathways:	Lysine degradation
Gene Summary:	<p>Histone methyltransferase that specifically trimethylates 'Lys-9' of histone H3 using monomethylated H3 'Lys-9' as substrate. H3 'Lys-9' trimethylation represents a specific tag for epigenetic transcriptional repression by recruiting HP1 (CBX1, CBX3 and/or CBX5) proteins to methylated histones. Mainly functions in heterochromatin regions, thereby playing a central role in the establishment of constitutive heterochromatin at pericentric and telomere regions. H3 'Lys-9' trimethylation is also required to direct DNA methylation at pericentric repeats. SUV39H1 is targeted to histone H3 via its interaction with RB1 and is involved in many processes, such as cell cycle regulation, transcriptional repression and regulation of telomere length. May participate in regulation of higher-order chromatin organization during spermatogenesis. Recruited by the large PER complex to the E-box elements of the circadian target genes such as PER2 itself or PER1, contributes to the conversion of local chromatin to a heterochromatin-like repressive state through H3 'Lys-9' trimethylation.[UniProtKB/Swiss-Prot Function]</p>

Product images:



Circular map for RG231216