

## Product datasheet for **RG231295**

### Sterol carrier protein 2 (SCP2) (NM\_001193599) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Sterol carrier protein 2 (SCP2) (NM_001193599) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	SCP2
Synonyms:	NLTP; NSL-TP; SCOX; SCP-2; SCP-CHI; SCP-X; SCPX
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>RG231295 representing NM\_001193599  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGCATCGCC**

ATGTCCTCTTCCCGTGGGAGCCTGCGACCCTGCGCCGGTGTTCGTGGTGGGGTTGGCATGACCAAGT  
 TTGTGAAGCCTGGAGCTGAGAATCAAGAGACTACCCTGACTTGGCAGAAGAAGCAGGTGACTCTACCTG  
 TGGCAGAGGGCTATCTATCACAGTTTGGGAATGACTGGAATTCCTATAATCAATGTCAACAATAACTGT  
 GCTACTGGTTCTACTGCTTTGTTTATGGCCGCCAGCTGATTCAGGGTGGTGTGGCAGAATGTGTCTTGG  
 CTCTTGGGTTTGAGAAGATGAGTAAGGGAAGCCTTGGAAATAAAATTTTCAGATAGAACCATTCCCCTGA  
 TAAGCATGTTGACCTCCTGATCAATAAGTATGGATTGTCTGCTCACCCAGTTGCTCCTCAGATGTTTGGG  
 TATGCTGGAAGAACAATATGGAATAATGGAACAAAATTGAACACTTTCAAAAATTGGATGGAAAA  
 ATCATAAACATTCAGTTAATAACCCGATTTCCAGTTCGAAGATGAATACAGTTTAGATGAAGTATGGC  
 ATCTAAAGAAGTTTTGATTTTTGACTATCTTACAATGTTGCCACTTCAGATGGTGTGCAGCAGCA  
 ATTTTGGCCAGTGAAGCATTGTACAGAAGTATGGCCTGCAATCCAAAGCTGTGGAAATTTTGGCACAAG  
 AAATGATGACTGATTTGCCAAGCTCGTTTGAAGAAAAAGCATTATTAATGTTGGCTTTGATATGAG  
 TAAAGAAGCTGCAAGAAATGCTATGAGAAATCTGGCCTGACACCAATGATATTGACGTAATAGAACTT  
 CACGATTGCTTTTCTACCAACGAACTCCTTACTTATGAAGCACTGGGACTCTGTCCAGAAGGACAAGGTG  
 CAACGCTGGTGTAGAGGAGATAATACATATGGAGGAAAGTGGGTCATAAATCCTAGTGGTGGACTGAT  
 TTCAAAGGACACCCACTAGGCGCTACAGGCTTGTCTCAGTGTGCAGAACTCTGCTGGCAGCTGAGAGGG  
 GAAGCCGGAAGAGGCAAGTTCCTGGTCAAAGGTGGCTCTGCAGCATAATTTAGGCATTGGAGGAGCTG  
 TGGTTGTAACACTCTACAAGATGGTTTTCCGGAAGCCGCACTCTTTTGAAGTCAATCAAAATGAACT  
 TGTTCCAACAGCTCTGCAAGTATGGATTTAAGGCAAACTCTGTTTTTAAGGAGATTGAGAAGAACTT  
 GAAGAGGAAGGGGAACAGTTTGTGAAGAAAATCGGTGGTATTTTTGCCTTCAAGGTGAAAGATGGCCCTG  
 GGGTAAAGAGGCCACCTGGGTGGTGGATGTGAAGAATGGCAAAGGATCAGTGTCTTCTAACTCAGATAA  
 GAAGGCTGACTGCACAATCAAAATGGCTGACTCAGACTTCTGGCTTTAATGACTGGTAAATGAATCCT  
 CAGTCGGCCTTCTTCAAGGCAATTGAAAATCACTGGCAACATGGGTCTCGCTATGAAGTTACAAAATC  
 TTCAGCTTCAGCCAGGCAACGCTAAGCTC

**ACGCGTACGCGGCCGCTCGAG** – GFP Tag – GTTTAA

**Protein Sequence:**

>RG231295 representing NM\_001193599  
 Red=Cloning site Green=Tags(s)

MSSSPWEPATLRRVVFVGVGMTKFKVPGAENSRDYPDLAEEAGDSTCGQRAIYHSLGMTGIPIINVNNNC  
 ATGSTALFMARQLIQGGVAECVLALGFEEKMSKSLGIKFSDRTIPTDKHVDLLINKYGLSAHPVAPQMFG  
 YAGKEHMEKYGKIEHFAGIKGWKNHKSNNPYSQFQDEYSLDEVMAKVEVDFLITLQCCPTSDGAAAA  
 ILASEAFVQKYGLQSKAVEILAQEMMTDLPSSFEEKSIIKMGVDFMSKEAARKCYEKSGLTPNDIDVIEL  
 HDCFSTNELLTYEALGLCPEGQGATLVDRGDNTYGGKVVINPSGGLISKGHPLGATGLAQCAELCWQLRG  
 EAGKRQVPGAKVALQHNLGIGGAVVVTLYKMGFPEAASSFRTHQIEAVPTSSASDGFKANLVFKEIEKKL  
 EEEGEQFVKKIGGIFAFKVKDGPGGKEATWVVDVKNKGKSVLPNSDKKADCTITMADSDFLALMTGKMNP  
 QSAFFQGLKITGNMGLAMKLQNLQLQPGNAKL

**TRTRPLE** – GFP Tag – V

**Restriction Sites:**

Sgfl-MluI



<b>ACCN:</b>	NM_001193599
<b>ORF Size:</b>	1569 bp
<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001193599.2</a>
<b>RefSeq Size:</b>	2653 bp
<b>RefSeq ORF:</b>	1572 bp
<b>Locus ID:</b>	6342
<b>UniProt ID:</b>	<a href="#">P22307</a>
<b>Cytogenetics:</b>	1p32.3
<b>Protein Pathways:</b>	Metabolic pathways, PPAR signaling pathway, Primary bile acid biosynthesis
<b>Gene Summary:</b>	This gene encodes two proteins: sterol carrier protein X (SCPx) and sterol carrier protein 2 (SCP2), as a result of transcription initiation from 2 independently regulated promoters. The transcript initiated from the proximal promoter encodes the longer SCPx protein, and the transcript initiated from the distal promoter encodes the shorter SCP2 protein, with the 2 proteins sharing a common C-terminus. Evidence suggests that the SCPx protein is a peroxisome-associated thiolase that is involved in the oxidation of branched chain fatty acids, while the SCP2 protein is thought to be an intracellular lipid transfer protein. This gene is highly expressed in organs involved in lipid metabolism, and may play a role in Zellweger syndrome, in which cells are deficient in peroxisomes and have impaired bile acid synthesis. Alternative splicing of this gene produces multiple transcript variants, some encoding different isoforms.[provided by RefSeq, Aug 2010]