

GATACCAAGAATGAAGACTGGGATCGTATCATTTCTCTTTATCTTAGAAAATAAAGGTTACCCAAGCA
 AATCAGAGAAGCTCTGGAGCATGAAAAAGATGAAAACCTATTTCTGCCTCATAAGGAATCTGCAGCCAC
 ACTGTCTGATGTGGGCAATCAGGTTCTTCTCCGGTACTACCAGATGCAAAGGCAGAGTATTGCCGGAAC
 GCTGCCGGACCACCATTCGGCTGTTGAAAGCTTGATACGATTAGCAGAAGCTCATGCTCGCCTGATGT
 TTCGTGACTGTAACCTGGAAGACGCTATTACGGTGGTGTGAGTATGGAGTCCCTCAATGCAGGGAGG
 TGCAGTGTAGGAGGTGTAATGCCCTCCACACTTCTTTCTGAAAACCTGGAGAGCAGTACCAGAGA
 CAGTGTGAACCTATTCTGAAAAGCTAGAGCTGCAGAGCCTTTGAGTGAAGAGCTTAGAAGACTTGAAA
 GGTACAGAATCAGAGTGTGACCAATCCCAACCACGGGTATTGGAGGTAGAGACTACTCCAGGATCCTT
 GAGAAATGGTCCAGGGGAAGAATCAAACCTCAGAACTTATCACAGCAGGAAATCAACTATAGCACACAT
 ATCTTCTCTCTGGAGGCAGCCCGAGGGAAGCCAGTTCTAGATCCCCACCAGCATCTGGAGCCTAATA
 GATCAACAAGTAGGAAACATTCAGCTCAGCACAAAAATAACAGAGATGACAGTTTAGATTGGTTTGATT
 CATGGCAACTCATCAGAGTGAACCTAAAAACACTGTTGTTGTGTCTCTCATCCAAAACATCTGGAGAA
 AATATGGCTTGAAGATCTTAACAGCACATCTCAGGTAAGGAGAAGAGTGAGCCAGGCCAAAGGAGCA
 AAGTGGACATTGGTTGCTTCCATCACCAGGAGAGACAGGTGTTCCATGGAGGGCAGACAATGTGAAAG
 TAAACAAGAAAAAGGCTAGCACTAGATTCTGAAGCAGCAGTCTCTGCTGATAAACAGACTCAGTACTG
 ACTCATCATGTCCCAGGAACCTGCAGAAGCTGTGCAAAGAGAGGGCCCGAAGTTGTGCAGAAATAGCA
 CCAGGGTGCCTGCACAGTGCACAGTCCCTTCCCATCTCAGTCCACTCCTGTACATAGCCAGACAGAAT
 GCTGGACTCACCCAAAAGAAAGAGACCGAAATCCCTTGGCAAGTGGAAGAGCCTGCAATTGAAAATGTT
 AAGCCTCCAGGTTCCCCTGTGGCCAAACTGGCAAAATTTACTTTCAAGCAGAAGTCAAACCTGATCCACT
 CCTTTGAAGATCACAGCCATGTGTACCTGGTCAACTAAAAAGCAGTTTATAGTCTAAAAATTTCCCA
 GCGTAGAACAAGAAGAGACGCAGCCTTCCGGTGAAGCGTCCAGGAAAGTTAACATCTACCCAGGAAAC
 CAGATCTCCAGTACCCACAGGGTGAGACAAAGGAGGTGTCGACAGCCACCAGAGAAACACGGACCAA
 GAGAGAAGGTGATGTGTGCCCTGAGAAGAGGATTATTCAGCCTGAATTAGAGCTTGGGAACGAGACTGG
 GTGTGCTCATCTTACTTGTGAGGGAGACAAAAAGGAAGAGGTTTTCAGGCAGTAATAAAAGCGGCAAGGTT
 CATGCCTGCACATTAGCCAGATTGGCAAACTTCTGCTTTACTCCCCATCGGAATCCAAATCAAATCCC
 CTCCTCTGAAAGGAAGAACCGAGGTGAGAGAGGCCCAAGCTCCCCTCTACAACCACAGCTCCAATGCG
 TGTGAGTAAAAGGAAATCTTTTTCAGTCCGTGGGTCCACCAGAAACTGATTGTTTCAAAGAATCCCTC
 TTCCTTTACCAGAACTAGGTGATGAAGCATTTGATTGTGACTGGGATGAAGAGATGAGAAAAAAGTCA


ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence:

>RG231470 representing NM_017696
 Red=Cloning site Green=Tags(s)

MNSDQVTLVGQVFESYVSEYHKNDILLILKERDEDAHYPVVVNAMTLFETNMEIGEYFNMFPSEVLTFID
 SALRRSALTILQSLSQPEAVSMKQNLHARISGLPVCPELVREHIPKTKDVGHFLSVTGTVIRTSLVKVLE
 FERDYMCNKCKHVFVIKADFEQYYTFCRPSSCPSLESCDSSKFTCLSGLSSSPTRCRDYQEIKIQEQVQR
 LSVGSIPRSMKVILEDLVDSCSGDDLTIYGIVMQRWPKFQDVRCEVEIVLKANYIQVNNEQSSGIIM
 DEEVQKEFEDFWEYKSDPFAGRNVILASLCPQVFGMYLVKLAVAMVLAGGIQRDATGTRVRGESHLL
 VGDPTGKSQLKYAAKITPRSVLTTIGSTASGLTVTAVKDSGEWNLEAGALVLADAGLCCIDEFNSLK
 EHDRTSIHEAMEQQTISVAKAGLVCKLNTRTILAAATNPKQYDPPQESVSNVIALGSPLLSRFDLILVLL
 DTKNEDWDRIISSFILENKGYPSKSEKLWSMEKMKTYFCLIRNLQPTLSDVGNQVLLRYYQMQRQSDCRN
 AARTTIRLLESLIRLAEAHARLMFRDVTLEDAITVVSVMESSMQGGALLGGVNALHTSFENPGEQYQR
 QCELILEKLELQSLLEELRRLERLQNSVHQSPRVLEVETTPGSLRNGPGEESNFRTSSQOEINYSTH
 IFSPGSPGSPVLDPPPHEPNRSTSRKHSQAQHKNNRDDSDFWDFMATHQSEPKNVTVVSPHPKTSGE
 NMASKISNSTSQGKEKSEPGQRSKVDIGLLPSGETGVPWRADNVESNKKRRLALDSEAAVSADKPDVSL
 THHVPRNLQKLCERAQKLCRNSTRVPAQCTVPVSHQSTPVHSPDRMLDSPKRKRPKSLAQVEEPAIENV
 KPPGSPVAKLAKFTFKQKSKLIHSFEDHSHVSPGATKIAVHSPKISQRRTRRDAALPVKRPKGLTSTPGN
 QISSQPQGETKEVSQPPEKHGPREKVMCAPEKRIIQPELELGNETGCAHLTCEGDKKEEVSNSKSGKV
 HACTLARLANFCFTPPSESKSKSPPERKNRGERGSSPPTTTAPMRVSKRKSFLRGSTEKLIVSKESL
 FTLPELGDEAFDCDWDEEMRKK

TRTRPLE - GFP Tag - V

Plasmid Map:


ACCN: NM_017696

ORF Size: 3429 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_017696.3](#)

RefSeq Size: 4822 bp

RefSeq ORF: 3432 bp

Locus ID: 254394

UniProt ID: [Q9NXL9](#)

Cytogenetics: 6q22.31

Gene Summary:

The protein encoded by this gene is a member of the mini-chromosome maintenance (MCM) protein family that are essential for the initiation of eukaryotic genome replication. Binding of this protein to chromatin has been shown to be a pre-requisite for recruiting the MCM2-7 helicase to DNA replication origins. This protein also binds, and is a positive regulator of, the chromatin licensing and DNA replication factor 1, CDT1. [provided by RefSeq, Nov 2010]