

# **Product datasheet for RG231593**

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

## ` = ,

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: CDK2AP1 (NM\_001270434) Human Tagged ORF Clone

Tag: TurboGFP Symbol: CDK2AP1

Synonyms: doc-1; DOC1; DORC1; p12DOC-1; ST19

CDK2AP1 (NM 001270434) Human Tagged ORF Clone

Mammalian Cell Neomycin

Selection:

**Vector:** pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG231593 representing NM\_001270434
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGCAACGTCTTCACAGTACCGCCAGCTGCTCAGTGACTACGGGCCACCGTCCCTAGGCTACACCCAGGGAACTGGGAACAGCCAGGTGCCCCAAAGCAAATACGCGGAGCTGCTGGCCATCATTGAAGAGCTGGGGAAGGAGTCAGACCCACGTACGCAGGGAGCAAGAGTGCCATGGAGAGGCTGAAGCGCGGCATCATTCACGCT

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG231593 representing NM\_001270434

Red=Cloning site Green=Tags(s)

MATSSQYRQLLSDYGPPSLGYTQGTGNSQVPQSKYAELLAIIEELGKEIRPTYAGSKSAMERLKRGIIHA

**RGLVRECLAETERNARS** 


TRTRPLE - GFP Tag - V


Restriction Sites: Sgfl-Mlul





#### Cloning Scheme:





**ACCN:** NM\_001270434

ORF Size: 261 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001270434.1, NP 001257363.1</u>

RefSeq Size: 1164 bp



 RefSeq ORF:
 264 bp

 Locus ID:
 8099


 UniProt ID:
 014519

 Cytogenetics:
 12q24.31

**Gene Summary:** The protein encoded by this gene is a cyclin-dependent kinase 2 (CDK2) -associated protein

which is thought to negatively regulate CDK2 activity by sequestering monomeric CDK2, and targeting CDK2 for proteolysis. This protein was found to also interact with DNA polymerase alpha/primase and mediate the phosphorylation of the large p180 subunit, which suggests a regulatory role in DNA replication during the S-phase of the cell cycle. This protein also forms a core subunit of the nucleosome remodeling and histone deacetylation (NURD) complex that epigenetically regulates embryonic stem cell differentiation. This gene thus plays a role in both cell-cycle and epigenetic regulation. Alternative splicing results in multiple transcript variants encoding distinct isoforms. [provided by RefSeq, Jul 2012]

## **Product images:**



Circular map for RG231593