

## Product datasheet for **RG231605**

### SLIRP (NM\_001267864) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** SLIRP (NM\_001267864) Human Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** SLIRP  
**Synonyms:** C14orf156; DC50; PD04872  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >RG231605 representing NM\_001267864  
**Red**=Cloning site **Blue**=ORF **Green**=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGCGGCCTCAGCAGCGAGAGGTGCTGCGGCGCTGCGTAGAAGTATCAATCAGCCGGTTGCTTTTGTGA  
GAAGAATTCCTTGGACTGCGGCGTCGAGTCAGCTGAAAGAACACTTTGCACAGTTCGCCATGTCAGAAG  
GTGCATTTACCTTTGACAAGGAGACTGGCTTTCACAGAGGTTGGGTTGGTTTCAGTTTTCTTCAGAA  
GAAGGACTTCGGAATGCACTACAACAGGAAAATCATATTATAGATGGAGTAAAGTGCTTATTTTTT

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >RG231605 representing NM\_001267864  
**Red**=Cloning site **Green**=Tags(s)  
MAASAARGAAALRRSINQPVAFVRRIPWTAASSQLKEHFAQFGHVRRCILPFDKETGFHRGLGWQFSSE  
EGLRNALQQENHIIDGVKCLFF


**TRTRPLE** - GFP Tag - V

**Restriction Sites:** SgfI-MluI



[View online »](#)

**Cloning Scheme:**

**Plasmid Map:**


**ACCN:** NM\_001267864

**ORF Size:** 276 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_001267864.1</a></u> , <u><a href="#">NP_001254793.1</a></u>
<b>RefSeq Size:</b>	436 bp
<b>RefSeq ORF:</b>	279 bp
<b>Locus ID:</b>	81892
<b>UniProt ID:</b>	<u><a href="#">Q9GZT3</a></u>
<b>Cytogenetics:</b>	14q24.3
<b>Gene Summary:</b>	Steroid receptor RNA activator (SRA, or SRA1; MIM 603819) is a complex RNA molecule containing multiple stable stem-loop structures that functions in coactivation of nuclear receptors. SLIRP interacts with stem-loop structure-7 of SRA (STR7) and modulates nuclear receptor transactivation (Hatchell et al., 2006 [PubMed 16762838]).[supplied by OMIM, Mar 2008]