

Product datasheet for **RG231703**

PSMD9 (NM_001261400) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: PSMD9 (NM_001261400) Human Tagged ORF Clone
Tag: TurboGFP
Symbol: PSMD9
Synonyms: p27; Rpn4
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >RG231703 representing NM_001261400
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTCCGACGAGGAAGCGAGGCAGAGCGGAGGCTCCTCGAGGCCGGCGTCGTGACTGTCAGCGACGTCC
AGGAGCTGATGCGGCGCAAGGAGGAGATAGAAGCGCAGATCAAGGCCAACTATGACGTGCTGAAAGCGG
TCTGCAAGTGGATGATGAGATTGTGGAGTTCGGCTCTGTGAACACCCAGAACTTCCAGTCACTGCATAAC
ATTGGCAGTGTGGTGCAGCACAGTGAGGGGAAGCCCTGAATGTGACAGTATCCGAGGGGGAAAAAC
ACCAGCTTAGACTTGTTCCAACACGCTGGGCAGGAAAAGGACTGCTGGGCTGCAACATTATCCTCTGCA
AAGA

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG231703 representing NM_001261400
Red=Cloning site Green=Tags(s)
MSDEEARQSGSSQAGVVTVSDVQELMRRKEEIEAQIKANYDVLESGLQVDDEIVEFGSVNTQNFQSLHN
IGSVVQHSEGKPLNVTVIRRGEKHQLRLVPTRWAGKLLGCNI IPLQR

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-MluI




[View online »](#)

Cloning Scheme:



Plasmid Map:



ACCN: NM_001261400

ORF Size: 354 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001261400.3
RefSeq Size:	2053 bp
RefSeq ORF:	357 bp
Locus ID:	5715
UniProt ID:	O00233
Cytogenetics:	12q24.31
Gene Summary:	<p>The 26S proteasome is a multicatalytic proteinase complex with a highly ordered structure composed of 2 complexes, a 20S core and a 19S regulator. The 20S core is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. The 19S regulator is composed of a base, which contains 6 ATPase subunits and 2 non-ATPase subunits, and a lid, which contains up to 10 non-ATPase subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a non-ATPase subunit of the 19S regulator. Three transcript variants encoding two different isoforms have been found for this gene. [provided by RefSeq, May 2012]</p>