

Product datasheet for **RG231716**

RAB13 (NM_001272038) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: RAB13 (NM_001272038) Human Tagged ORF Clone
Tag: TurboGFP
Symbol: RAB13
Synonyms: GIG4
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >RG231716 representing NM_001272038
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGGCATTATCCTAGTATACGACATCACGGATGAGAAATCTTTCGAGAATATTCAGAACTGGATGAAAA
GCATCAAGGAGAATGCCTCGGCTGGGTGGAGCGCCTCTTGCTGGGGAACAAATGTGACATGGAGGCCAA
GAGGAAGGTGCAGAAGGAGCAGGCCGATAAGTTGGCTCGAGAGCATGGAATCCGATTTTTCGAACTAGT
GCTAAATCCAGTATGAATGTGGATGAGGCTTTTAGTTCCTGGCCGGGACATCTTGCTCAAGTCAGGAG
GCCGGAGATCAGGAAACGGCAACAAGCCTCCAGTACTGACCTGAAAACCTGTGACAAGAAGAACACCAA
CAAGTGCTCCCTGGGC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG231716 representing NM_001272038
Red=Cloning site Green=Tags(s)
MGIIILVYDITDEKSFENIQNMKSIKENASAGVERLLLGNKCDMEAKRKVQKEQADKLAREHGIRFFETS
AKSSMNVDEAFSSLARDILLKSGRRSGNGNKPPSTDCLKTKDKNTNKCSLG

TRTRPLE - GFP Tag - V


Restriction Sites: Sgfl-MluI



[View online »](#)

Cloning Scheme:

Cloning sites used for ORF Shutting:


Plasmid Map:

ACCN: NM_001272038

ORF Size: 366 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001272038.1 , NP_001258967.1
RefSeq Size:	1353 bp
RefSeq ORF:	369 bp
Locus ID:	5872
UniProt ID:	P51153
Cytogenetics:	1q21.3
Protein Families:	Druggable Genome
Protein Pathways:	Tight junction
Gene Summary:	This gene is a member of the Rab family of small G proteins and plays a role in regulating membrane trafficking between trans-Golgi network (TGN) and recycling endosomes (RE). The encoded protein is involved in the assembly of tight junctions, which are components of the apical junctional complex (AJC) of epithelial cells. The AJC plays a role in forming a barrier between luminal contents and the underlying tissue. Additional functions associated with the protein include endocytic recycling of occludin, regulation of epithelial cell scattering, neuronal regeneration and regulation of neurite outgrowth. Alternately spliced transcript variants have been observed for this gene. A pseudogene associated with this gene is located on chromosome 12. [provided by RefSeq, Jan 2013]