

## Product datasheet for **RG231815**

### IL33 (NM\_001199641) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** IL33 (NM\_001199641) Human Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** IL33  
**Synonyms:** C9orf26; DVS27; IL1F11; NF-HEV; NFEHEV  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >RG231815 representing NM\_001199641  
**Red=Cloning site Blue=ORF Green=Tags(s)**

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGAAGCCTAAAATGAAGTATTCAACCAACAAAATTTCCACAGCAAAGTGAAGAACACAGCAAGCAAAG  
CCTTGTGTTTCAAGCTGGGAAATAAGGTGTTACTGAGTACTATGAGTCTCAACACCCCTCAAATGAATC  
AGGTGACGGTGTGATGGTAAGATGTTAATGGTAACCCTGAGTCCTACAAAAGACTTCTGGTTGCATGCC  
ACAACAAGGAACACTCTGTGGAGCTCCATAAGTGTGAAAAACCACTGCCAGACCAGGCCTCTTTGTCC  
TTCATAATATGACTCCAACCTGTGTTTCATTTGAATGCAAGACTGATCCTGGAGTGTATAGGTGTAAG  
GGATAATCATCTTGCTCTGATTAAGTAGACTCTCTGAGAATTTGTGTACTGAAAATATCTTGTTAAG  
CTCTGAAACT

**ACGCGTACGCGGCCGCTCGAG** - GFP Tag - GTTTAA

**Protein Sequence:** >RG231815 representing NM\_001199641  
**Red=Cloning site Green=Tags(s)**

MKPKMKYSTNKISTAKWKNTASKALCFKLGKLVLLSYYESQHPSPNESGDGVDGKMLMVTLSPTKDFWLHA  
NNKEHSVELHKCEKPLPDQAFFVLHNMHSNCVSECKTDPGVFIGVDNHLALIKVDSSENLCENILFK  
LSET


**TRTRPLE** - GFP Tag - V

**Restriction Sites:** Sgfl-MluI



[View online »](#)

**Cloning Scheme:**

**Plasmid Map:**


ACCN: NM\_001199641

ORF Size: 432 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

|                               |   |
|-------------------------------|---|
| <b>Components:</b>            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).  |
| <b>Reconstitution Method:</b> | <ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol> |
| <b>RefSeq:</b>                | <u>NM_001199641.1, NP_001186570.1</u>   |
| <b>RefSeq Size:</b>           | 2340 bp   |
| <b>RefSeq ORF:</b>            | 435 bp  |
| <b>Locus ID:</b>              | 90865   |
| <b>UniProt ID:</b>            | <u>O95760</u>   |
| <b>Cytogenetics:</b>          | 9p24.1  |
| <b>Protein Families:</b>      | Secreted Protein  |
| <b>Protein Pathways:</b>      | Cytosolic DNA-sensing pathway   |
| <b>Gene Summary:</b>          | The protein encoded by this gene is a cytokine that binds to the IL1RL1/ST2 receptor. The encoded protein is involved in the maturation of Th2 cells and the activation of mast cells, basophils, eosinophils and natural killer cells. Several transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Sep 2015]   |