

## Product datasheet for **RG231822**

### RPL15 (NM\_001253384) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** RPL15 (NM\_001253384) Human Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** RPL15  
**Synonyms:** DBA12; EC45; L15; RPL10; RPLY10; RPYL10  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >RG231822 representing NM\_001253384  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGGTGCATACAAGTACATCCAGGAGCTATGGAGAAAGAAGCAGTCTGATGTCATGCGCTTTCTTCTGA  
GGGTCCGCTGCTGGCAGTACCGCCAGCTCTCTGCTCTCCACAGGGCTCCCCGCCACCCGGCCTGATAA  
AGCGCGCCGACTGGGCTACAAGGCCAAGCAAGGTTACGTTATATATAGGATTCGTGTTCCCGTGGTGGC  
CGAAAACGCCAGTTCCTAAGGGTGCAACTTACGGCAAGCCTGTCCATCATGGTGTAAACCAGCTAAAGT  
TTGCTCGAAGCCTTCAGTCCGTTGCAGAGGAGCGAGCTGGACCCACTGTGGGGCTCTGAGAGTCTGAA  
TTCTTACTGGATGGAGTCTCACTCTCACTCAGGTGGGAGTGCAGTGGGCAATCACGGCTACTGCAACC  
TCTGTCTCCCGGTT

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >RG231822 representing NM\_001253384  
Red=Cloning site Green=Tags(s)

MGAYKYIQELWRKKQSDVMRFLLRVRCWQYRQLSALHRAPRPTRPDKARRLGYKAKQGYVIYRIRVRRGG  
RKRPVPGATYGKPVHGVNQLKFARSLQSVAEERAGRHCALRVLNSYWESHSHSGGSVAVGQSRLTAT  
SVSRV


**TRTRPLE** - GFP Tag - V

**Restriction Sites:** SgfI-MluI



[View online »](#)

**Cloning Scheme:**

**Plasmid Map:**


- ACCN:** NM\_001253384
- ORF Size:** 435 bp
- OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)
- OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001253384.2</a>
<b>RefSeq Size:</b>	2860 bp
<b>RefSeq ORF:</b>	438 bp
<b>Locus ID:</b>	6138
<b>UniProt ID:</b>	<a href="#">P61313</a>
<b>Cytogenetics:</b>	3p24.2
<b>Protein Pathways:</b>	Ribosome
<b>Gene Summary:</b>	Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of four RNA species and approximately 80 structurally distinct proteins. This gene encodes a member of the L15E family of ribosomal proteins and a component of the 60S subunit. This gene shares sequence similarity with the yeast ribosomal protein YL10 gene. Elevated expression of this gene has been observed in esophageal tumors and gastric cancer tissues, and deletion of this gene has been observed in a Diamond-Blackfan anemia (DBA) patient. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome. [provided by RefSeq, Mar 2017]