

Product datasheet for RG231917

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

TPD52L2 (NM 001243892) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: TPD52L2 (NM_001243892) Human Tagged ORF Clone

Tag: TurboGFP Symbol: TPD52L2

Synonyms: D54; TPD54

Mammalian Cell Selection:

Neomycin

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG231917 representing NM_001243892
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG231917 representing NM_001243892

Red=Cloning site Green=Tags(s)

MDSAGQGVAARTPAVEGLTEAEEEELRAELTKVEEEIVTLRQVLAAKERHCGELKRRLGLSTLGELKQNL SRSWHDVQVSSAYKKTQETLSQAGQKTSAALSTVGSAISRKLGDMRNSATFKSFEDRVGTIKSKVVGDRE

NGSDNLPSSAGSGDKPLSDPAPF


TRTRPLE - GFP Tag - V


Restriction Sites: Sgfl-Mlul






Cloning Scheme:





Plasmid Map:



ACCN: NM 001243892

ORF Size: 489 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.



Cytogenetics:

TPD52L2 (NM_001243892) Human Tagged ORF Clone - RG231917

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

20q13.33

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001243892.2

 RefSeq Size:
 2230 bp

 RefSeq ORF:
 492 bp

 Locus ID:
 7165

 UniProt ID:
 043399

Gene Summary: This gene encodes a member of the tumor protein D52-like family. These proteins are

characterized by an N-terminal coiled-coil motif that is used to form homo- and heteromeric complexes with other tumor protein D52-like proteins. Expression of this gene may be a marker for breast cancer and acute lymphoblastic leukemia. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene, and a pseudogene of this gene is located on the long arm of chromosome 12. [provided by RefSeq, Aug 2011]