

## Product datasheet for **RG231994**

### Proteasome 20S alpha 5 (PSMA5) (NM\_001199773) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Proteasome 20S alpha 5 (PSMA5) (NM\_001199773) Human Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** PSMA5  
**Synonyms:** PSC5; ZETA  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >RG231994 representing NM\_001199773  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGAGCCAGCAGCATTGAGAAAATTGTAGAGATTGATGCTCACATAGTTGTGCCATGAGTGGGCTAA  
TTGCTGATGCTAAGACTTTAATTGATAAAGCCAGAGTGGAGACACAGAACCCTGGTTCACCTACAATGA  
GACAATGACAGTGGAGAGTGTGACCCAAGCTGTGTCGAATCTGGCTTTCAGTTTGGAGAAGAAGATGCA  
GATCCAGGTGCCATGTCTCGTCCCTTTGGAGTAGCATTATTATTGGAGGAGTTGATGAGAAAGGACCCC  
AGCTGTTTCATATGGACCCATCTGGGACCTTTGTACAGTGTGATGCTCGAGCAATTGGCTCTGCTTCAGA  
GGGTGCCAGAGCTCCTTGCAAGAAGTTTACCACAAGTCTATGACTTTGAAAGAAGCCATCAAGTCTTCA  
CTCATCATCCTCAAACAAGTAATGGAGGAGAAGCTGAATGCAACAACATTGAGCTAGCCACAGTGCAGC  
CTGGCCAGAATTTCCACATGTTCAAAAGGAAGAAGTGAAGAGGTTATCAAGGACATT

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >RG231994 representing NM\_001199773  
Red=Cloning site Green=Tags(s)

MEPSSIEKIVEIDAHIGCAMSLIADAKTLIDKARVETQNHWFYNETMTVESVTQAVSNLALQFGEEDA  
DPGAMSRPFGVALLFGGVDEKGPQLFHMDPSGTFVQCDARAIGSASEGAQSSLQEVYHKSMTLKEAIKSS  
LIILKQVMEEKLNATNIELATVQPGQNFHMFTKKEELEEVIKDI

**TRTRPLE** - GFP Tag - V

**Restriction Sites:** SgfI-MluI



[View online »](#)



<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_001199773.2</a></u>
<b>RefSeq Size:</b>	3746 bp
<b>RefSeq ORF:</b>	552 bp
<b>Locus ID:</b>	5686
<b>UniProt ID:</b>	<u><a href="#">P28066</a></u>
<b>Cytogenetics:</b>	1p13.3
<b>Protein Families:</b>	Druggable Genome, Protease
<b>Protein Pathways:</b>	Proteasome
<b>Gene Summary:</b>	<p>The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S core structure. The core structure is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a member of the peptidase T1A family, that is a 20S core alpha subunit. Multiple alternatively spliced transcript variants encoding two distinct isoforms have been found for this gene. [provided by RefSeq, Dec 2010]</p>