

## Product datasheet for RG232005

## RPL17 (NM 001199344) Human Tagged ORF Clone

**Product data:** 

**Product Type: Expression Plasmids** 

**Product Name:** RPL17 (NM\_001199344) Human Tagged ORF Clone

Tag: TurboGFP

RPL17 Symbol:

Synonyms: L17; PD-1; RPL23

**Mammalian Cell** Neomycin

Selection:

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

**ORF Nucleotide** >RG232005 representing NM\_001199344 Red=Cloning site Blue=ORF Green=Tags(s) Sequence:

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGTTCGCTATTCACTTGACCCGGAGAACCCCACGAAATCATGCAAATCAAGAGGTTCCAATCTTCGTG TTCACTTTAAGAACACTCGTGAAACTGCTCAGGCCATCAAGGGTATGCATATACGAAAAGCCACGAAGTA TCTGAAAGATGTCACTTTACAGAAACAGTGTGTACCATTCCGACGTTACAATGGTGGAGTTGGCAGGTGT GCGCAGGCCAAGCAATGGGGCTGGACACAAGGTCGGTGGCCCAAAAAGAGTGCTGAATTTTTGCTGCACA TGCTTAAAAACGCAGAGAGTAATGCTGAACTTAAGGGTTTAGATGTAGATTCTCTGGTCATTGAGCATAT CCAAGTGAACAAAGCACCTAAGATGCGCCGCCGGACCTACAGAGCTCATGGTCGGATTAACCCATACATG AGCTCTCCCTGCCACATTGAGATGATCCTTACGGAAAAGGAACAGATTGTTCCTAAACCAGAAGAGGAGG

TTGCCCAGAAGAAAAAGATATCCCAGAAGAAACTGAAGAAACAAAAACTTATGGCACGGGAG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

>RG232005 representing NM\_001199344 **Protein Sequence:** 

Red=Cloning site Green=Tags(s)

MVRYSLDPENPTKSCKSRGSNLRVHFKNTRETAQAIKGMHIRKATKYLKDVTLQKQCVPFRRYNGGVGRC AQAKQWGWTQGRWPKKSAEFLLHMLKNAESNAELKGLDVDSLVIEHIQVNKAPKMRRRTYRAHGRINPYM

SSPCHIEMILTEKEQIVPKPEEEVAQKKKISQKKLKKQKLMARE

TRTRPLE - GFP Tag - V

**Restriction Sites:** Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




## **Cloning Scheme:**





## Plasmid Map:



**ACCN:** NM\_001199344

ORF Size: 552 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.



Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 001199344.2</u>

RefSeq Size: 818 bp

RefSeq ORF: 555 bp

Locus ID: 6139

UniProt ID: P18621

Cytogenetics: 18q21.1

Protein Pathways: Ribosome

**Gene Summary:** Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and

a large 60S subunit. Together these subunits are composed of 4 RNA species and

approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is

a component of the 60S subunit. The protein belongs to the L22P family of ribosomal

proteins. It is located in the cytoplasm. This gene has been referred to as rpL23 because the encoded protein shares amino acid identity with ribosomal protein L23 from Halobacterium marismortui; however, its official symbol is RPL17. As is typical for genes encoding ribosomal

proteins, there are multiple processed pseudogenes of this gene dispersed through the genome. Alternative splicing results in multiple transcript variants. Read-through

transcription also exists between this gene and the neighboring downstream C18orf32

(chromosome 18 open reading frame 32) gene. [provided by RefSeq, Dec 2010]