

## Product datasheet for **RG232267**

### Kallikrein 7 (KLK7) (NM\_001243126) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Kallikrein 7 (KLK7) (NM_001243126) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	KLK7
Synonyms:	hK7; PRSS6; SCCE
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG232267 representing NM_001243126 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGAAGATTTTGGAGCCAGCTGTGTGCCAGCCCAAGTCGGAACCTGGATCACATCAGATCCTCTCGAGC  
TCCAGCAGGAGAGGCCCTTCTCGCCTGGCAGCCCTGAGCGGCTCAGCAGGGCACCATGGCAAGATCCC  
TTCTCCTGCCCTGCAGATCTTACTGCTATCCTTAGCCTTGAAACTGCAGGAGAAGAAGTGAGTACACC  
GTGCACCTGGGCAGTGATACGCTGGGCGACAGGAGAGCTCAGAGGATCAAGGCCTCGAAGTCATTCCGCC  
ACCCCGGCTACTCCACACAGACCCATGTTAATGACCTCATGCTCGTGAAGCTCAATAGCCAGGCCAGGCT  
GTATCCATGGTGAAGAAAGTCAGGCTGCCCTCCCGCTGCGAACCCCTGGAACCACTGTACTGTCTCC  
GGCTGGGGCACTACCACGAGCCAGATGTGACCTTTCCCTCTGACCTCATGTGCGTGGATGTCAAGCTCA  
TCTCCCCCAGGACTGCACGAAGGTTTACAAGGACTTACTGAAAAATCCATGCTGTGCGTGGCATCCC  
CGACTCCAAGAAAAACGCCTGCAATGGTGACTCAGGGGGACCGTTGGTGTGCAGAGGTACCTGCAAGGT  
CTGGTGTCTGGGAACTTTCCCTTGGCGCCAACCAATGACCCAGGAGTCTACACTCAAGTGTGCAAGT  
TCACCAAGTGGATAAATGACACCATGAAAAAGCATCGC

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

**Protein Sequence:** >RG232267 representing NM\_001243126  
Red=Cloning site Green=Tags(s)

MKILEPSCVPAQVGTWITSDPLELQQERPFLLAWQPLSGSAGHHGKIPSPAPADLTAILSLGNCRRRSEYTVHLGSDTLGDRRAQRIKASKSFRHPGYSTQTHVNDLMLVKLNSQARLSSMVKKVRLPSRCEPPGTTCTVSGWGTTTTSPDVTFFSDLMCVDVKLISPQDCTKVYKDLLENMMLCAGIPDSKKNACNGDSGGPLVCRGTLQG L VSWGTFPCGQPNDPGVYTQVCKFTKWINDTMKKHR

TRTRPLE - GFP Tag - V


**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**

Cloning sites used for ORF Shutting:



**Plasmid Map:**



**ACCN:** NM\_001243126

**ORF Size:** 738 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001243126.1</a> , <a href="#">NP_001230055.1</a>
<b>RefSeq Size:</b>	1956 bp
<b>RefSeq ORF:</b>	741 bp
<b>Locus ID:</b>	5650
<b>UniProt ID:</b>	<a href="#">P49862</a>
<b>Cytogenetics:</b>	19q13.41
<b>Protein Families:</b>	Druggable Genome, Secreted Protein
<b>Gene Summary:</b>	This gene encodes a member of the kallikrein subfamily of serine proteases. These enzymes have diverse physiological functions and many kallikrein genes are biomarkers for cancer. The encoded protein has chymotrypsin-like activity and plays a role in the proteolysis of intercellular cohesive structures that precedes desquamation, the shedding of the outermost layer of the epidermis. The encoded protein may play a role in cancer invasion and metastasis, and increased expression of this gene is associated with unfavorable prognosis and progression of several types of cancer. Polymorphisms in this gene may play a role in the development of atopic dermatitis. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene, which is one of fifteen kallikrein subfamily members located in a gene cluster on chromosome 19. [provided by RefSeq, May 2011]