

Product datasheet for RG232506

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Actin Regulatory Protein CAPG (CAPG) (NM_001256140) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Actin Regulatory Protein CAPG (CAPG) (NM_001256140) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: CAPG

Synonyms: AFCP; HEL-S-66; MCP

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG232506 representing NM_001256140
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGTACACAGCCATTCCCCAGAGTGGCTCTCCATTCCCAGGCTCAGTGCAGGATCCAGGCCTGCATGTGT
GGCGGGTGGAGAAGCTGAAGCCGGTGCCTGTGGCGCAAGAGAACCAGGGCGTCTTCTTCTCGGGGGACTC
CTACCTAGTGCTGCACAATGGCCCAGAAGAGGTTTCCCATCTGCACCTGTGGATAGGCCAGCAGTCATCC
CGGGATGAGCAGGGGGCCTGTGCCGTGCTGGCTGTGCACCTCTGCACCTGTGGATAGGCCAGCAGTCATCC
CGGGATGAGCAGGGGCCTGTGCCGTGCTGGCTGTGCACCTCAACACGCTGCTGGGAGAGCGGCCTGTGC
AGCACCGCGAGGTGCAGGGCAATGAGTCTGACCTCTTCATGAGCTACTTCCCACGGGGCCTCAAGTACCA
GGAAGGTGGTGGGAGTCAGCATTTCACAAGACCTCCACAGGAGCCCCAGCTGCCATCAAGAAACTCTAC
CAGGTGAAGGGGAAGAACAATCCGTGCCACCGAGCGGGCACTGAACTGGGACAGCTTCAACACTGGGG
ACTGCTTCATCCTGGACCTGGCCCAGCAGACACTCTCGCCTGTGTGGTGGAAAGTCCAACATCCTGGAACG
CAACAAGGCGAGGGACCTGGCCCTGGCCATCCGGGACAGTGAGCGACAGGCCAAGGCCCAGGTCCTGGGC
CCCAAGCCTGCTCTGAAGGAGGGCAACCCTGAGGAAGACCTCACAGCTGACAAGGCCAAATGCCCAGGCCG
CAGCTCTGTATAAAGGTCTCTGATGCCACTGGACAGATGAACCTGACCAAGGTGGCTGACTCCAGCCCATT
TGCCCTTGAACTGCTGATATCTGATGACTGCTTTTGTGCTGGACAACGGGCTCTGTGGCAAGATCTATATC
TGGAAGGGGCGAAAAGCGAATGAGAAGGGGCGCAGGCCCTCCAGGTGGCCGAGGCTTCATCTCGC
GCATGCAGTACGCCCCGAACACTCAGGTGGAGAATTCTGCCTCAGGCCATTCAAGCA
ATTTTCAAGGACTGGAAA

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA





Protein Sequence: >RG232506 representing NM_001256140

Red=Cloning site Green=Tags(s)

MYTAIPQSGSPFPGSVQDPGLHVWRVEKLKPVPVAQENQGVFFSGDSYLVLHNGPEEVSHLHLWIGQQSS RDEQGACAVLAVHLNTLLGERPVQHREVQGNESDLFMSYFPRGLKYQEGGVESAFHKTSTGAPAAIKKLY QVKGKKNIRATERALNWDSFNTGDCFILDLGQNIFAWCGGKSNILERNKARDLALAIRDSERQGKAQVLG PKPALKEGNPEEDLTADKANAQAAALYKVSDATGQMNLTKVADSSPFALELLISDDCFVLDNGLCGKIYI WKGRKANEKERQAALQVAEGFISRMQYAPNTQVEILPQGHESPIFKQFFKDWK


TRTRPLE - GFP Tag - V

Restriction Sites:


Sgfl-Mlul

Cloning Scheme:





Plasmid Map:



ACCN: NM_001256140

ORF Size: 999 bp

Actin Regulatory Protein CAPG (CAPG) (NM_001256140) Human Tagged ORF Clone - RG232506

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

> reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

NM 001256140.1, NP 001243069.1 RefSeq:

RefSeq Size: 1559 bp RefSeq ORF: 1002 bp Locus ID: 822

UniProt ID: P40121 2p11.2

Cytogenetics:

Gene Summary: This gene encodes a member of the gelsolin/villin family of actin-regulatory proteins. The

> encoded protein reversibly blocks the barbed ends of F-actin filaments in a Ca2+ and phosphoinositide-regulated manner, but does not sever preformed actin filaments. By capping the barbed ends of actin filaments, the encoded protein contributes to the control of actin-based motility in non-muscle cells. Alternatively spliced transcript variants have been

observed for this gene. [provided by RefSeq, Jan 2012]