

Product datasheet for **RG232519**

CREB3L3 (NM_001271997) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CREB3L3 (NM_001271997) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	CREB3L3
Synonyms:	CREB-H; CREBH; HYST1481; HYTG2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG232519 representing NM_001271997 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGAATACGGATTTAGCTGCTGGAAGATGGCTTCTGCTGCCTGCCATGGACCCCATCGACAGCTTTG
AGCTCCTGGATCCTGTTTGACCGGCAGGACGGCATCCTGAGACACGTGGAGCTGGGCGAGGGCTGGG
TCACGTCAAGGACCAGCAGGTCTGCCAAACCCGACTCTGACGACTTCTCAGCTCCATCCTGGGCTCT
GGAGACTACTGCCAGCTCCCCACTCTGGTCCCCGAAGGCAGTGATAGTGGCATCTCCGAAGACCTCC
CCTCCGACCCCCAGGACACCCCTCCACGCAGCGGACCAGCCACCTCCCCGCGGCTGCCATCCTGCCCA
GCCTGGCAAGGGGCCCTGCCTCTCCTATCATCCTGGCAACTCTTGCTCCACCACAACCCAGGGCCAGTG
ATCCAAGTACCTGAAGCCTCTGTGACCATAGACCTGGAATGTGGAGCCCAGGAGGAAGGATCTGTGCTG
AGAAGCCGGCTGATCCGGTGGACCTGTCCCCACGATGCAATCTCACCGTGAAAGACCTCCTCCTTCGGG
CAGCAGTGGGGACCTGCAACAGCATCACCTGGGGCCTCCTACCTCCTGCGACCTGGGGCTGGGCACTGT
CAGGAGCTGGTGTCTACCGAGGATGAGAAGAAGCTGTGGCTAAAGAAGGCATCACCTGCCCACTCAGC
TGCCCCCTACTAAGGATGTCAGCTTGCAGTCTCAGAATCAGGAGTTACAGAGGAAAGTCTTGATCTCG
AGAAGCAAAACCTGTCCCTCTTGAGCAACTGAAGAACTCCAGGCCATTGTGGTGCAGTCCACCAGCAA
GTCAGCCCAGACAGGCACCTGTGTCGAGTCTGTTGCTGTCCTTTGCCCTCATCATCTCCCCTCCATC
AGCCCTTTTGGCCCCAACAAAACCGAGAGCCCTGGGGACTTTGCCCTGTACGAGTGTTCACAGAACTT
TGACAACGATGCTGCCTCCCGCTGGCTGC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

Protein Sequence: >RG232519 representing NM_001271997
Red=Cloning site Green=Tags(s)

MNTDLAAGKMASAACSM DPIDSFELLDLLFDRQDGI LRHVELGEGWGHVKDQVLPNPDSDDFLSSILGS
 GDSLPSSPLWSPEGSDSGISEDLPSPDQDTPPRSGPATSPAGCHPAQPGKGPCLSYHPGNSCSTTTPGPV
 IQVPEASVTIDLEMWSPGGRICAEKPADPVDLSPRCNLTKVDLLL SGSSGDLQQHHLGASYLLRPGAGHC
 QELVLTEDEKLLAKEGITLPTQLPLTKDVS LHCSESGVTEESLASREAKPVPLGATEETPGHCGAVHQQ
 VSPDRHLCRSPVAVLCPHHPPLHQPFWPQQNREPWGLCACTSVLQNF AQRCCCLPRGC

TRTRPLE - GFP Tag - V


Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



Plasmid Map:



ACCN: NM_001271997

ORF Size: 1011 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001271997.2
RefSeq Size:	2517 bp
RefSeq ORF:	1014 bp
Locus ID:	84699
UniProt ID:	Q68CJ9
Cytogenetics:	19p13.3
Protein Families:	Transcription Factors
Protein Pathways:	Huntington's disease, Melanogenesis, Prostate cancer
Gene Summary:	This gene encodes a member of the basic-leucine zipper family and the AMP-dependent transcription factor family. The encoded protein is localized to the endoplasmic reticulum and acts as a transcription factor activated by cyclic AMP stimulation. The encoded protein binds the cyclic AMP response element (CRE) and the box-B element and has been linked to acute inflammatory response, hepatocellular carcinoma, triglyceride metabolism, and hepcidin expression. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2012]