

## Product datasheet for **RG232586**

### DAP3 (NM\_001199850) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	DAP3 (NM_001199850) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	DAP3
Synonyms:	bMRP-10; DAP-3; MRP-S29; MRPS29; S29mt
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG232586 representing NM_001199850 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGATGCTGAAAGGAATAACAAGGCTTATCTCTAGGATCCATAAGTTGGACCCTGGGCGTTTTTACACA  
TGGGGACCCAGGCTCGCCAAAGCATTGCTGCTCACCTAGATAACCCAGGTTCCAGTTGAGAGTCCGAGAGC  
TATTTCCCGCACCAATGAGAATGACCCGGTGAAGACATTCAGTGAAGCTTGCCTGATGGTAAGGAAACCA  
GCCCTAGAACTTCTGCATTACCTGAAAAACACCAGTTTTGCTTATCCAGCTATACGATATCTTCTGTATG  
GAGAGAAGGGAACAGGAAAAACCCTAAGTCTTTGCCATGTTATTCATTTCTGTGCAAAACAGGACTGGCT  
GATACTACATATCCAGATGCTCATCTTTGGGTGAAAAATGTCCGGATCTTCTGCAGTCCAGCTACAAC  
AAACAGCGCTTTGATCAACCTTTAGAGGCTTCAACCTGGCTGAAGAATTTCAAACTACAAATGAGCGCT  
TCCTGAACCAGATAAAAGTTCAAGAGAAGTATGCTGGAATAAGAGAGAAAGCACTGAGAAAGGGAGTCC  
TCTGGGAGAAGTGGTTGAACAGGGCATAACACGGGTGAGGAACGCCACAGATGCAGTTGGAATTGTGCTG  
AAAGAGCTAAAGAGGCAAAGTTCTTTGGGTATGTTTCACTCCTAGTGGCCGTGGATGGAATCAATGCTC  
TTTGGGAAGAACCCTCTGAAAAGAGAAGATAAAAGCCCGATTGCCCCGAGGAATTAGCACTTGTTC  
CAACTTGAGGAAAATGATGAAAAATGATTGGCATGGAGGCGCCATTGTGTCGGCTTTGAGCCAGACTGGG  
TCTCTTTAAGCCCGAAAGCCTATCTGCCAGGAGTTGCTGGAAAGGAAGATTGATGCCCTGG  
ATCCCTTTATCCCATCCTGGTTTCCAACCTATAACCCAAAGGAATTTGAAAGTTGTATTCAGTATTATTT  
GGAAAAACAATTGGCTTCAACATGAGAAAGCTCCTACAGAAGAAGGAAAAAGAGCTGCTGTTCTAAGT  
AACCGAACCCTCGCTGCTGGAGCGGCACTGTGCCTACCTC

**ACCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

**Protein Sequence:** >RG232586 representing NM\_001199850  
Red=Cloning site Green=Tags(s)


MMLKGITRLISRIHKLPGRFLHMGTPARQSIAAHLDNQVPVESPRAISRNTNENDPVKTFSEACLMVRKP  
 ALELLHYLKNTSFAYPAIRYLLYGEKGTGKTL SLCHVIHFCAKQDWLILHIPDAHLWVKNCRDLLQSSYN  
 KQRFDPLEASTWLKNFKTTNERFLNQIKVQEKYVWNKRESTEKGSPLGEVVEQGITRVRNATDAVGIVL  
 KELKRQSSLGMFHLLVAVDGINALWGRITLTKREDKSPIAPEELALVHNLKMMKNDWHGGAIVSALSQTG  
 SLFKPRKAYLPQELLGKEGFDALDPFIPILVSNYPKEFESCIIQYYLENNWLQHEKAPTEEGKELLFLS  
 NANPSLLERHCAYL

TRTRPLE - GFP Tag - V


**Restriction Sites:**

Sgfl-MluI

**Cloning Scheme:**



**Plasmid Map:**



**ACCN:**

NM\_001199850

<b>ORF Size:</b>	1092 bp
<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001199850.1</a> , <a href="#">NP_001186779.1</a>
<b>RefSeq Size:</b>	1966 bp
<b>RefSeq ORF:</b>	1095 bp
<b>Locus ID:</b>	7818
<b>UniProt ID:</b>	<a href="#">P51398</a>
<b>Cytogenetics:</b>	1q22
<b>Protein Families:</b>	Druggable Genome
<b>Gene Summary:</b>	Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 28S subunit protein that also participates in apoptotic pathways which are initiated by tumor necrosis factor-alpha, Fas ligand, and gamma interferon. This protein potentially binds ATP/GTP and might be a functional partner of the mitoribosomal protein S27. Multiple alternatively spliced transcript variants encoding distinct isoforms have been found for this gene. Pseudogenes corresponding to this gene are found on chromosomes 1q and 2q. [provided by RefSeq, Dec 2010]