**OriGene Technologies, Inc.**
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

# Product datasheet for RG232871

## ALDH7A1 (NM_001202404) Human Tagged ORF Clone

### Product data:

| | |
|---|---|
| **Product Type:** | Expression Plasmids |
| **Product Name:** | ALDH7A1 (NM_001202404) Human Tagged ORF Clone |
| **Tag:** | TurboGFP |
| **Symbol:** | ALDH7A1 |
| **Synonyms:** | ATQ1; EPD; PDE |
| **Mammalian Cell Selection:** | Neomycin |
| **Vector:** | pCMV6-AC-GFP (PS100010) |
| **E. coli Selection:** | Ampicillin (100 ug/mL) |



View online »

**ORF Nucleotide Sequence:**

>RG232871 representing NM_001202404
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGGGTTCTCCCGGGCGGGGGGCGGGGCTCTATTTCAGCAGCTCTCAGGGCCTTGGGCTCATCCCGAGTC
CCGGGCTCAGTATGTGGCGCCTTCCTCGCGCGCTGTGTGTGCACGCTGCAAAGACCAGCAAGCTCTCTGG
ACCTTGGAGCAGGCCTGCCGCCTTCATGTCCACTCTCCTCATCAATCAGCCCCAGTATGCGTGGCTGAAA
GAGCTGGGGCTCCGCGAGGAAAACGAGGGCGTGTATAATGGAAGCTGGGGAGGCCGGGGAGAGGTTATTA
CGACCTATTGCCCTGCTAACAACGAGCCAATAGCAAGAGTCCGACAGGCCAGTGTGGCAGACTATGAAGA
AACTGTAAAGAAAGCAAGAGAAGCATGGAAAATCTGGGCAGATATTCCTGCTCCAAAACGAGGAGAAATA
GTAAGACAGATTGGCGATGCCTTGCGGGAGAAGATCCAAGTACTAGGAAGCTTGGTGTCTTTGGAGATGG
GGAAAATCTTAGTGGAAGGTGTGGGTGAAGTTCAGGAGTATGTGGATATCTGTGACTATGCTGTTGGTTT
ATCAAGGATGATTGGAGGACCTATCTTGCCTTCTGAAAGATCTGGCCATGCACTGATTGAGCAGTGGAAT
CCCGTAGGCCTGGTTGGAATCATCACGGCATTCAATTTCCCTGTGGCAGTGTATGGTTGGAACAACGCCA
TCGCCATGATCTGTGGAAATGTCTGCCTCTGGAAAGGAGCTCCAACCACTTCCCTCATTAGTGTGGCTGT
CACAAAGATAATAGCCAAGGTTCTGGAGGACAACAAGCTGCCTGGTGCAATTTGTTCCTTGACTTGTGGT
GGAGCAGATATTGGCACAGCAATGGCCAAAGATGAACGAGTGAACCTGCTGTCCTTCACTGGGAGCACTC
AGGTGGGAAAACAGGTGGGCCTGATGGTGCAGGAGAGGTTTGGGAGAAGTCTGTTGGAACTTGGAGGAAA
CAATGCCATTATTGCCTTTGAAGATGCAGACCTCAGCTTAGTTGTTCCATCAGCTCTCTTCGCTGCTGTG
GGAACAGCTGGCCAGAGGTGTACCACTGCGAGGCGACTGGTTATGGATCGCCCTGGAAATTATGTAGAAC
CGACAATTGTGACAGGTCTTGGCCACGATGCGTCCATTGCACACACAGAGACTTTTGCTCCGATTCTCTA
TGTCTTTAAATTCAAGAATGAAGAAGAGGTCTTTGCATGGAATAATGAAGTAAAACAGGGACTTTCAAGT
AGCATCTTTACCAAAGATCTGGGCAGAATCTTTCGCTGGCTTGGACCTAAAGGATCAGACTGTGGCATTG
TAAATGTCAACATTCCAACAAGTGGGGCTGAGATTGGAGGTGCCTTTGGAGGAGAAAAGCACACTGGTGG
TGGCAGGGAGTCTGGCAGTGATGCCTGGAAACAGTACATGAGAAGGTCTACTTGTACTATCAACTACAGT
AAAGACCTTCCTCTGGCCCAAGGAATCAAGTTTCAG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:**

>RG232871 representing NM_001202404
Red=Cloning site Green=Tags(s)

MGSPGRGAGLYFSSSQGLGLIPSPGLSMWRLPRALCVHAAKTSKLSGPWSRPAAFMSTLLINQPQYAWLK
ELGLREENEGVYNGSWGGRGEVITTYCPANNEPIARVRQASVADYEETVKKAREAWKIWADIPAPKRGEI
VRQIGDALREKIQVLGSLVSLEMGKILVEGVGEVQEYVDICDYAVGLSRMIGGPILPSERSGHALIEQWN
PVGLVGIITAFNFPVAVYGWNNAIAMICGNVCLWKGAPTTSLISVAVTKIIAKVLEDNKLPGAICSLTCG
GADIGTAMAKDERVNLLSFTGSTQVGKQVGLMVQERFGRSLLELGGNNAIIAFEDADLSLVVPSALFAAV
GTAGQRCTTARRLVMDRPGNYVEPTIVTGLGHDASIAHTETFAPILYVFKFKNEEEVFAWNNEVKQGLSS
SIFTKDLGRIFRWLGPKGSDCGIVNVNIPTSGAEIGGAFGGEKHTGGGRESGSDAWKQYMRRSTCTINYS
KDLPLAQGIKFQ

TRTRPLE - GFP Tag - V

**Restriction Sites:** SgfI-MluI

Cloning Scheme:



Plasmid Map:




| | |
|---|---|
| **ACCN:** | NM_001202404 |
| **ORF Size:** | 1506 bp |
| **OTI Disclaimer:** | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info |
| **OTI Annotation:** | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene. |
| **Components:** | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |

| | |
|---|---|
| **Reconstitution Method:** | 1. Centrifuge at 5,000xg for 5min.<br>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.<br>3. Close the tube and incubate for 10 minutes at room temperature.<br>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.<br>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| **RefSeq:** | NM_001202404.1, NP_001189333.2 |
| **RefSeq Size:** | 4761 bp |
| **RefSeq ORF:** | 1428 bp |
| **Locus ID:** | 501 |
| **UniProt ID:** | P49419 |
| **Cytogenetics:** | 5q23.2 |
| **Protein Families:** | Druggable Genome |
| **Protein Pathways:** | Arginine and proline metabolism, Ascorbate and aldarate metabolism, beta-Alanine metabolism, Butanoate metabolism, Fatty acid metabolism, Glycerolipid metabolism, Glycolysis / Gluconeogenesis, Histidine metabolism, Limonene and pinene degradation, Lysine degradation, Metabolic pathways, Propanoate metabolism, Pyruvate metabolism, Tryptophan metabolism, Valine, leucine and isoleucine degradation |
| **Gene Summary:** | The protein encoded by this gene is a member of subfamily 7 in the aldehyde dehydrogenase gene family. These enzymes are thought to play a major role in the detoxification of aldehydes generated by alcohol metabolism and lipid peroxidation. This particular member has homology to a previously described protein from the green garden pea, the 26g pea turgor protein. It is also involved in lysine catabolism that is known to occur in the mitochondrial matrix. Recent reports show that this protein is found both in the cytosol and the mitochondria, and the two forms likely arise from the use of alternative translation initiation sites. An additional variant encoding a different isoform has also been found for this gene. Mutations in this gene are associated with pyridoxine-dependent epilepsy. Several related pseudogenes have also been identified. [provided by RefSeq, Jan 2011] |