

### **Product datasheet for RG233374**

#### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

# MED8 (NM\_001001653) Human Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** MED8 (NM\_001001653) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: MED8

Synonyms: ARC32

Mammalian Cell Neomycin

Selection:

**Vector:** pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG233374 representing NM\_001001653
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

GAATAAAAACCAACATCAAGTCGGCTTCCATGCATCCCTACCAGCGG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG233374 representing NM\_001001653

Red=Cloning site Green=Tags(s)

MRQTEGRVPVFSHEVVPDHLRTKPDPEVEEQEKQLTTDAARIGADAAQKQIQSLNKMCSNLLEKISKEER ESESGGLRPNKQTFNPTDTNALVAAVAFGKGLSNWRPSGSSGPGQAGQPGAGTILAGTSGLQQVQMAGAP

SQQQPMLSGVQMAQAGQPGKMPSGIKTNIKSASMHPYQR

TRTRPLE - GFP Tag - V


**Restriction Sites:** Sgfl-Mlul





#### **Cloning Scheme:**





**ACCN:** NM\_001001653

ORF Size: 537 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 001001653.3</u>

RefSeq Size: 2032 bp
RefSeq ORF: 540 bp
Locus ID: 112950
UniProt ID: Q96G25



Cytogenetics: 1p34.2


**Protein Families:** Druggable Genome, Transcription Factors

Gene Summary: This gene encodes a protein component of the mediator complex, which aids in

transcriptional activation through interaction with RNA polymerase II and gene-specific transcription factors. The encoded protein may also function in ubiquitin ligation and protein degradation. Alternatively spliced transcript variants encoding multiple isoforms have been

observed for this gene. [provided by RefSeq, Jan 2013]

# **Product images:**



Circular map for RG233374