

# Product datasheet for RG233388

## TBPL1 (NM\_001253676) Human Tagged ORF Clone

### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


Broduct Typo:	Expression Plasmids
Product Type:	
Product Name:	TBPL1 (NM_001253676) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	TBPL1
Synonyms:	MGC:8389; MGC:9620; STUD; TLF; TLP; TRF2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	<pre>&gt;RG233388 representing NM_001253676 Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCCGCGATCGCC
	ATGGATGCAGACAGTGATGTTGCATTGGACATTCTAATTACAAATGTAGTCTGTGTTTTTAGAACAAGAT GTCATTTAAACTTAAGGAAGATTGCTTTGGAAGGAGCAAATGTAATTTATAAACGTGATGTTGGAAAAGT ATTAATGAAGCTTAGAAAACCTAGAATTACAGCTACAATTTGGTCCTCAGGAAAAATTATTTGCACTGGA GCAACAAGTGAAGAAGAAGCTAAATTTGGTGCCAGACGCTTAGCCCGTAGTCTGCAGAAACTAGGTTTTC AGGTAATATTTACAGATTTTAAGGTTGTTAACGTTCTGGCAGTGTGTAACATGCCATTTGAAATCCGTTT GCCAGAATTCACAAAGAACAATAGACCTCATGCCAGTTACGAACCTGAACTTCATCCTGCTGTGTGCTAT CGGATAAAATCTCTAAGAGCTACATTACAGATTTTTCCAACAGGAAGTATCACAGGAACAGGGCCCAATG TAAAGGCTGTTGCTACTGCTGTGGAACAGATTTACCAGTTTACCCATTTGGAAAGCAGGAAAGAAA
Protein Sequence:	ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA >RG233388 representing NM_001253676 Red=Cloning site Green=Tags(s)
	MDADSDVALDILITNVVCVFRTRCHLNLRKIALEGANVIYKRDVGKVLMKLRKPRITATIWSSGKIICTG ATSEEEAKFGARRLARSLQKLGFQVIFTDFKVVNVLAVCNMPFEIRLPEFTKNNRPHASYEPELHPAVCY RIKSLRATLQIFSTGSITVTGPNVKAVATAVEQIYPFVFESRKEIL
	TRTRPLE - GFP Tag - V
Restriction Sites:	Sgfl-Mlul



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

TBPL1 (NM\_001253676) Human Tagged ORF Clone - RG233388

#### **Cloning Scheme:**




ACCN:	NM_001253676
ORF Size:	558 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
RefSeq:	<u>NM 001253676.1, NP 001240605.1</u>
RefSeq Size:	1635 bp
RefSeq ORF:	561 bp
Locus ID:	9519
UniProt ID:	<u>P62380</u>

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	TBPL1 (NM_001253676) Human Tagged ORF Clone – RG233388
Cytogenetics:	6q23.2
Protein Families	: Transcription Factors
Protein Pathway	s: Basal transcription factors, Huntington's disease
Gene Summary:	This gene encodes a member of the TATA box-binding protein family. TATA box-binding proteins play a critical role in transcription by RNA polymerase II as components of the transcription factor IID (TFIID) complex. The encoded protein does not bind to the TATA box and initiates transcription from TATA-less promoters. This gene plays a critical role in spermatogenesis, and single nucleotide polymorphisms in this gene may be associated with male infertility. Alternatively spliced transcript variants have been observed for this gene, and a pseudogene of this gene is located on the long arm of chromosome 3. [provided by RefSeq, Nov 2011]

## **Product images:**



Circular map for RG233388

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US