

Product datasheet for RG233534

UBE3B (NM 001270451) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: UBE3B (NM_001270451) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: UBE3B

Synonyms: BPIDS; KOS

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG233534 representing NM_001270451
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

 ${\tt TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC}$

GCCGCGATCGCC

ATGTTCACCCTGTCTCAGACCTCGAGAGCATGGTTCATCGATAGAGCCCGTCAGGCACGAGAAGAAAGGC
TTGTGCAGAAGGAACGGGAGCGGCAGCTGTTGTGATCCAGGCCCATGTCCGGAGTTTTCTCTGTCGGAG
TCGACTGCAGAGAGAATATCAGGAGAGAGATTGATGACTTTTTTAAAGCAGATGACCCTGAGTCCACTAAA
AGAAGTGCACTTTGTATTTTCAAGATTGCCAGGAAACTGCTGTTCCTATTCAGAATCAAAGAGGATAATG
AGAGATTTGAGAAGTTGTCGCAGCATCCTGAGCAGCATGGATGCTGAGAATGAGCCTAAGGTGTGGTA
TGTGTCCCTGGCTTGTTCTAAGGACCTCACCCTCCTTTGGATTCAACAGATCAAGAACATTTTGTGGTAC
TGCTGTGATTTTCTCAAGCAGCCTCAAGCCTGAAATCCTGCAGGACTCCCGACTCATCACCCTGTACCTCA
CGATGCTTGTCACCTTCACAGACACTTCAACGTGGAAAATTCTTCGGGGAAAAGGTGAAAGTCTTCGACC
AGCGATGAACCACATTTTGTGCAAATATAATGGGACATCTCAACCAGCATGGATTTTATTCTGTGCTGCAG
TGCTGTGATGGGGCTGTTTCCTGATTTGGTTTCATATGCTCCTCACACAACAACCCTGTGAGGTGGTCCGTTG

GCAGAAGCTGGTATGACTGGCAGTTGTCTCGC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

UBE3B (NM_001270451) Human Tagged ORF Clone - RG233534

Protein Sequence: >RG233534 representing NM_001270451

Red=Cloning site Green=Tags(s)


MFTLSQTSRAWFIDRARQAREERLVQKERERAAVVIQAHVRSFLCRSRLQRDIRREIDDFFKADDPESTK RSALCIFKIARKLLFLFRIKEDNERFEKLCRSILSSMDAENEPKVWYVSLACSKDLTLLWIQQIKNILWY CCDFLKQLKPEILQDSRLITLYLTMLVTFTDTSTWKILRGKGESLRPAMNHICANIMGHLNQHGFYSVLQ CCDGLFPDLVSYAPHNNPVRWSVGRSWYDWQLSR


TRTRPLE - GFP Tag - V

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:





ACCN: NM_001270451

ORF Size: 732 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001270451.1</u>, <u>NP 001257380.1</u>

RefSeq Size: 1158 bp
RefSeq ORF: 735 bp
Locus ID: 89910
UniProt ID: Q7Z3V4

Cytogenetics: 12q24.11

Protein Families: Druggable Genome

Protein Pathways: Ubiquitin mediated proteolysis


Gene Summary: The modification of proteins with ubiquitin is an important cellular mechanism for targeting

abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: E1 ubiquitin-activating enzymes, E2 ubiquitin-conjugating enzymes, and E3 ubiquitin-protein ligases. This gene encodes a member of the E3 ubiquitin-conjugating enzyme family which accepts ubiquitin from an E2 ubiquitin-conjugating enzyme and transfers the ubiquitin to the targeted substrates. A HECT (homology to E6-AP C-terminus) domain in the C-terminus of the longer isoform of this protein is the catalytic site of ubiquitin transfer and forms a complex with E2 conjugases. Shorter isoforms of this protein which lack the C-terminal HECT domain are therefore unlikely to bind E2 enzymes. Alternatively spliced transcript variants encoding distinct isoforms have been identified for this gene. [provided by

RefSeq, Jul 2012]



Product images:



Circular map for RG233534