

## Product datasheet for **RG233686**

### IL1 Receptor II (IL1R2) (NM\_001261419) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	IL1 Receptor II (IL1R2) (NM_001261419) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	IL1 Receptor II
Synonyms:	CD121b; CDw121b; IL-1R-2; IL-1RT-2; IL-1RT2; IL1R2c; IL1RB
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG233686 representing NM_001261419 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGCATCGCC**

ATGTTGCGCTTGTACGTGTTGGTAATGGGAGTTTCTGCCTTCACCCTTCAGCCTGCGGCACACACAGGGG  
CTGCCAGAAGCTGCCGTTTTCTGGGAGGCATTACAAGCGGGAGTTCAGGCTGGAAGGGGAGCCTGTAGC  
CCTGAGGTGCCCCAGGTGCCCTACTGGTTGTGGGCCTCTGTAGCCCCGCATCAACCTGACATGGCAT  
AAAAATGACTCTGCTAGGACGGTCCCAGGAGAAGAAGAGACACGGATGTGGGCCAGGACGGTGCTCTGT  
GGCTTCTGCCAGCCTTGCAAGGACTCTGGCACCTACGTCTGCACTACTAGAAATGCTTCTTACTGTGA  
CAAAATGTCCATTGAGCTCAGAGTTTTTGAGAATACAGATGCTTTCTGCCGTTTCATCTCATACCCGCAA  
ATTTAACTTGTCAACCTCTGGGGTATTAGTATGCCCTGACCTGAGTGAATTCACCCGTGACAAAATG  
ACGTGAAGATTCAATGGTACAAGGATTCTTCTTTTGGATAAAGACAATGAGAAATTTCTAAGTGTGAG  
GGGACCCTCACTTACTCGTACACGATGTGGCCCTGGAAGATGCTGGCTATTACCGCTGTGTCCTGACA  
TTTGCCCATGAAGGCCAGCAATACAACATCACTAGGAGTATTGAGCTACGCATCAAGAAAAAAAAAAGAG  
AGACCATTCCTGTGATCATTTCCCCCTCAAGACCATATCAGTCTCTCTGGGGTCAAGACTGACAATCCC  
GTGTAAGGTGTTTCTGGGAACCGGCACACCCTTAACCACCATGCTGTGGTGGACGGCCAATGACACCCAC  
ATAGAGAGCGCCTACCCGGGAGGCCGCTGACCGAGGGGCCACGCCAG

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

**Protein Sequence:** >RG233686 representing NM\_001261419  
Red=Cloning site Green=Tags(s)

MLRL YVL VMGVS AFTLQ PAAHTGAARSCRFRGRHYKREFRLEGE PVALRCPQVPYWLWASVSPRINLTWH  
 KNDSARTVPGEETRMWAQD GALWLLPALQEDSGTYVCTTRNASYCDKMSIELRVFENTDAFLPFISYPQ  
 ILTLSTSGVLVCPDLSEFTRDKTDVKIQWYKDSL LLDKDNEKFLSVRGTT HLLVHDVALEDAGYYRCVLT  
 FAHEGQQYNITRSIELRIKKKKEETIPV IISPLKTI SASLGSRLTIPCKVFLGTGTPLT TMLWWTANDTH  
 IESAYPGGRVTEGPRQ

TRTRPLE - GFP Tag - V

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**ACCN:** NM\_001261419

**ORF Size:** 888 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001261419.2](#)

**RefSeq Size:** 1204 bp

**RefSeq ORF:** 891 bp

**Locus ID:** 7850

**UniProt ID:** [P27930](#)


**Cytogenetics:** 2q11.2

**Protein Families:** Druggable Genome, Transmembrane

**Protein Pathways:** Cytokine-cytokine receptor interaction, Hematopoietic cell lineage, MAPK signaling pathway

**Gene Summary:** The protein encoded by this gene is a cytokine receptor that belongs to the interleukin 1 receptor family. This protein binds interleukin alpha (IL1A), interleukin beta (IL1B), and interleukin 1 receptor, type I (IL1R1/IL1RA), and acts as a decoy receptor that inhibits the activity of its ligands. Interleukin 4 (IL4) is reported to antagonize the activity of interleukin 1 by inducing the expression and release of this cytokine. This gene and three other genes form a cytokine receptor gene cluster on chromosome 2q12. Alternative splicing results in multiple transcript variants and protein isoforms. Alternative splicing produces both membrane-bound and soluble proteins. A soluble protein is also produced by proteolytic cleavage. [provided by RefSeq, May 2012]

### Product images:



Circular map for RG233686