

Product datasheet for RG234044

IKZF5 (NM_001271840) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: IKZF5 (NM_001271840) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: IKZF5

Synonyms: PEGASUS; THC7; ZNFN1A5

Mammalian Cell Neomycin

Selection:

Vector:


pCMV6-AC-GFP (PS100010)


E. coli Selection: Ampicillin (100 ug/mL)

Restriction Sites: Sgfl-Mlul

Cloning Scheme:

Cloning sites used for ORF Shuttling:





ACCN: NM_001271840

ORF Size: 1257 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001271840.1</u>, <u>NP 001258769.1</u>

 RefSeq Size:
 4553 bp

 RefSeq ORF:
 1260 bp

 Locus ID:
 64376

 UniProt ID:
 Q9H5V7

 Cytogenetics:
 10q26.13


Gene Summary: Members of the Ikaros (ZNFN1A1; MIM 603023) family of transcription factors, which includes

Pegasus, are expressed in lymphocytes and are implicated in the control of lymphoid

development.[supplied by OMIM, Jul 2002]



Product images:



Circular map for RG234044