

Product datasheet for **RG234787**

CTAGE5 (MIA2) (NM_001247990) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CTAGE5 (MIA2) (NM_001247990) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	CTAGE5
Synonyms:	CTAGE5; MEA6; MGEA; MGEA6; MGEA11; TALI
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG234787 representing NM_001247990
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGCTTTCTGACTAATTGAAGAAAAAGTAACTACTTGAAAAATTTAGCCTTGTTCAAAAAGAGTATG
 AAGGCTATGAAGTAGAGTCATCTTTAAAGGATGCCAGCTTTGAGAAGGAGGCAACAGAAGCACAAAGTTT
 GGAGGTAGAAAATCAAATGGCAACCTGTGAAAAGCTGAACAGGTCCAATTCTGAACCTTGAGGATGAAATA
 CTCTGTCTAGAAAAAGAGTTAAAAGAAGAGAAATCCAAACATTCTGAACAAGATGAATTGATGGCGGATA
 TTTAAAAAGGATACAGTCTCTAGAAGATGAGTCAAAATCCCTCAAATCACAAGTAGCTGAAGCCAAAAT
 GACCTTCAAGATATTTCAAATGAATGAAGAACGACTGAAGATAGCAATAAAAAGATGCTTTGAATGAAAAT
 TCTCAACTTCAGGAAAGCCAGAAACAGCTTTTGAAGAAGCTGAAGTATGGAAAGAACAAGTGAGTGAAC
 TTAATAAACAGAAAGTAACTTTGAAGACTCCAAAGTACATGCAGAACAAGTTCTAAATGATAAAGAAAG
 TCACATCAAGACTCTGACTGAACGCTTGTAAAGATGAAAGATTGGGCTGCTATGCTTGGAGAAGACATA
 ACGGATGATGATAACTTGGAAATAGAAAAGAACAGTGAATCGGAAAATGGTGCTTACTTAGATAATCCTC
 CAAAAGGAGCTTTGAAGAACTGATTATGCTGCTAAGTTAAATGCTTCTTTAAAAACCTTAGAAGGAGA
 AAGAAACCAAATTTATATTCAGTTGTCTGAAGTTGATAAAAACAAAGGAAGAGCTTACAGAGCATATTA
 AATCTTCAGACTGAACAAGCATCTTTCAGTGCAGAAAACACACATTTTAAAAATGAGAATCAGAAGCTTC
 AACAGAACTTAAAGTAATGACTGAATTATCAAGAAAATGAAATGAACTCCACAGGAAATTAACAGT
 AGAGGAAAATTCGGTTAGAGAAAGAAGAAAAGTCTTAAAGTAGATGAAAAGATCAGCCATGCCACT
 GAAGAGCTGGAGACCTATAGAAAGCGAGCCAAAGATCTTGAAGAAGAATTGGAGAGAACTATTCATTCTT
 ATCAAGGGCAGATTATTTCCCATGAGAAAAAGCACATGATAATTGGTTGGCAGCTCGGAATGCTGAAAG
 AAACCTCAATGATTTAAGGAAAGAAAATGCTCACACAGACAAAAATTAAGTAAACAGAGCTTAAATTT
 GAACCTTTAGAAAAAGATCCTTATGCACTCGATGTTCCAATACAGCATTGGCAGAGAGCATTCCCCAT
 ATGGTCCCTCACCATTGGGTTGGCTTCTGTAACAAGAGCTTTTCTCTCCTCCAACCTTTGTTGGA
 GGGTCCACTCAGACTCTCACCTTTGCTTCCAGGGGAGGAGGAAGAGGCTCACGAGGCCAGGGAATCCT
 CTGGACCATCAGATTACCAATGAAAGAGGAGAATCAAGCTGTGATAGGTTAACCGATCCTCATAGGGCTC
 CCTCTGACTGGGTCTGTCTCACCTCCATGGGACCAGGACCGTAGGATGATGTTTCTCCGCCAGGACA
 ATCATATCCTGATTCAGCCCTTCTCCACAAGGCAAGACAGATTTTGTCTAATCTGGTAGACTGTCT
 GGACCAGCAGAACTCAGAAGTTTAAATAGCCTTCTTTGGATAAAATGGATGGGTCAATGCCTTCAGAAA
 TGGAAATCCAGTAGAAATGATACCAAGATGATCTTGTAATTTAAATGTGCCTGATTCATCTCCTCCTGC
 TGA AAAATGAAGCCACTGGCCCTGGCTTTGTTCTCCACCTCTTGCTCCAATCAGAGGTCCATTGTTTCCA
 GTGGATGCAAGAGGCCATTCTTGAGAAGAGGACCTCCTTTCCCCCACCTCCTCCAGGAGCCATGTTTG
 GAGCTTCTCGAGATTATTTCCACCAGGGGATTTCCAGGTCCACCACCTGCTCCATTTGCAATGAGAAA
 TGTCTATCCACCAGGGGTTTCTCCTTACCTTCCCCAAGACCTGGATTTTCCCCCACCCACAT
 TCTGAAGGTAGAAGTGAGTCCCTCAGGTTTGATTCCACCTTCAAATGAGCCTGCTACTGAACATCCAG
 ACCACAGCAAGAAACC

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >RG234787 representing NM_001247990
 Red=Cloning site Green=Tags(s)

```

MLSGLIIEEKSKLLEKFLVQKEYEGYEVESLKDASFEKEATEAQSLSEVENQMATCEKLNRSNSELEDEI
LCLEKELKEEKSKHSEQDELMADISKRIQSLDESKSLKSQVAEAKMTFKIFQMNEERLKIATKDALNEN
SQLQESQKQLLQAEVWKEQVSELNKQKVTFFEDSKVHAEQVLDNKEKSHIKTLTERLLKMKDWAAMLGEDI
TDDNLELEMNSESENGAYLDNPPKGALKKLIHAAKLNASLKTLEGERNQIYIQLSEVDKTEELTEHIK
NLQTEQASLQSENTHFENENQKLQKLVMTELYQENEMKLRKLTVEENYRLEKKEKLSKVDEKISHAT
EELETYRKRKADLEEEELERTIHSYQGQIISHEKKAHDNWLAARNAERNLNDLRKENAHRNQKLTETELKF
ELLEKDPYALDVPNTAFGREHSPYGPSPLGWPSSETRAFLLSPPTLLEGLRLSPLLPGGGGRGSRGPGNP
LDHQITNERGESSCDRLTDPHRAPSDTGSLSPWDQDRRMFPPPGQSYPSALPPQRQDRFCNSNGRLS
GPAELRSFNMPSLDKMDGSMPSSESSRNDTKDDLGNLNPVDSLLPAENEATGPGFVPPPLAIPRGPLFP
VDARGPFLRRGPPFPPPPGAMFGASRDYFPPGDFPGPPPAPFAMRNVPYPPRGFPPYLPYPPRGFPPPPH
SEGRSEFPSSLIPPSNEPATEHPEPQET
  
```

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001247990

ORF Size: 2187 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001247990.2](#)

RefSeq Size: 3585 bp

RefSeq ORF: 2190 bp

Locus ID: 4253


UniProt ID: [Q96PC5](#)

Cytogenetics: 14q21.1

Protein Families: Transmembrane

Gene Summary: This gene encodes s receptor in the endoplasmic reticulum, which plays a role in the export of large pre-chylomicrons and pre-very low density lipoproteins (pre-VLDLs). Three major classes of transcripts are generated from this gene- melanoma inhibitory activity 2-specific transcripts, cTAGE family member 5-specific transcripts and transcripts that include exons from both these transcript species (TANGO1-like or TALI). Additionally, alternative splicing in these transcripts results in multiple transcript variants encoding multiple isoforms. [provided by RefSeq, Sep 2016]

Product images:



Circular map for RG234787