

Product datasheet for **RG234853**

LONP1 (NM_001276480) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	LONP1 (NM_001276480) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	LONP1
Synonyms:	CODASS; hLON; LON; LonHS; LONP; PIM1; PRSS15
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide
Sequence:

>RG234853 representing NM_001276480
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGCATCGCC**

ATGCAGGACCTTGGGACAAGCTGCGCATGATCGTCATGGGACACAGAAGAGTCCATATCAGCAGACAGC
TGGAGGTGGAGCCGAGGAGCCGGAGGCCGAGACAAGCAACAAGCCCGCAGGAAGTCAAAGCGGGCAA
GAAGGAGCGGAGGACGAGCTGAGCGCCAGGCACCCGGCGGAGCTGGCGATGGAGCCACCCTGAGCTC
CCGGCTGAGGTGCTCATGGTGGAGGTAGAGAACGTTGTCCACGAGGACTTCCAGGTACGGAGGAGGTGA
AAGCCCTGACTGCAGAGATCGTGAAGACCATCCGGGACATCATTGCCTTGAACCTCTCTACAGGGAGTC
AGTGTGCAGATGATGCAGGCTGGCCAGCGGGTGGTGGACAACCCCATCTACCTGAGCGACATGGGCGCC
GCGCTACCGGGCCGAGTCCCATGAGCTGCAGGACGCTCTGGAAGAGACCAATATTCTAAGCGGCTGT
ACAAGGCCCTCTCCCTGCTGAAGAAGGAATTTGAACTGAGCAAGCTGCAGCAGCGCTGGGGCGGGAGGT
GGAGGAGAAGATCAAGCAGACCCACCGTAAGTACCTGCTGCAGGAGCAGCTAAAGATCATCAAGAAGGAG
CTGGGCCCTGGAGAAGGACGACAAGGATGCCATCGAGGAGAAGTTCGGGAGCGCCTGAAGGAGCTCGTGG
TCCCAAGCACGTCATGGATGTTGTGGACGAGGAGCTGAGCAAGCTGGGCTGCTGGACAACCCTCCTC
GGAGTTCAATGTCACCCGCAACTACCTAGACTGGCTCACGTCCATCCCTTGGGGCAAGTACAGCAACGAG
AACCTGGACCTGGCGCGGCACAGGCAGTGTGGAGGAAGACCTACGGCATGGAGGACGTCAAGAAAAC
GCATCCTGGAGTTCATTGCCGTTAGCCAGCTCCGCGGCTCCACCCAGGGCAAGATCCTCTGCTTCTATGG
CCCCCTGGCGTGGGTAAGACCAGCATTGCTCGCTCCATCGCCCGCGCCTGAACCGAGAGTACTCCGC
TTCAGCGTCGGGGCATGACTGACGTGGCTGAGATCAAGGGCCACAGGCGGACCTACGTGGGCGCCATGC
CCGGGAAGATCATCCAGTGTGTTGAAGAAGACCAAGACGGAGAACCCCTGATCCTCATCGACGAGGTGGA
CAAGATCGGCCGAGGCTACCAGGGGACCCGTCGTCGGCACTGCTGGAGCTGCTGGACCCAGAGCAAGT
GCCAACTTCTGGACCTACCTGGACGTGCCCGTGGACTTGTCCAAGGTGCTGTTTCATCTGCACGGCCA
ACGTCACGGACACCATCCCCGAGCCGCTGCGAGACCGTATGGAGATGATCAACGTGTCGGCTACGTGGC
CCAGGAGAAGCTGGCCATTGGCGAGCGCTACCTGGTGCCCAAGGCTCGCGCCCTGTGTGGCTTGGATGAG
AGCAAGGCCAAGCTGTCATCGGACGTGCTGACGCTGCTCATCAAGCAGTACTGCCGCGAGAGCGGTGTC
GCAACCTGCAGAAGCAAGTGGAGAAGGTGTTACGGAAATCGGCCTACAAGATTGCAGCGCGAGGCCGA
GTCCGTGGAGGTGACGCCGAGAACCTGCAGGACTTCGTGGGGAAGCCCGTGTTCACCGTGGAGCGCATG
TATGACGTGACACCGCCCGCGTGGTTCATGGGGTGGCCTGGACCACAATGGGAGGCTCCACGCTGTTTG
TGGAGACATCCCTGAGACGGCCACAGGACAAGGATGCCAAGGGTGACAAGGATGGCAGCCTGGAGGTGAC
AGGCCAGCTGGGGGAGGTGATGAAGGAGAGCGCCGCATAGCCTACACCTTCGCCAGAGCCTTCCTCATG
CAGCAGCCCCCGCAATGACTACCTGGTACCTCACACATCCACCTGCATGTGCCCGAGGGCGCCACCC
CCAAGGACGGCCCAAGCGCAGGCTGCACCATCGTCACGGCCCTGCTGTCCCTGGCCATGGGAGGCTGT
CCGGCAGAATCTGGCCATGACTGGCGAAGTCTCCCTCACGGGCAAGATCCTGCCTGTTGGTGGCATCAAG
GAGAAGACCATTGCGGCCAAGCGCAGGGGTGACGTGCATCGTCCTGCCAGCCGAGAACAAGAAGGACT
TCTACGACCTGGCAGCCTTCATCACCGAGGGCTGGAGGTGACTTCGTGGAACACTACCGGAGATCTT
CGACATCGCCTTCCCGGACGAGCAGGCAGAGGCCGCTGGCCGTGGAACGG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG234853 representing NM_001276480
 Red=Cloning site Green=Tags(s)


MQDLGDKLRMIVMGHRRVHISRQLEVEPEEPEAENKHKPRRKS KR GKKEAEDEL SARHPAELAMEPTPEL
 PAEVLMEVENVHEDFQVTEEVKALTA EIVKTI RDIIALNPLYRESVLQMMQAGQRVVDNPIYLS DMGA
 ALTGAESH ELQD VLEETNIPKRLYKAL SLLKKEFELSKLQQR LGREVEEKIKQTHRKYLLQEQLKIIKKE
 LGLEKDDKDAIEEKFRERL KELVVPKHVMDVVDEELSKLGLLDNHSSEFNVTRNYLDWLT SIPWGKY SNE
 NLDLARAQAVLEEDHYGMEDVKKRILEFIAVSQLRGSTQ GKILCFYGP PGVVKTSIARSIARALNREYFR
 FSVGGMTDVAEIKGHRRTYVGAMPKIIQCLKKTENPLILIDEVDKIGRGYQGD PSSALLELLDPEQN
 ANFLDHYLDV PVDLSKVLFI CTANVTDTIPEPLRDRMEMINVS GYVAQEKLAI AERYLV PQARALCGLDE
 SKAKLSSDVL TLLIKQYCRESGVRNLQKQVEKVLRSAYKIVSGEAESVEVTPENLQDFVGKPVFTVERM
 YDVT PPGVVMGLAWTAMGGSTL FVETSLRRPQDKDAKGDKGSLEVTGQLGEVMKESARIAYTFARAF LM
 QHAPANDYLV TSHIHLHVPEGATPKDGPSAGCTIVTALLSLAMGRPV RQNLAMTGEVSLTGKILPVGGIK
 EKTIAAKRAGVTCIVLPAENKKDFYDLAAFITEGLEVHFVEHYREIFDIAFPDEQAEALAVER


TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shutting:



Plasmid Map:


ACCN: NM_001276480

ORF Size: 2289 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001276480.1 , NP_001263409.1
RefSeq Size:	2900 bp
RefSeq ORF:	2292 bp
Locus ID:	9361
UniProt ID:	P36776
Cytogenetics:	19p13.3
Protein Families:	Druggable Genome, Protease
Gene Summary:	<p>This gene encodes a mitochondrial matrix protein that belongs to the Lon family of ATP-dependent proteases. This protein mediates the selective degradation of misfolded, unassembled or oxidatively damaged polypeptides in the mitochondrial matrix. It may also have a chaperone function in the assembly of inner membrane protein complexes, and participate in the regulation of mitochondrial gene expression and maintenance of the integrity of the mitochondrial genome. Decreased expression of this gene has been noted in a patient with hereditary spastic paraplegia (PMID:18378094). Alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Feb 2013]</p>