

## Product datasheet for **RG235465**

### IFI27 (NM\_001288960) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	IFI27 (NM_001288960) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	IFI27
Synonyms:	FAM14D; ISG12; ISG12A; P27
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG235465 representing NM_001288960. Blue=ORF Red=Cloning site Green=Tag(s)

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG  
GATCCGGTACCGAGGAGATCTGCCGCC**CGGATCGCC**  
ATGGTGCTCAGTGCCATGGGCTTCACTGCGGCGGAATCGCCTCGTCTCCATAGCAGCCAAGATGATG  
TCCGCGGCGGCCATTGCCAATGGGGTGGAGTTGCCTCGGGCAGCCTTGTGGCTACTCTGCAGTCACTG  
GGAGCAACTGGACTCTCCGGATTGACCAAGTTCATCCTGGGCTCCATTGGGTCTGCCATTGCGGCTGTC  
ATTGCGAGGTTCTAC  
**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAAAC

Protein Sequence:	>Peptide sequence encoded by RG235465 Blue=ORF Red=Cloning site Green=Tag(s)
-------------------	---

MVLSAMGFTAAGIASSSIAAKMMSAAAANGGGVVASGSLVATLQSLGATGLSGLTKFILGSIGSAIAAV  
IARFY  
**TRTR**PLEMESDESGLPAMEIECRITGTLNGVEFELVGGEGTPEQGRMTNKMSTKGALTFSPYLLSHV  
MGYGFYHFGTYPSGYENPFLHAINNGGYNTRIEKYEDGGVLHVSFSYRYEAGRVI GDFKVMGTGFPEP  
SVIFTDKIIRS NATVEHLHPMGDNDLDGSFTRFSLRDGGYSSVVD SHMHFKSAIHP SILQNGGPMFA  
FRRVEEDHSNTELGIVEYQHAFKTPDADAGEERV


Restriction Sites:	Sgfl-Mlul
--------------------	-----------



[View online »](#)

**Cloning Scheme:**

Cloning sites used for ORF Shutting:


**Plasmid Map:**

**ACCN:** NM\_001288960

**ORF Size:** 222 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>RefSeq:</b>	<a href="#">NM_001288960.2</a>
<b>RefSeq Size:</b>	523 bp
<b>RefSeq ORF:</b>	225 bp
<b>Locus ID:</b>	3429
<b>UniProt ID:</b>	<a href="#">P40305</a>
<b>Cytogenetics:</b>	14q32.12
<b>Protein Families:</b>	Transmembrane
<b>MW:</b>	7.4 kDa
<b>Gene Summary:</b>	Probable adapter protein involved in different biological processes (PubMed:22427340, PubMed:27194766). Part of the signaling pathways that lead to apoptosis (PubMed:18330707, PubMed:27673746, PubMed:24970806). Involved in type-I interferon-induced apoptosis characterized by a rapid and robust release of cytochrome C from the mitochondria and activation of BAX and caspases 2, 3, 6, 8 and 9 (PubMed:18330707, PubMed:27673746). Also functions in TNFSF10-induced apoptosis (PubMed:24970806). May also have a function in the nucleus, where it may be involved in the interferon-induced negative regulation of the transcriptional activity of NR4A1, NR4A2 and NR4A3 through the enhancement of XPO1-mediated nuclear export of these nuclear receptors (PubMed:22427340). May thereby play a role in the vascular response to injury (By similarity). In the innate immune response, has an antiviral activity towards hepatitis C virus/HCV (PubMed:27194766, PubMed:27777077). May prevent the replication of the virus by recruiting both the hepatitis C virus non-structural protein 5A/NS5A and the ubiquitination machinery via SKP2, promoting the ubiquitin-mediated proteasomal degradation of NS5A (PubMed:27194766, PubMed:27777077). [UniProtKB/Swiss-Prot Function]