

Product datasheet for **RG235581**

Mu Opioid Receptor (OPRM1) (NM_001285522) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Mu Opioid Receptor (OPRM1) (NM_001285522) Human Tagged ORF Clone
Tag: TurboGFP
Symbol: Mu Opioid Receptor
Synonyms: LMOR; M-OR-1; MOP; MOR; MOR1; OPRM
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >RG235581 representing NM_001285522.
 Blue=ORF Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGACAGCAGCGCTGCCCCACGAACGCCAGCAATTGCACTGATGCCTTGGCGTACTCAAGTTGCTCC
CCAGCACCCAGCCCGGTTCTGGGTCACTTGTCCCCTTAGATGGCAACCTGTCCGACCCATGCGGT
CCGAACCCGACCGACCTGGGCGGAGAGACAGCCTGTGCCCTCCGACCGCAGTCCCTCCATGATCAGC
GCCATCACGATCATGGCCCTCTACTCCATCGTGTGCGTGGTGGGGCTCTCGAAACTTCTGGTCATG
TATGTGATTGTCAGC
ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAAAC
```

Protein Sequence: >Peptide sequence encoded by RG235581
 Blue=ORF Red=Cloning site Green=Tag(s)

```
MDSSAAPTNASNCTDALAYSSCPAPSPGSWNLSHLDGNLSDPCGNRTDLGGRDSLCPPTGSPSMIT
AITIMALYSIVCVVGLFGNFLVMYVIVS
TRTRPLEMESDESGLPAMEIECRITGTLNGVEFELVGGEGTPEQGRMTNKMSTKGALTFSPYLLSHV
MGYGFYHFGTYPSGYENPFLHAINNGGYNTRIEKYEDGGVLHVSFSYRYEAGRVIGDFKVMGTGFPE
SVIFTDKIIRSNAVVEHLHPMGDNDLDGSFTRTFSLRDGGYSSVVDSHMHFKSAIHPSILQNGGPMFA
FRRVEEDHSNTELGIVEYQHAFKTPDADAGEERV
```

Restriction Sites: Sgfl-MluI



Cloning Scheme:



ACCN: NM_001285522

ORF Size: 291 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

RefSeq: [NM_001285522.1](#), [NP_001272451.1](#)


RefSeq Size: 14405 bp

RefSeq ORF: 294 bp

Locus ID: 4988
Cytogenetics: 6q25.2
Protein Families: Druggable Genome, GPCR, Transmembrane
Protein Pathways: Neuroactive ligand-receptor interaction
MW: 9.9 kDa

Gene Summary: This gene encodes one of at least three opioid receptors in humans; the mu opioid receptor (MOR). The MOR is the principal target of endogenous opioid peptides and opioid analgesic agents such as beta-endorphin and enkephalins. The MOR also has an important role in dependence to other drugs of abuse, such as nicotine, cocaine, and alcohol via its modulation of the dopamine system. The NM_001008503.2:c.118A>G allele has been associated with opioid and alcohol addiction and variations in pain sensitivity but evidence for it having a causal role is conflicting. Multiple transcript variants encoding different isoforms have been found for this gene. Though the canonical MOR belongs to the superfamily of 7-transmembrane-spanning G-protein-coupled receptors some isoforms of this gene have only 6 transmembrane domains. [provided by RefSeq, Oct 2013]

Product images:



Circular map for RG235581