

Product datasheet for **RG237155**

SMN1 (NM_001297715) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SMN1 (NM_001297715) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	SMN1
Synonyms:	BCD541; GEMIN1; SMA; SMA1; SMA2; SMA3; SMA4; SMA@; SMN; SMNT; T-BCD541; TDRD16A
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	<p>>RG237155 representing NM_001297715.</p> <p>Blue=ORF Red=Cloning site Green=Tag(s)</p>

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGAATTCGTCGACTG
 GATCCGGTACCGAGGAGATCTGCCGCC**GCGATCGCC**
 ATGGCGATGAGCAGCGCGGCAGTGGTGGCGCGTCCCGAGCAGGAGGATTCGTGCTGTTCCGGCGC
 GGCACAGGCCAGAGCGATGATTCTGACATTTGGGATGATACAGCACTGATAAAGCATATGATAAAGCT
 GTGGCTTCATTTAAGCATGCTCTAAAGAATGGTGACATTTGTGAACTTCGGGTAAACCAAAACCACA
 CCTAAAGAAAACCTGCTAAGAAGAATAAAGCCAAAAGAAGAATACTGCAGCTTCCTTACAACAGTGG
 AAAGTTGGGACAAATGTTCTGCCATTTGGTCAGAAGACGGTTGCATTTACCCAGCTACCATTGCTTCA
 ATTGATTTTAAGAGAGAAACCTGTGTTGTGGTTTACACTGGATATGGAATAGAGAGGAGCAAAATCTG
 TCCGATCTACTTTCCCAATCTGTGAAGTAGCTAATAATATAGAACAAAATGCTCAAGAGAATGAAAT
 GAAAGCCAAGTTTCAACAGATGAAAGTGAGAACTCCAGGTCTCCTGGAATAAATCAGATAACATCAAG
 CCCAAATCTGCTCCATGGAACCTTTTTCTCCCTCCACCACCCCCCATGCCAGGGCCAAGACTGGGACCA
 GGAAAGCCAGGTCTAAAATTCAATGGCCACCACCGCCACCGCCACCACCACCCCACTTACTATCA
 TGCTGGCTGCCTCCATTTCTTCTGGACCACCAATAATCCCCCACCCTCCATATGTCCAGATTCT
 CTTGATGATGCTGATGCTTTGGGAAGTATGTTAATTTATGGTACATGAGTGGCTATCATACTGGCTAT
 TATATGGAATGCTGGCA

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAAAC



[View online »](#)

Protein Sequence: >Peptide sequence encoded by RG237155
 Blue=ORF Red=Cloning site Green=Tag(s)

MAMSSGGSGGGVPEQEDSVLFRRGTGQSDSDIWDDTALIKAYDKAVASFHALKNGDICETSGKPKTT
 PKRKPAKKNKSSQKNTAASLQQWKVGDKCSAIWSEDGCIYPATIASIDFKRETCVVYTYGYNREEQNL
 SDLLSPICEVANNIEQNAQENENESQVSTDESENSRSPGNKSDNIKPKSAPWNSFLPPPPMPGPRLGP
 GKPGKLFNGPPPPPPPPHLLSCWLPFPSPGPIIPPPPICPDSLDDADALGSMLISWYMSGYHTGY
 YMEMLA
 TRTRPLEMESDESGLPAMEIECRITGTLNGVEFELVGGEGTPEQGRMTNKMSTKGALTFSPYLLSHV
 MGYGFYHFGTYPSGYENPFLHAINNGGYTNTRIEKYEDGGVLHVSFSYRYEAGRVIGDFKVMGTGFPED
 SVIFTDKIIRSNAVEHLHPMGDNDLDGSFTRTFSLRDGGYSSVVDSHMHFSAIHPSILQNGGPMFA
 FRRVEEDHSNTELGIVEYQHAFKTPDADAGEERV

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001297715

ORF Size: 859 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.


RefSeq: [NM_001297715.1](#), [NP_001284644.1](#)

RefSeq Size: 1571 bp
RefSeq ORF: 849 bp
Locus ID: 6606
UniProt ID: [Q16637](#)
Cytogenetics: 5q13.2
Protein Families: Druggable Genome, Stem cell - Pluripotency

MW: 30.9 kDa

Gene Summary: This gene is part of a 500 kb inverted duplication on chromosome 5q13. This duplicated region contains at least four genes and repetitive elements which make it prone to rearrangements and deletions. The repetitiveness and complexity of the sequence have also caused difficulty in determining the organization of this genomic region. The telomeric and centromeric copies of this gene are nearly identical and encode the same protein. However, mutations in this gene, the telomeric copy, are associated with spinal muscular atrophy; mutations in the centromeric copy do not lead to disease. The centromeric copy may be a modifier of disease caused by mutation in the telomeric copy. The critical sequence difference between the two genes is a single nucleotide in exon 7, which is thought to be an exon splice enhancer. Note that the nine exons of both the telomeric and centromeric copies are designated historically as exon 1, 2a, 2b, and 3-8. It is thought that gene conversion events may involve the two genes, leading to varying copy numbers of each gene. The protein encoded by this gene localizes to both the cytoplasm and the nucleus. Within the nucleus, the protein localizes to subnuclear bodies called gems which are found near coiled bodies containing high concentrations of small ribonucleoproteins (snRNPs). This protein forms heteromeric complexes with proteins such as SIP1 and GEMIN4, and also interacts with several proteins known to be involved in the biogenesis of snRNPs, such as hnRNP U protein and the small nucleolar RNA binding protein. Multiple transcript variants encoding distinct isoforms have been described. [provided by RefSeq, Jul 2014]

Product images:



Circular map for RG237155